# EFFECT OF NITROGEN POSITION ON EXCITED STATE PROPERTIES OF 1-(9-ANTHRYL)-2-(n-QUINOLINYL)ETHENES

Eun Ju Shin

Department of Chemistry, Sunchon National University, Sunchon, Chonnam 540-742, Korea

(Received 11 April 1999; accepted 25 May 1999)

**Abstract** – The fluorescence properties and photoisomerization behavior of 1-(9-anthryl)-2-(n-quinolinyl)ethene (n-AQE, n=2-4) have been investigated in various solvents. t-3-AQE is strongly fluorescent, but does not accomplish photoisomerization, similar to parent hydrocarbon compound, t-1-(9-anthryl)-2-phenylethene (t-9-APE) or t-1-(9-anthryl)-2-(1-naphthyl)ethene (t-1-ANE). Fluorescence and photoisomerization of t-2-AQE and t-4-AQE are strongly affected by solvent polarity. Dependence of fluorescence quantum yield on the solvent polarity is moderate for t-2-AQE and large for t-4-AQE. In nonpolar solvent (in n-hexane), they exhibit relatively strong fluorescence, but do not isomerize to cis isomer on irradiation, even if inefficient isomerization is observed for t-4-AQE. However, as solvent polarity increases, their fluorescences become weak with efficient photoisomerization to corresponding c is isomer. Intramolecular charge-transfer excited state is presumed to contribute to photoisomerization. The  $S_1$  decay parameters were found to be solvent-dependent due to the charge-transfer character of lowest  $S_1$  state. In polar solvents, the activation barrier to twisting is reduced enhancing the isomerization of t-2-AQE and t-4-AQE in the singlet manifold.

## INTRODUCTION

Photochemical cis-trans isomerization of stilbene and related 1,2-diarylethenes has long been investigated. 1-5 Photoisomerization of stilbene and their analogues has been proven to proceed mutually between trans and cis isomers via an activated internal rotation in the excited singlet manifold. Recently, n-APEs (n=1, 2, and 9) have been extensively studied because it belongs to a family of 1,2-diarylethylenes that exhibits one way cis → trans adiabatic photoisomerization. 6-8 The excited-state properties of 1-(n-anthryl)-2-phenylethenes (n-APEs, with n=1, 2, and 9) have attracted much attention because they accomplish efficient cistrans photoisomerization, but do not undergo reverse trans → cis photoisomerization.9-15 The energy barrier to twisting is too high for t-9-APE to undergo trans  $\rightarrow$  cis photoisomerization. The excitation energy is extensively localized in the large anthracene moiety so that the transoid geometry corresponds to energy minima in the excited potential energy surface. Interestingly, 9-APE derivatives bearing polar substituents in the para position of the styryl group are known to undergo  $trans \rightarrow cis$  photoisomerization due to the lowering of the torsional barrier for twisting in the singlet manifold via the intramolecular charge transfer processes, especially in polar solvent. 16-20

The spectroscopic state properties of some pyridyl<sup>21,22</sup> and

Phone: 0661-750-3635 FAX: 0661-750-3608

e-mail: ejs@sunchon.ac.kr

pyrazinyl derivatives<sup>23</sup> of 9-APE in the excited state have been previously investigated. As reported in our previous reports, 1-(9-anthryl)-2-(n-pyridyl)ethenes (n-APyE, n=2 or 4),<sup>22</sup> mono-aza analogues of 9-APE, show efficient trans  $\rightarrow$  cis photoisomerization in polar solvent, and 1-(9-anthryl)-2-pyrazinylethene (APzE),<sup>23</sup> a di-aza analogue of 9-APE, exhibits trans  $\rightarrow$  cis photoisomerization even in nonpolar solvent.

This report aims to extend our study to various quinolinyl derivatives containing two polycyclic aryl groups and consequently to correlate the photophysical properties and photoisomerization behavior of 1-(9-anthryl)-2-arylethenes with

Scheme 1

62 Eun Ju Shin

the size and aza substitution of aryl groups. The present work deals with the properties of the excited state of trans-1-(9-anthryl)-2-(2-quinolinyl)ethene(*t*-2-AQE), *t*-3-AQE, and *t*-4-AQE using steady state emission spectroscopy and photochemical behavior.

#### MATERIALS AND METHODS

*Materials* For spectroscopic measurements and photochemical reactions, n-hexane, tetrahydrofuran (THF), ethyl acetate (EtOAc), acetonitrile (CH $_3$ CN), and methanol (MeOH) of HPLC grade (Merck) were used. Dichloromethane (CH $_2$ Cl $_2$ ) and toluene are freshly distilled from  $P_2O_5$  and  $CaH_2$ , respectively. All other chemicals are used without further purification after purchase.

Synthesis The synthesis of n-AQE was accomplished by Wittig reaction between 9-anthrylmethyltriphenylphosphonium bromide and n-quinolinecarboxaldehyde. In dimethyl sulfoxide (50 ml) solution of 9-anthrylmethyltriphenylphosphonium bromide (1.33 g, 2.5 mmol) and n-quinolinecarboxaldehyde(n=2-4, 0.31 g, 2 mmol), sodium methoxide (0.14 g, 2.5 mmol) was added and stirred at 80 °C for 5 hrs. The resulting mixture was poured into distilled water and extracted three times with ethyl ether. The combined ether layer was rinsed several times with distilled water and dried with anhydrous magnesium sulfate. The solution was concentrated in vacuo and purified with column chromatography (silica gel) using hexane/ethyl acetate=10/1 (v/v) as an eluent. The first fraction was triphenylphosphine oxide (Ph<sub>3</sub>PO). Trans- and cis-isomers were eluted in the second and third fraction, respectively. Typically, t-2-AQE (136.4 mg, 0.4 mmol) and c-2-AQE (160 mg, 0.5 mmol) were obtained in 20 and 25% yields, respectively. Spectroscopic data of t- and c-2-AQE were reported elsewhere.24

*t-3-AQE* (bright yellow solid); IR: 1615, 1488, 1321, 887, 850, 737 cm<sup>-1</sup>. <sup>1</sup>H-NMR (CDCl<sub>3</sub>): 7.14 (1H, d, J=16.5 Hz, H10), 7.49-7.52 (4H, m, H2′, 3′, 6′, 7′), 7.62-7.69(1H, m, H6), 7.78-7.83 (1H, m, H7), 7.94-7.96 (1H, m, H5), 8.02-8.07 (2H, m, H4′, 5′), 8.53 (1H, d, J=16.5 Hz, H9), 8.33-8.38 (3H, m, H1′, 8′, 8), 8.44-8.47 (2H, m, H4, 10′), 9.34 (1H, s, H2).

*t-4-AQE* (bright yellow solid); IR: 1619, 1581, 1443, 886, 849, 731 cm<sup>-1</sup>. <sup>1</sup>H-NMR (CDCl<sub>3</sub>): 7.51-7.57 (4H, m, H2′, 3′, 6′, 7′), 7.75-7.77 (1H, m, H6), 7.81-7.87 (3H, m, H3, 5, 7), 8.06-8.11 (2H, m, H4′, 5′), 8.26 (1H, d, J=14.1 Hz, H10), 8.32-8.39 (3H, m, H1′, 8′, 8), 8.52 (1H, s, H10′), 9.04 (1H, d, J=14.1 Hz, H9), 9.21 (1H, d, J=4.2 Hz, H2).

Spectroscopic and photochemical measurements  $^{1}$ H-NMR spectra were measured on 300 MHz Varian UNITY plus 300 spectrometer in chloroform- $d_1$ . IR spectra were obtained in KBr pellets on Midac Prospect-IR spectrometer. Absorption spectra were recorded on a Hitachi U-3210 spectrophotometer. Steady state emission spectra were recorded on a SLM-AMIN-CO AB2 luminescence spectrometer. HPLC data are accom-




Figure 1. Absorption (left) and fluorescence (right) spectra of *t*-2-AQE in hexane (solid line) and methanol (dotted line) at room temperature.

plished using Waters Nova-Pak C18 analytical column on a HPLC system equipped with Waters 510 pump and Young-In M720 absorbance detector. Experimental details for measurements of quantum yields of fluorescence and photoisomerization were described previously.<sup>22</sup>

#### **RESULTS AND DISCUSSION**

The absorption spectra of t-2-AQE, t-3-AQE, and t-4-AQE in n-hexane and acetonitrile are represented in Figures 1-3, respectively. The absorption spectra of all three isomers are broad and the absorption maxima are similar. The absorption maxima in *n*-hexane are 394 nm ( $\varepsilon$ =14,500) for *t*-2-AQE, 391 nm ( $\varepsilon$ =8,000) for t-3-AQE, and 388 nm ( $\varepsilon$ =9,200) for t-4-AQE. However, the absorption spectrum of t-4-AQE is somewhat different in shape and shows characteristic second intense absorption band around 320 nm. In Tables 1-3, the absorption maxima of t-2-AQE, t-3-AQE, and t-4-AQE in the solvents of various polarity are represented, respectively, along with some photophysical and photochemical properties. Those appear to be insensitive to the medium. Absorption spectra of t-n-AOE are very similar to those of 9-APE (1-(9-anthryl)-2-phenylethene)9-15 and 1-ANE (1-(9anthryl)-2-(1-naphthyl)ethene). 13 The first intense absorption band of t-2-AQE is placed at 394 nm corresponding to the band at 388 nm of t-9-APE and t-1-ANE in n-hexane.

Figures 1-3 also show fluorescence spectra of *t*-2-AQE, *t*-3-AQE, and *t*-4-AQE in *n*-hexane and methanol. Fluorescence spectra of all three *t*-n-AQE in *n*-hexane at room temperature were very similar and structureless, but fluorescence maximum of *t*-4-AQE (500 nm) is longer than those of *t*-2-AQE (483 nm) and *t*-3-AQE (482 nm). Fluorescence properties of *t*-2-AQE and *t*-4-AQE are strongly solvent-dependent. Fluorescence of *t*-2-AQE and *t*-4-AQE in methanol is pronouncedly red-shifted with respect to that in n-hexane. Flu-

orescence of t-4-AQE is more solvent-dependent than that of t-2-AQE. Specially, fluorescence of t-4-AQE in methanol is too weak to measure with usual technique. As shown in Table 1, fluorescence maximum of t-2-AQE is red-shifted and fluorescence quantum yield is markedly decreased with increasing the solvent polarity. As shown in Tables 1-3, fluorescence maxima ( $\lambda_t$ ) and quantum yields ( $\Phi_t$ ) of t-n-AQE except t-3-AQE are strongly affected by solvent polarity in contrast to  $\phi_f$  of the parent t-9-APE which is independent of solvent polarity.<sup>17</sup> The fluorescence wavelength of t-2-AOE is shifted from 483 nm in *n*-hexane to 518 nm in methanol. For t-4-AQE,  $\lambda_f$  are 500 and 530 nm in n-hexane and methanol, respectively. In case of t-3-AQE, 482 and 502 nm in *n*-hexane and methanol, respectively. As solvent polarity increases,  $\lambda_f$  and  $\phi_f$  of those are markedly red-shifted and reduced, respectively. This phenomenon is more pronounced for t-4-AQE which has more polar charge transfer character. Fluorescence of t-4-AQE (Table 3) is more rapidly weakened than that of t-2-AQE with the high solvent polarity. Lower fluorescence quantum yield of t-4-AQE than that of t-2-AQE reflect the formation of more stable charge transfer state which lower the barrier twisting around ethenic bond. As in the case of other aza derivatives of 9-APE, for t-2-AQE and t-4-AQE the intramolecular charge transfer is likely to be responsible for the decrease of the fluorescence yield in polar solvents. As the solvent polarity is increased, the twisted state on the excited energy surface being of zwitterionic character is more stabilized through the intramolecular charge transfer thereby the photoisomerization from either trans or cis side becomes more feasible, thus fluorescence efficiency is decreased.

The fluorescence quantum yield of t-2-AQE is reduced from 0.41 in n-hexane to 0.02 in methanol. For t-4-AQE,  $\phi_f$  are 0.14 and 0.004 in n-hexane and methanol, respectively.  $\phi_f$  of t-2-AQE is highest among three t-n-AQE and  $\phi_f$  of t-4-AQE is lowest in n-hexane. As solvent polarity increases,




Figure 2. Absorption (left) and fluorescence (right) spectra of *t*-3-AQE in hexane (solid line) and methanol (dotted line) at room temperature.

 $\Phi_f$  of t-2-AQE and t-4-AQE decrease while  $\Phi_f$  of t-3-AQE is nearly unchanged. As shown in Tables 1-3,  $\Phi_f$  of t-4-AQE is more rapidly reduced than that of corresponding 2-isomers as increasing the solvent polarity.

The fluorescence wavelength and  $\Phi_f$  of t-3-AQE are nearly unaffected by the solvent polarity because lone pair electron on nitrogen atom of meta position cannot effectively delocalized in aromatic ring  $\pi$  system<sup>3</sup>, and thus the excited state property seems to be similar to that of parent 9-APE. Similar phenomenon was observed in the case of t-n-APyE(t-1-(9-anthryl)-2-(n-pyridyl)ethene)<sup>22</sup> and t-n-styrylpyridines.<sup>14</sup>

The quantum yields of  $trans \rightarrow cis$  photoisomerization ( $\Phi_{t\rightarrow c}$ ) of t-2-AQE, t-3-AQE, and t-4-AQE upon 366 nm irradiation in solvents of a wide range of polarity are represented in Table 1-3, respectively. In n-hexane, all three t-n-AQE carry out very inefficient  $t \rightarrow c$  photoisomerization like parent 9-APE $^{9-15}$  and t-n-APyE (n=2-4), $^{22}$  even if t-APzE $^{23}$  undergoes inefficient but measurable photoisomerization. However, as the solvent polarity increases,  $\Phi_{t\rightarrow c}$  for t-2-AQE and t-4-AQE increases while still virtually zero for t-3-AQE. The quantum yields of  $trans \rightarrow cis$  photoisomerization of t-2-AQE and t-4-AQE are slightly increased with the solvent polarity and then decreased in polar protic sol-

Table 1. Absorption maxima  $(\lambda_a^{\text{max}})$ , fluorescence maxima  $(\lambda_t^{\text{max}})$ , quantum yields  $(\Phi_t)$ , and photoisomerization quantum yields  $(\Phi_{t\rightarrow c})$  of *t*-2-AQE in various solvents at room temperature.

solvent	$E_T(30)^a$	$\lambda_{a}^{max}$ , nm( $\epsilon^{max}$ )	$\lambda_{\rm f}^{\rm max}$ , nm	$\mathbf{\Phi}_{\mathrm{f}}$	<b>Ф</b> t→c	
hexane	30.9	394(14,500)	483	0.41	< 0.01	
toluene	33.9	397(10,200)	499	0.29	-	
THF	37.4	399(14,300)	498	0.18	0.09	
<b>EtOAc</b>	38.1	395(13,300)	497	0.13	0.12	
$CH_2Cl_2$	41.1	400(13,200)	502	0.08	0.15	
CH <sub>3</sub> CN	46.0	391(15,000)	502	0.04	0.15	
<b>EtOH</b>	51.9	397(15,400)	505	0.03	0.10	
MeOH	55.5	394(14,700)	518	0.02	0.09	

<sup>&</sup>lt;sup>a</sup> Dimroth's empirical solvent polarity parameter




Figure 3. Absorption (left) and fluorescence (right) spectra of *t*-4-AQE in hexane (solid line) and methanol (dotted line) at room temperature.

Table 2. Absorption maxima ( $\lambda_a^{max}$ ), fluorescence maxima ( $\lambda_f^{max}$ ), quantum yields ( $\Phi_f$ ), and photoisomerization quantum yields ( $\Phi_{t\rightarrow c}$ ) of *t*-3-AQE in various solvents at room temperature.


solvent	E <sub>T</sub> (30) <sup>a</sup>	$\lambda_{a}^{\max}, \operatorname{nm}(\boldsymbol{\varepsilon}^{\max})$	λ <sub>r</sub> <sup>max</sup> , nm	<b>ф</b> f	<b>Ф</b> t⊷c
hexane	30.9	391(8,000)	482	0.26	< 0.01
toluene	33.9	392(9,400)	490	0.36	< 0.01
THF	37.4	391(9,800)	492	0.37	< 0.01
<b>EtOAc</b>	38.1	387(8,200)	488	0.43	< 0.01
$CH_2Cl_2$	41.1	391(8,700)	500	0.46	< 0.01
CH <sub>3</sub> CN	46.0	391(8,100)	500	0.34	< 0.01
EtOH	51.9	391(5,900)	500	0.69	< 0.01
MeOH	55.5	391(8,200)	502	0.15	<0.01

Table 3. Absorption maxima ( $\lambda_a^{max}$ ), fluorescence maxima ( $\lambda_f^{max}$ ), quantum yields ( $\Phi_f$ ), and photoisomerization quantum yields ( $\Phi_{\leftarrow}$ ) of *t*-4-AQE in various solvents at room temperature.

solvent	$E_{T}(30)$	$\lambda_a^{max}$ , nm( $\epsilon^{max}$ )	$\lambda_{i}^{max}$ , nm	${\bf \Phi}_{\rm f}$	<b>Ф</b> t→c
hexane	30.9	388(9,200)	500	0.19	0.07
toluene	33.9	391(9,300)	504	0.04	0.11
THF	37.4	392(8,700)	504	0.020	0.14
EtOAc	38.1	391(8,500)	505	0.017	0.18
CH <sub>2</sub> Cl <sub>2</sub>	41.1	392(9,000)	504	0.014	0.20
CH <sub>3</sub> CN	46.0	388(8,800)	521	0.005	0.17
EtOH	51.9	391(6,500)	523	0.009	0.15
MeOH	55.5	392(8,500)	530	0.004	0.15

vent (methanol, ethanol). For t-3-AQE(Table 2) which exhibits considerable  $\phi_f$  in solvents of various polarity, no photoisomerization is observed in all used solvent but some other reaction or decomposition occurs on prolonged irradiation. The quantum yields of  $trans \rightarrow cis$  photoisomerization and  $\Phi_f$  of t-2-AQE and t-4-AQE show, at least partly, inverse relationship in varing the solvent polarity(Tables 1 and 3). As solvent polarity increases,  $\phi_f$  greatly decreases and  $\phi_{t=c}$  slightly increases. It is inferred that photoisomerization of t-2-AQE and t-4-AQE proceeds partly on the excited singlet surface as in parent 9-APE and its derivatives.9-20 It is thought that polar solvent stabilizes charge transfer state compared with locally excited state and shifts equilibrium in excited trans isomer toward charge transfer state, and thus may lead to open the pathway of  $trans \rightarrow cis$  photoisomerization. The excited state involved in trans -> cis photoisomerization is presumed to be a polar intramolecular charge transfer state as in some 9-APE derivatives containing electron-donating and electronaccepting substituents to the para-position on the phenyl moiety.16-20

As the solvent polarity is increased, in our previous studies for t-n-APyE (n=2, 4)<sup>22</sup> and t-APzE,<sup>23</sup> the fluorescence quantum yield is decreased and photoisomerization quantum yield is complementarily increased due to the lowering of energy barrier against twisting in the excited state through the intramolecular charge-transfer. But, photoisomerization quantum yields of t-2-AQE and t-4-AQE are not noticeably






Figure 4. Plausible energy diagrams for photoisomerization of t-n-AQE.

increased, while the fluorescence quantum yields are significantly decreased with the solvent polarity. This can be explained that nonradiative decay processes become efficient in polar solvent due to the presence of the polycyclic azaaromatic ring.

Polycyclic aza-aromatics are generally known to exhibit fast radiationless decay attributed by efficient internal conversion and intersystem crossing. The fact that  $\phi_{t\rightarrow c}$  of *t*-n-AQE is lower than those of t-n-APyE (n=2 or 4) is probably due to more efficient nonreactive radiationless deactivation in *t*-n-AQE than in *t*-n-APyE (n=2 or 4).

Acknowledgement - The author thanks Ms. J. H. Kim for her tech-

nical assistance and Korea Basic Science Institute for the measurements of <sup>1</sup>H-NMR.

### REFERENCES

- Saltiel, J., J. D'Agostino, E. D. Megarity, L. Metts, K. R. Neuberger, M. Wrighton and O. C. Zafirou (1973) The cistrans Photoisomerization of Olefins. Org. Photochem. 3, 1-113.
- 2. Saltiel, J. and J. L. Charlton (1980) *cis-trans* Isomerization of Olefins, In *Rearrangements in Ground and Excited States*, ed. by P. de Mayo. Academic Press, New York, Vol. 3, pp 25-89.
- 3. Waldeck, D. H. (1991) Photoisomerization Dynamics of Stilbenes. *Chem. Rev.* **91**, 415-436.
- Mazzucato, U.(1982) Photophysical and Photochemical Behaviour of Stilbene-like Molecules and Their Aza-Analogues. *Pure Appl. Chem.* 54, 1705-1721.
- Meier, H. (1992) The Photochemistry of Stilbenoid Compounds and Their Role in Materials Technology. Angew. Chem. Int. Ed. Engl. 31(11), 1399-1540.
- Arai, T., T. Karatsu, H. Misawa, Y. Kuriyama, H. Okamoto, T. Hiresaki, H. Furuuchi, H. D. Zeng, H. Sakaragi and K. Tokumaru (1988) Novel Insights into Photoisomerization of Olefins. *Pure Appl. Chem.* 60, 989-998.
- Arai, T. and K. Tokumaru (1993) Photochemical One-Way Adiabatic Isomerization of Aromatic. Olefins, *Chem. Rev.* 93, 23-39.
- Arai T. and K. Tokumaru (1995) Present Status of The Photoisomerization about Ethylenic Bonds. Adv. Photochem. 20, 1-57
- Bhattacharyya, K., S. K. Chattopadhyay, S. Baral-Tosh and P. K. Das (1986) Excited-State Properties of trans-(9-Anthryl)ethylenes. Effects of Geometric Distortion about Single Bond. J. Phys. Chem. 90, 2646-2651.
- Bartocci, G., F. Masetti, U. Mazzucato, A. Spalletti, G. Orlandi and G. Poggi (1988) A Photophysical and Theoretical Study of Styrylanthracenes. J. Chem. Soc. Faraday Trans. 2. 84, 385-399.
- 11. Bartocci, G., U. Mazzucato, A. Spalletti, G. Orlandi and G. Poggi (1992) Effect of the Nature of the Aromatic Groups on the Lowest Excited States of *trans*-1,2-Diarylethenes. *J. Chem. Soc. Faraday Trans.* 88, 3139-3144.
- 12. Görner, H., F. Elisei and G. G. Aloisi (1992) Photoinduced Electron Transfer between Styrylanthracenes and Electron

- Donors and Acceptors in Acetonitrile. J. Chem. Soc. Faraday Trans. 88, 29-34.
- 13. Mazzucato, U, A. Spalletti and G. Bartocci (1993) Evidence of Adiabatic Channels in the Singlet Photoisomerization of *cis*-1,2-Diarylethenes: a Fluorimetric Study. *Coord. Chem. Rev.*, **125**, 251-260.
- Aloisi, G. G., F. Elisei, L. Latterini, U. Mazzucato and M. A. J. Rodgers (1996) Excited State Behavior of Diarylethenes in the Subnanosecond Timescale: The Role of an Upper Singlet. J. Am. Chem. Soc. 118, 10879-10887.
- 15. Bartocci, G., A. Spalletti and U. Mazzucato (1995) Solvent and Temperature Effects on the Fluorescence and Competitive Photoreactions of *cis*-9-Styrylanthracene. Res. *Chem. Intermed.* **21**(7), 735-747.
- Sandros, K. and H.-D. Becker (1987) Adiabatic Photochemical Isomerization of *cis*-1-(9-Anthryl)-2-phenylethenes. *J. Photochem.* 39, 301-315.
- Görner, H. (1988) cis-trans Photoisomerization of 1-(9-Anthryl)-2-phenylethylenes: Effects of Substitution and Solvent Polarity. J. Photochem. Photobiol., A:Chem. 43, 263-289.
- Sun, L. and H. Görner (1993) Excited-State Properties of trans-1-(9-Anthryl)-2-(4-R-phenyl)ethylenes with Electron-Donating and Accepting Substituents (R=N(CH<sub>3</sub>)<sub>2</sub>, OCH<sub>3</sub>, CH<sub>3</sub>, Br, CN, and NO<sub>2</sub>). J. Phys. Chem. 97, 11186-11193.
- 19. Sun, L and H. Görner (1993) Trans—cis Photoisomerization of 1-(9-Anthryl)-2-(4-R-phenyl)ethylene, R: CH3 and OCH<sub>3</sub>. *Chem. Phys. Lett.* **208**, 43-47.
- Aloisi, G. G., F. Elisei, L. Latterini, M. Passerini and G. Galiazzo (1996) (E)-9-Styrylanthracene Derivatives and Their Interactions with Electron Donors and Acceptors. J. Chem. Soc. Faraday Trans. 92, 3315-3320.
- 21. Shin, E. J, S. H. Kim and H. K. Kang (1994) *cis-trans* Photoisomerization of 4-(2-(9-Anthryl)vinyl)pyridine; An Aza Analogue of 1-(9-Anthryl)-2-phenylethene. *J. Photoscience*, **1(2)**, 113-117.
- 22. Shin, E. J., E. Y. Bae, S. H. Kim, H. K. Kang, S. C. Shim (1997) Photophysical Properties and Photoisomerization Behaviour of 1-(9-Anthryl)-2-(n-pyridyl)ethenes (n=2, 3, or 4) pyridine; Aza Analogues of 1-(9-Anthryl)-2-phenylethene. *J. Photochem. Photobiol. A: Chem.* 107, 137-146.
- 23. Shin, E. J. and S. W. Choi (1998) Photoisomerization Behaviour of 1-(9-Anthryl)-2-(2-pyrazinyl)ethene, A diaza Analogue of 1-(9-Anthryl)-2-phenylethene. *J. Photochem. Photobiol. A: Chem.* **114**, 23-30.
- 24. Shin, E. J. (1999) Photophysical Properties and Photoisomerization Behaviour of 1-(9-Anthryl)-2-(2-quinolinyl)ethene. *Bull. Korean. Chem. Soc.* **20**, 1263-1268.