Postoperative Tumor Recurrence on Chest Wall in Lung Cancer: Evaluation with Thallium-201(²⁰¹Tl) Single Photon Emission Computed Tomography(SPECT).

유영훈 . 이종두 . 정경영* 연세의대 진단방사선과학교실 핵의학과, 흥부외과학교실*

Purpose: To assess the usefulness of the ²⁰¹Tl SPECT for detection of the postoperative tumor recurrence on chest wall or chest wall tumor invasion and to evaluate whether ²⁰¹Tl SPECT can differentiate malignant from benign effusion.

Materials and Methods: 19 patients including 8 patients with suspected recurrence of tumor in chest wall on postoperative chest CT scan, 3 with postoperative pleural effusion which proved benign on radiologic, cytologic and laboratory findings, 4 with chest wall invasion of lung cancer (including 1 with malignant mesothelioma) and 4 with chronic tuberculous empyema as control group were included. All patients underwent SPECT 1 and 4 hours after intravenous injection of 3mCi of ²⁰¹Tl.

Results: Markedly increased 201Tl uptake was noted in patients with suspected recurrence of tumor in the chest wall(8/8) whereas no(2/3) or minimal(1/3) uptake along the collapsed lung in patients with postoperative benign pleural effusion. Patients with chest wall tumor invasion also revealed incressed ²⁰¹Tl uptake on chest wall(4/4). Patients with chronic tuberculous empyema showed smooth increased uptake(4/4), but in lesser degree, compared to recurrent tumor uptake.

Conclusion: ²⁰¹TI lung SPECT can be useful in detection of postoperative recurrence of tumor on chest wall and tumor invasion into the chest wall and useful in differentiation of malignment effusion from benign effusion.