

THE REQUIREMENTS ON STATISTICAL TECHNIQUES IN QS-9000

Shu YAMADA(e-mail shu@ms.kagu.sut.ac.jp)
Dept. of Management Science, Science University of Tokyo
Kagurazaka 1-3, Shinjuku, Tokyo 162-8601, Japan

Abstract

QS-9000 was established by Chrysler, Ford, General Motors and some Truck Manufacturers to solve problems of efforts to prepare original standards for each company. When we compare the requirements in QS-9000 with those in ISO 9000, we may observe that those of QS-9000 are more specific, since the user of the standard is limited to the automobile industry. In particular, the requirements on statistical techniques are described in more detail. In this paper, we present the requirements on statistical techniques in QS-9000. Specifically, we review the contents of QS-9000 and explore the philosophy and the minimum requirement on statistical techniques behind the description.

1 Introduction

The number of books related to ISO 9000 sold in book stores is enough to recognize the huge impact of ISO 9000 to the world. It is also evident from the fact that the ISO 9000 business market is reputed to be \$10-billion a-year worldwide service industry(Zuckerman (1996)). One of the reasons of the popularity of ISO 9000 is that it is not a standard for a specific industry but a generic standard for all industries. This aspect sometimes causes a problem in terms of quality systems, since the description of the standard is sometimes vague. One of the measures which can be taken may be the independent preparation by purchasers of an original standard on quality systems. However, the preparation and the effort to meet the original standard require a large amount of work.

Under these circumstances, QS-9000 was established by Chrysler, Ford, General Motors, (sometimes called "The Big Three"), and some Truck Manufacturers to solve such problems of efforts to prepare original standards for each company. The work on the establishment began in 1988 by harmonizing Chrysler's Supplier Quality Assurance Manual, Ford's Q-101 Quality System Standard and General Motors' NAO Targets for Excellence, with input from the Truck Manufacturers. The requirements in ISO 9000 were also included, since it was beginning to catch attention. The first edition of QS-9000 was established in August 1994 and revised in February 1995 as the second edition and March 1998 as the third edition.

When we compare the requirements in QS-9000 with those in ISO 9000, we may observe that those of QS-9000 are more specific, since the user of the standard is limited to the automobile industry. In particular, the requirements on statistical techniques are described in more detail. In this paper, we present the requirements on statistical techniques in QS-9000. Specifically, we review the contents of QS-9000 and explore the philosophy and the minimum requirement on statistical techniques behind the description.

2 The requirements QS-9000

2.1 The Requirements

The requirements of QS-9000 are described in *Quality System Requirements*, which consists of the following two sections.

Section I: ISO 9000-Based Requirements

Section II: Customer-specific Requirements

Section I involves the requirements in ISO-9001 with some additions. Section II describes the requirements for each of Chrysler, Ford and General Motors. The following manuals are prepared as references.

QS-9000 Quality System Assessment: 2nd ed. (QSA), Production Part Approval Process (PPAP), Advanced Product Quality Planning and control plan (APQP), potential Failure Mode and Effect Analysis (FMEA), Measurement Systems Analysis (MSA), Statistical Process Control (SPC).

QSA is prepared as a checklist for all kinds of quality assessments, for example internal assessment. Other manuals are prepared as references to meet the requirement. For example, *SPC* is used to determine the process control by statistical methods. In this paper, we will review section I in order to consider the common concept among the Big Three behind QS-9000.

2.2 Additional requirements to ISO 9000

Since Section I consists of the requirements in ISO 9001 with some additional ones, we will evaluate these additional requirements in order to clarify the features and the philosophy behind the description. Table 1 shows the list of the additional requirements.

(1) QS-9000 describes more details on requirements compared with ISO 9000. For example, QS-9000 states in sub-section *4.9.1 Process Monitoring and Operator Instructions* that "These instructions should be derived from the source listed in the Advanced Product Quality Planning and Control Plan reference manual." As regarding the detailed description in QS-9000, Ukai (1997) made a statement to the effect that we can determine the quality system related HOW to meet the requirements in ISO 9000, since only WHAT is determined in ISO 9000. On the other hand, QS-9000 specifies not only WHAT but also HOW in order to assure the level of implementation of quality system. In other words, QS-9000 specifies more details since the users are limited to Automobile industries.

(2) It is very interesting that the new subsection *4.1.5 Analysis and Use of Company level data* was added into the section *4.1 Management responsibility* in ISO 9000. In the history of Quality Management, automobile industries have played important roles, in particular, application of statistical techniques and implementation of the concept of 'Management by Fact.' The addition of subsection *4.1.5* can be regarded as a will to keep this good tradition in the future.

Table 1: Examples of the requirements in QS-9000: Section I

Element (ISO 9000)	Additional requirements
4.1 Management Responsibility	4.1.2.4 Organizational Interfaces, 4.1.3.1 Management Review, 4.1.4 Business Plan, 4.1.5 Analysis and Use of Company Level data 4.1.6 Customer satisfaction
4.2 Quality System	4.2.3.1 Advanced Product Quality Planning, 4.2.3.2 Special Characteristics, 4.2.3.3 Feasibility Reviews, 4.2.3.4 Product Safety, 4.2.3.5 Process Failure Mode and Effect Analysis (Process FMEAs) 4.2.3.6 Mistake Proofing, 4.2.3.7 The Control Plan, 4.2.4 Product Approval Process, 4.2.5 Continuous Improvement, 4.2.6 Facilities and Tooling Management
4.4 Design Control	4.4.1.1 Use of Design Data, 4.4.2.1 Required Skills, 4.4.4.1 Design Input -Supplemental- 4.4.8.1 Design Validation -Supplemental- 4.4.9.1 Design Changes -Supplemental- 4.4.9.2 Design Change Impact
4.9 Process Control	4.9.b.1 Cleanliness of Premises, 4.9.b.2 Contingency Plans, 4.9.d.1 Designation of Special Characteristics, 4.9.g.1 Preventive Maintenance, 4.9.1 Process Monitoring and Operator Instructions, 4.9.2 Maintaining Process Control, 4.9.3 Modified Process Control requirements 4.9.4 Verification of Job Setups, 4.9.5 Process Changes, 4.9.6 Appearance Items
4.20 Statistical Techniques	4.20.3 Selection of Statistical Tools, 4.20.4 Knowledge of Basic Statistical Concepts

3 The requirements on statistical techniques

3.1 The requirements

(1) As regarding the statistical techniques, 4.2.5 *Continuous Improvement* states that “The following list shows examples of possible techniques which might be used. There may be many other methods which meet specific supplier needs more appropriately.

Control Charts (variable, attribute, CUSUM), Design of Experiments (DOE),...

The above is an example of the appearance of relatively advanced techniques, such as CUSUM chart and design of experiments. Suppliers may have a question on whether application of relatively advanced techniques is necessary or not. This paper describes this aspect in the next section.

(2) In 4.20 *Statistical Quality Element*, two new subsections 4.20.3 *Selection of Statistical Tools* and 4.20.4 *Knowledge of Basic Statistical Concepts* have been added onto Section 4.20 *Statistical Techniques*. The standard spends only one page to describe the requirements on statistical techniques, and for further reference, *Statistical Process Control(SPC)* manual needs to be consulted. In order to consider the essence of requirements on statistical techniques in QS-9000, we review the contents of the *SPC* manual. This manual consists of four chapters, and Table 2 shows the contents. Chapter I is an introduction chapter of this manual, such as what is SPC, how to use this manual, etc, Chapter II and III specify the usage of control charts for variables and attributes, respectively, and Chapter IV describes measurement systems. One of the interesting things is that the joint usage of control charts and process capability/performance indices is specified in Chapters II and III. Table 2 also

shows the contents of Section 1 in Chapter II. In this table, “C” and “D” are mainly related to interpretation of control charts and process capability/performance indices, respectively.

3.2 Discussions

(1) Is application of advanced techniques compulsory ?

The supplier may wonder whether application of advanced statistical techniques is compulsory or not, since such advanced techniques, such as design of experiments, are listed in the standard as described in 3.1 of this paper. I believe that the answer should be “NO,” by the following three reasons.

The first one is the contents of the reports on certification QS-9000. There are two reports (Ukai (1997) and Yamada and Asai (1997)) which describe the process to obtain certification, where the authors have worked in parts suppliers. According to the reports, there were many difficulties to keep contingency on documents. However, there is no description on the difficulty on application of advanced techniques. The fact that no description of application of advanced techniques suggests that the assessors did not require the application excessively. If such application was required, the authors would probably describe the requirements statistical techniques in their report, although they belong to the promotion departments of QS-9000, not in the departments to be assessed, such as design departments and process control departments.

The second reason is the description of the standard related to the application. In QS-9000, the word “shall” implies a mandatory requirement and “should” implies a mandatory requirements with some flexibility. As regarding the should-requirements, the suppliers can determine the approach to satisfy the requirements. Almost all description on the application of the advanced statistical techniques are should-requirements. It implies that supplier should apply the techniques if necessary.

The third reason is the contents of the revision of QS-9000. The second edition of QS-9000 listed relatively more statistical techniques compared to the third. This fact implies that the revision from second to third edition may have been done to reduce excessive emphasis on advanced statistical techniques. These advanced techniques sometimes look good and can cause confusion of the objective of using the techniques, *i.e.* the use of such techniques becomes a goal in itself. The application of advanced techniques is not the goal, the goal is to assure the high quality.

(2) Background on SPC Manual

In the *SPC* manual, the application of process capability/performance indices is described in details with many examples. By combining this with the arguments in (1), we would find that QS-9000 requires the application of control charts and process capability/performance indices in an appropriate way, although application of advanced techniques beyond the charts and indices are not mandatory. Control charts and process capability/performance indices are minimum requirements on statistical techniques, although there are no specified requirements on statistical techniques in ISO 9000.

(3) Contents of SPC manual

The following would be worthy of special mention. (i) The order of evaluation $\bar{x} - R$ chart is specified as R chart first and \bar{x} chart second. (ii) Combined usage of control charts and process capability/performance indices is specified. (iii) Both process capability and performance are defined. The first point:(i) is important but sometimes forgotten in practice.

Table 2: Contents of SPC manual

Chapter I: Introduction to continual improvement and statistical process control
Section 1: Prevention versus detection
Section 2: A process control system
Section 3: Variation: Common and special causes
Section 4: Local actions and actions on the system
Section 5: Process control and process capability
Section 6: The process improvement cycle and process control
Section 7: Control charts: Tools for process control
Section 8: Benefits of control charts
Chapter II Control chart for variables
Section 1: Average and range chart (\bar{x} and R)
A: Gather data
B: Calculate control limits
C: Interpret for process control
C1: Analyze the data plots on the Range chart (Beyond the limit, runs, Obviously non random patterns)
C2: Find and address special causes (Range chart)
C3: Recalculate control limits (Range chart)
C4: Analyze the data plots on the Average chart (\bar{x} Chart)
C5: Find and Address Special Causes (Average chart) (Beyond the limit, runs, Obviously non random patterns)
C6: Recalculate control limits (Average chart)
C7: Extend control limits for ongoing control
D: Interpret for process capability
D1: Calculate the process standard deviation
D2: Calculate the process capability
D3: Evaluate the process capability
D4: Improve the process capability
D5: Chart and analyze the revised process
Section 2: Average and standard deviation charts (\bar{x} and s)
Section 3: Median charts (\tilde{x}) and R
Section 4: Charts for individuals and moving range ($X - MR$)
Section 5: Understanding process capability and process performance for variables data
Chapter III: Control chart for attributes
Section 1: The p chart for proportion nonconforming
Section 2: The np chart for number of nonconforming
Section 3: The c chart for number of nonconformities
Section 4: The u chart for number of nonconformities per unit
Chapter IV: Process measurement systems analysis
Section 1: Introduction
Section 1: Average and range method

I agree with the philosophy behind the second point:(ii) since the combined usage brings important information. For example, we may derive the degree of improvement by reducing the variation between sub-groups. However, the third point:(iii) seems to be doubtful. According to the QS-9000 definition, in process capability index, the dispersion of data is measured by information of R , while in process performance index, the dispersion is measured by total variation, without consideration on variation between sub-groups and within a sub-group. If both the \bar{x} and the R charts are stable, these indices are essentially the same. When at least one of the \bar{x} and R charts are unstable, the data is not appropriate to measure the process since the process is unstable and reappearance of the data would not be assured. I believe that we should use the process capability index for stable processes only. For unstable processes, process performance index should not be used as an index for evaluation, it should be used merely as a guideline for improvement.

4 Concluding remarks

In general, the essential role of standards is specification of the minimum level to achieve minimum level of quality. ISO 9000 works better in an initial stage to achieve minimum level of quality. On the other hand, these standards would not bring a way to achieve world-level quality (Yamada and Kano (1992), Kano and Yamada (1995)). From this viewpoint, the movement from second to third edition in QS-9000 seems better, since they reduce the requirements on statistical techniques, where the minimum requirements are control chart and process capability/performance indices.

References

- [1] Chrysler, Ford Motor, General Motors, (1998), *Quality System Requirements QS-9000 (3rd ed.)*.
- [2] Chrysler, Ford Motor, General Motors, (1992), *Statistical Process Control Reference Manual (2nd ed.)*,
- [3] Kano,N. and Yamada,S., (1995), "ISO 9000, TQM and quality awards," *Proc. 39th EOQ Ann. Cong.*, Lausanne, Switzerland, **1**, 172-178.
- [4] Ukai, E., (1997), "Coping with QS-9000 based on the quality system certified system by ISO 9001," *Standardization and Quality Control* Vol. 50 No.8, 55-61 (in Japanese).
- [5] Yamada,T. and Asai, Y., (1997), "A report of the activities for the certification by QS-9000," *Standardization and Quality Control*, Vol. 50 No.7, 49-55 (in Japanese).
- [6] Yamada, S. and Kano, N., (1992), "Comments on the requirements in ISO 9000," *Proc. 41st Ann. Meet. JSQC.* 28-31 (in Japanese).
- [7] Zuckerman, A., (1996), "European standards officials push reform of ISO 9000 and QS-9000 registration," *Quality Progress*, September, 131-134.