## Study on the Effect of Antitumor of the Agaricus blazei Murill Medicinal Culture Medium

Cui Ji-cheng, Cui Yong, Jin Hai ling<sup>1)</sup>, Jin Zhe zhu<sup>1)</sup>, Che Peng-zhe<sup>2)</sup>, Song Wei<sup>2)</sup>, Jin Jing-ling<sup>1)</sup>

The Yanbian Mycological Institute, <sup>1</sup>Yanbian University college of Medicine.

<sup>2</sup>Traditional Chinese medicine of Yanbian Hospital

With the developement of new type of solid ferment of medicinal, fungus, people developed new traditional Chinese medicine, by making use of the enzyme which produced in the process of medicinal fungus hypha's growth metabolize to decompose the tissue of medicinal matrix to produce new composation which had new function. This paper took the compound traditional Chinese medicine of anticancer: Chinese Lobelia herb, Honeysuckle Flower, Barbary Wolfberry Fruit as the ferment matrix for Agaricus blazei Murill. Cultrued under 26° C for 35 days, added distilled water euqaling 5 times of the matrix, extracting for 5 hours at 98 100° C, next day filtered, then concentrated, killed the bacterium, took 250 µg/ml as the maximum concentration dilated at the rate of 1:10 successively, obsvered its inhibition to gastric gland cancer MGC803 cells.

1. Colony forming test: Took out of gastric gland cancer subculture cell system, calculated after mixed completely. Diluted into every 1 ml contained 1000 cells with the RMPT 1640 culture fluid which had 20% FCS, mixed completely then added into the 35mm culture dish, put into the incubator which had saturation humidity, 37° C, 5% CO<sub>2</sub>, for 7 days, placed upside down under the optical microscope, wrote down the quantity of the colony-forming which had >50 cells, calculated the colony forming rate and relative inhibition rate. The result showed that the substance extrated by water from the Agaricus blazei Murill ferment matrix had the significant inhibition on the formation of gastric gland cancer MGC803 cell system, the relation fo quantity-effect was significant, the maximum inhibation rate was 62.8%, IC50 was 3.07 µg/ml.

2. Using MTT method to examine the anticancer activity of the Agaricus blazei Murvill ferment matrix: Diluted into every ml contained 1000 cells with the RMPI1640 culture fluid which contained 20% PCS, mixed completely, then inoculated into the 96 hole culture plate, added  $100\mu l$  cell susperid liquid into every hole, put the culture plate into the incubator which had 5% CO<sub>2</sub>, saturantion humidity, 37° C culturing for 3 days. Added 5% MTT  $10\mu l$  into every hole at 4 hours before culturation was finished, culturing at 37° C for 4 hours, making MTT reduced into formazan, then added 10% SDS  $100\mu l$  to finish the reaction, placed at room tomperature, next day measured the value of A at 570nm with DG-3022 ELISA. The result showed that the water extraction from the Agaricus blazei Murill ferment matrix had the inhibation on the growth and reproduction of the gastric gland cancer cells.

Most anticancer traditional Chinese medicine was got curative effect by killing tumor cell, preventing it's divisial reproduction or by improving the power of immunity. We observed the antitumor function by taking the gastric gland cancer cell as the targe cell. The result showed that both the water extraction which hadn't been fermented by the Agaricus blazei Murill baeterium all had inhibation of the first was much stronger than the second. The colony formation could express the reproduction power of tumor stem cell and the stem cell was the source of tumor recuringand metastasis, it explained that the water extration from the Agaricus blazei Murill had some direct inhibition on the gastric gland cancer cell. The extraction of new anticancer Agaricus blazei Murill ferment and its mechanism of antitumor are under thorough studying now.

Key Words: Agaricus blazei Murill, anti-cancer, plants colony forming test

## Curriculum Vitae

Name: Cui Ji Cheng Marital Status: Married Health: Good

Sex: Male Date of Birth: 1958. 5. 24

Address: Yan Bian Mycological Institute Ji Lin China 133000

Tel: 0433-2614834

## **Education**

1) 1982-1989 Yan Bian Mycological Institute, Ji Lin China

1989-1990 Studied in YuHan Hua Zhong Unigersity

1990-Now Yan Bian Mycological Institute, Ji Lin China.Director

## **Publication**

1) The choiced Cultruing of new strain(H7 H10) with Aruicularia auricularis monospore Hybridzation

2) Study On Cultivation Technology of Lentinus edodes With Raw Materials on The Shed's Ground. Proceedings of the third Korea-China joint symposion for mycology, December, 1997.