

dose-dependent manner.

[PD2-35] [04/20/2001 (Fri) 13:30 – 14:30 / Hall 4]

Virus-cell fusion inhibitory activity for the polysaccharides from various Korean edible clams

Woo E.-R.⁰¹, Kim WS², and Kim YS²

College of Pharmacy, Chosun University, Kwang-ju 501-759, Korea¹, Nat. Prod. Res. Inst. Seoul National University, Seoul 110-460, Korea²

In order to find potent virus-cell fusion inhibitory components from Korean edible clams, thirteen prepared polysaccharides were introduced to syncytia formation inhibition assay, which is based on the interaction between the HIV-1 envelope protein gp120/41 and the cellular membrane protein CD4 of T lymphocytes. Among them, Meretrix petechialis showed a potent virus-cell fusion inhibitory activity. Fusion index (FI) and percent (%) fusion inhibition of the polysaccharide of this clam were 0.21 ± 0.02 , and 67.52 ± 4.09 at 100 $\mu\text{g/mL}$, respectively. It exhibited almost equivalent virus-cell fusion inhibitory activity to that of dextran sulfate which was used as a standard control.

[PD2-36] [04/20/2001 (Fri) 13:30 – 14:30 / Hall 4]

Antioxidative compounds from Clerodendrii folium

Ham I, Chung M.Y, Lee S.J, Kim H.H, Sohn U.D, and Whang W.K

ChungAng University, College of Pharmacy

Clerodendron trichotomum(Verbenaceae) has been used for arthritis, rheumatism, and hypertension as a folk medicine.

In order to evaluate anti-oxidative activity, its fractions(H₂O, 30%, 60%, 100Fr.) were measured with DPPH method. It was revealed that 30% and 60% MeOH fractions have significant antioxidative activity.

From 30% MeOH, five phenolic compounds were isolated by column chromatography and elucidated two flavonoid glycosides and three phenyl propanoids compounds.

[PD2-37] [04/20/2001 (Fri) 13:30 – 14:30 / Hall 4]

Anti-oxidative activity of Ban-Lan-Gen

Jang HJ⁰, Kim EJ, Yang KS

College of Pharmacy, Sookmyung Women's University

Ban-Lan-Gen is the dried root of *Isatis indigotica* Fort.(Cruciferae) and one of the most commonly-used traditional chinese medicines for antipyretic, antiviral, and detoxifying purpose in china.

In order to evaluate anti-oxidative activity, Ban-Lan-Gen was fractionated and