

The Mycoflora of Higher Fungi in Mt. Paekdu

Duck-Hyun Cho

Department of Bioscience & Biotechnology, College of Natural
Science and Engineering Woosuk University

Abstract

Some 420 species of higher fungi were collected from the Mt. Paekdu, Songwha river and their adjacent areas from 28th July 12th of August, 1991 and identified to 2 subdivisions, 4 classes, 2 subclasses, 12 orders, 51 families, 141 genera and 336 species. The dominant species were *Clitocybe gibba*, *C. clavipes*, *Cystoderma amianthum*, *Hygrocybe flavescens*, *H. miniata*, *Russula cyanoxantha*, *R. emetica*, *Lactarius lignyotus*, *L. torminosus* and *Phellinus igniarius*.

Introduction

Mt. Paekdu is the highest mountain in Korea, which is located between north latitude 41° 31' -42° 38' and east latitude 127° 09' -128° 55'. Administrative district of it belongs to Samgyon-Kun, Hamkyungbuk-Do, Korea (present Yang-kang-Do in North Korea) and Ido-Backha-Jin, Ando-Hyon, 1 Killim-Sung of China. Flora of plants and animals in this area have been protected under the special administration by UNESCO.

Mt. Paekdu has plenty of plants and animals because of virgin forests several hundred years. The studies of them have been accomplished in a part by Lee (1990) and Lee (1991) in Korea, but the studies on higher fungi have never reported until now. Some 420 specimens were collected his time at Naedusan, Ido-Backha near the Mt. Paekdu and also got at the basin of Songwha river from July 2001 to August, 1991.

The identifications of them showed; 2 subdivisions, 4 classes, 2 subclasses, 12 orders, 51 families, 141 genera and 336 species. The Dominant species in Mt. PAekdu and it surrounding were *Clitocybe gibba*, *C. clavipes* of Tricholomataceae, *Cystoderma amianthum* of Lepiotaceae, *Russula cyanoxantha*, *Lactarius ligyotus* of Russulaceae, *Phelliinus igniarius* of Hymenochaetaceae and the dominant species collected along the basin of Songwha river from the its sumit were *Hygrocybe flavescens*, *H. miniata* of Hygrophoraceae,

Russula emetica, *R. cyanoxantha*, *Lactarius torminosus* of Russulaceae.

The species found near Mt. Paekdu were listed this.

Materials and Methods

survey period : 1991 - 2001

Place : Mt. Paekdu

survey methods : higher fungi were photographed at presen collection and were collected. They were moved to laborlatory and made sopre print. Spores were observed by microscope. They were dried and deposited.

Identification : Identification of higher fungi were used references.

Result

The list of Higher Fungi in Mt. Paekdu Areas

Basidiomycotina 담자균아문

Eubasidiomycetes 진정담자균강

Hymenomycetidae 모균아강

Agaricales 주름버섯목

Lepiotaceae 갓버섯과

Lepiota autesquamosa (Weinm. ex Fr.) Gill. 가지갓버섯

L.clypeolaria (Fr.) Quel. 방패갓버섯

L. cristata (Bolt. ex Fr.) Kummer 갈색고리갓버섯

L. cygnea J. Lange 백조갓버섯

Cystoderma amiantinum (Scop. ex Fr.) Fayod 참낭피버섯

C. fallax A. H. Smith et Sing. 꿀낭피버섯

C. cinnabarinum (Alb.et Schw.) Fayod 황갈낭피버섯

Leucocoprinus birnbaumii (Corda) Sing. 노란각시버섯

Leucoagaricus rubrotinctus (Peck) Sing. 주홍갓버섯

Macrolepiota procera (Scop. ex Fr.) Sing 갓버섯

Amanitaceae 광대버섯과

- Amanita citrina* S.F. Gray 애광대버섯
- A. flavipes* Imai 노랑대광대버섯
- A. hemibapha* (Berk. et Br.) Sacc. 달갈버섯
- A. pantherina* (Dc. ex Fr.) Krombh 마귀광대버섯
- A. rubescens* Pers. ex Fr. 붉은점박이광대버섯
- A. rubrovolvata* Imai. 붉은점박이 광대버섯
- A. vaginata* (Bull. ex Fr.) Vitt. 우산버섯
- A. vaginata* (Bull. ex Fr.) var. *fulva* (Schaeff.) Gill. 고동색우산버섯
- A. vaginata* (Bull. ex Fr.) var. *punctata* (Clelandet Ched) Gill. 큰우산버섯
- A. vaginata* (Bull. ex Fr.) var. *alva* Gill. 흰우산버섯
- A. vaginata* var. *regaris* (Fr.) Bertillon 광대버섯아재비

Pluteaceae 난버섯과

- Volvariella bombycina* (Schaeff. ex Fr.) Sing. 흰비단털버섯
- V. speciosa* var. *speciosa* Sing. 예쁜털버섯아재비
- Pluteus atricapillus* (Batch) Foyod 난버섯
- P. leoninus* (Schaeff. ex Fr.) Kummer 노란그늘치마버섯

Agaricaceae 주름버섯과

- Agaricus arvensis* Schaeff. ex Fr. 흰주름버섯
- A. campestris* L. ex Fr. 주름버섯
- A. placomyces* Pk. 주름버섯아재비

Entolomataceae 외대버섯과

- Entoloma crassipes* Imaz. & Toki 외대덧버섯
- E. clypeatum* (L.) Kummer. 방패외대버섯
- E. rhodopolium* (Fr.) Kummer. 샷갓외대버섯
- E. sinuatum* (Bull.: Fr.) Kummer. 굽은 외대버섯
- E. lazurina* Qu'el. 흑청색외대버섯
- E. lampropum* (Fr.) Hesler 빛외대버섯
- Clitopilus prunulus* (Scop. ex Fr.) Kummer 그늘버섯

Hygropholaceae 벚꽃버섯과

- Hygrophorus lucorum* Kalchbr. 노란털벚꽃버섯
H. russula (Schaeff. ex Fr.) Qu' el. 다색벚꽃버섯
Hygrocybe acutoconica (Clem.) Sing. f. *jponica*(Hongo) Hongo 좁꼬갈벚꽃버섯
H. cantharellus (Schw.) Murr. 화병벚꽃버섯
H. coccinea (Schaeff. ex Fr.) Kummer 진빨간벚꽃버섯
H. conica (scop. et Fr.) Kummer 붉은산벚꽃버섯
H. cuspidata (Peck) Kummer 붉은산벚꽃버섯
H. flavescens (Kauffm). Sing. 노란대벚꽃버섯
H. imazekii (Hongo) Hongo 황적색벚꽃버섯
H. miniata (Fr.) Kummer 붉은무명버섯
H. psittacina (Schaeff. ex. Fr.) Wunsche 이끼벚꽃버섯
H. subcinnabarina (Hongo) Hongo 황적색벚꽃버섯
Camarophyllus virgineus (Walt.: Fr.) Kummer 처녀버섯

Tricholomataceae 송이버섯과

- Lyophyllum connatum* (Schum. ex Fr.) Sing 흰주름갈대기버섯
Asterophora lycoperdoides (Bull.) Ditm.ex Fr. 덧부치버섯
Calocybe gambosa (Fr.) Sing. 밤버섯
Laccaria proxima (Boud.) Mair 큰졸각버섯
L. laccata (Fr.) Berk. et Br. 졸각버섯
Clitocybe candicans (Pers. ex Fr.) Kummer 비단빛갈대기버섯
C. clavipes (Pers. ex Fr.) Kummer 배불뚝이갈대기버섯
C. flaccide (Fr.) Kummer 끝말림갈대기버섯
C. fragrans (With. ex Fr.) Kummer 흰삿갓갈대기버섯
C. gibba (Pers. ex Fr.) Kummer 갈대기버섯
C. odora (Bull. ex Fr.) Kummer 하늘색갈대기버섯
Clitocybula familia (Peck) Sing. 애기무리버섯
Tricholomopsis rutilans (Schaeff. ex Fr.) Sing 술버섯
T. decora (Fr.) Sing. 장식술버섯
Collybia butyracea (Bull. ex Fr.) Qu' el. 버터애기버섯

C. dryophila (Bull. ex Fr.) Kummer 애기버섯
C. maculata (Alb. et Schw. ex Fr.) Qu' el 점박이애기버섯
Lepista nuda (Bull. ex Fr.) Cooke 민자주방망이버섯
Armillariella mellea (Vahl ex Fr.) Karst. 뿔나무버섯
A. tabescens (Scop.) Sing. 뿔나무버섯부치
Melanoleuca melaeuca (Pers. ex Fr.) Murr. 잔디배꼽버섯
Panellus stypticus (Bull. ex Fr.) Fr. 부채버섯
Xeromphalina campanella (Batsch ex Fr.) Maire 이끼살이버섯
X. caudicinalis (Fr.) Kuhn et Mre. 가랑잎이끼살이버섯
Gerronema fibula (Bull.: Fr.) Sing. 이끼괘랭이버섯
Oudemansiella mucida (Schrad. ex Fr.) Honel 끈적긴뿌리버섯
O. platyphylla (Pers. ex Fr.) Moser 넓은술버섯
Marasmilellus nigripes (Schw.) Sing 검은대낙엽버섯
M. candidus (Bolt.) Sing. 하얀선녀버섯
Marasmius cohaerens (Alb. et Schw. ex Fr.) Cooke 우산낙엽버섯
M. crinisequi F. Mull. ex Kalchbr. 말총낙엽버섯
M. graminum (Lib.) Berk. 풀잎낙엽버섯
M. maximum Hongo 큰낙엽버섯
M. oreades (Bolt. ex Fr.) Fr. 선녀낙엽버섯
M. ramealis (Bull. ex Fr.) Fr. 마른가지낙엽버섯
M. pulcherripes Peck 애기낙엽버섯
Mycena alcalina (Fr. ex Fr.) Kummer 악취애주름버섯
M. haematopoda (Pers. ex Fr.) Kummer 적갈색애주름버섯
M. osmundicola J. Jange 흰애주름버섯
M. pelianthins (Fr.) Qu' el. 줄각애주름버섯
M. pura (pers. ex Fr.) Kummer 맑은애주름버섯
M. rorida (Scop. ex Fr.) Qu' el. 점질대애주름버섯
M. stylobatea (Pers. ex Fr.) Kummer 빨판애주름버섯

Pleurotaceae 느타리과

panus rudis Fr. 애참버섯

Pleurotus cornucopiae var. *citrinopileatus* (Sing)Ohira 노랑느타리

P. ostreatus (Jacq. ex Fr.) Kummer 느타리
P. pulmonarius (Fr.) Qu' el. 산느타리
Lentinus lepideus (Fr. ex Fr.) Fr. 잣버섯
Pleurocybella porrigens (Pers.: Fr.) Sing. 넓은잎버섯

Cortinariaceae 끈적버섯과

Inocybe asteropora Qu' el. 샷갓땀버섯
I. calamistrata (Fr.) Qu' el. 큰비늘땀버섯
I. calospora Qu' el 비늘땀버섯
I. cincinnata (Fr.: Fr.) Qu' el. 곱슬머리땀버섯
I. fastigiata (Schaeff.) Qu' el 솔땀버섯
I. laccera (Fr. ex Fr.) Kummer 비듬땀버섯
I. niigatensis Hongo 모래밭땀버섯
I. maculata Boud. 털땀버섯
I. mixtilis (Britz.) 잡색땀버섯
I. praetervisa Qu' el. 땀버섯아재비
I. umbratica Qu' el. 흰땀버섯
I. griseolilacina Lange 회보라땀버섯
I. hirtella var. *hirtella* Kuyper. 센털땀버섯아재비
Cortinarius allutus Fr. 적각색끈적버섯
C. bovinus Fr. 황소끈적버섯
C. collinitus (Sow. ex Fr.) Fr. 진흙끈적버섯
C. elatior Fr. 키다리끈적버섯
C. pseudopurpurascens Hongo 자주색끈적버섯아재비
C. pseudosalor J. Lange 가지색끈적버섯아재비
C. purpurascens (Fr.) Fr. 풍선끈적버섯
C. salor Fr. 푸른끈적버섯
C. vibratilis (Fr.) Fr. 쓴맛끈적버섯
C. varicolor (Pers. ec Fr.) Fr. 다색끈적버섯
C. alboviolaceus (Pers.: Fr) Fr. 흰보라끈적버섯
C. violaceus (L.: Fr) Fr. 보라끈적버섯
Rozites caperata (Pers. ex Fr.) Karst. 노란띠버섯

Descolea flavannulate (L. Vass). Horak 노란털돌버섯
Gymnopilus liquiritiae (Pers. ex Fr.) Karst. 솔미치광이버섯
G. penetrans (Fr. ex Fr.) Murr. 칩투미치광이버섯
G. spectabilis (Fr.) Sing. 갈황색미치광이버섯

Crepidotaceae 귀버섯과

Crepidotus applanatus (Pers. ex Pers.) Kuhn. 평평귀버섯
C. badiofloccosura Imai 노랑털귀버섯

Strophariaceae 독청버섯과

Pholiota carbonaria (Fr.) Sing 재비늘버섯
P. lubrica (Pers.: Fr.) Sing. 갈색땃땃비늘버섯
P. squarrosoides (Peck) Sacc. 칩비늘버섯
Naematoloma fasciculare (Hudson ex Fr.) Karst. 노란다발
Kuehneromyces mutabilis (Schaeff. ex Fr.) Sing. & A. H. Smith 무리우버섯
Psilocybe caprophila (Bull. ex Fr.) Kuhn. 쯤환각버섯

Bolbitaceae 소똥버섯과

Agrocybe praecox (Pers. ex Fr.) Fayod 벗짚버섯
A. semiorbicularis (Bull.) Fayod 황토벗짚버섯
Conocybe lactea (J. Lange) Metrod 노란종버섯

Coprinaceae 먹물버섯과

Coprinus atramentarius (Bull. ex Fr.) Fr. 두염먹물버섯
C. disseminatus (Pers. ex Fr.) S.F. Gray. 꼬깔먹물버섯
C. lagopus (Fr.) Fr. 소녀먹물버섯
C. micaceus (Bull. ex Fr.) Fr. 갈색먹물버섯
C. radians (Desm. ex Fr.) Fr. 노랑먹물버섯
Psathyrella candollians (Fr. ex Fr.) Maire 죽재비눈물버섯
P. hydrophila (Bull.) Maire 다람쥐눈물버섯
Panaeous sphinctrinus (Fr.) Qu' el. 쯤말똥버섯

Boletaceae 그물버섯과

- Boletinus cavipes* (Opat.) Kalchbr. 황금그물버섯
B. paluster (Peck) Peck 방망이황금그물버섯
Boletus edulis Fr. 그물버섯
B. griseus Frost 검정그물버섯
B. pseudocalopus Hongo 산속그물버섯아재비
B. fraternus Peck 붉은그물버섯

- Suillus aeruginascens* (Secr.) Snell 녹슬은그물버섯
S. grevillei (Klotz.) Sing. 큰비단그물버섯
S. pictus (Peck) Smith et Thiers 줄황금비단그물버섯
S. placidus (Bon) Sing. 평원비단그물버섯
Leccinum rufum (Schaeff.) Kreis 동색겉겉이그물버섯
L. scabrum (Fr.) S.F. Gray 거친겉겉이그물버섯
Tylopilus alboater (Peck) Sing. 용단쓴맛그물버섯
Xerocomus subtomentosus (Fr.) Qu' el. 산그물버섯

Russulaceae 무당버섯과

- Russula aeruginea* (Lindbl. apud) Fr. 구릿빛무당버섯
R. alboareolata Hongo 흰둘레무당버섯
R. albonigra (Krombh.) Fr. 박하무당버섯
R. amoena Qu' el. 가지무당버섯
R. atropurpurea (Krombh.) Britz. 참무당버섯
R. aurata (With) Fr. 금무당버섯
R. bella Hongo 수원무당버섯
R. cyanoxantha (Secr.) Fr. 청머루무당버섯
R. densifolia (Scer.) Gill. 애기무당버섯
R. emetica (Fr.) S. F. Gray 냄새무당버섯
R. flavida Frost et Peck 노랑무당버섯
R. foetens (Fr.) Fr. 깔대기무당버섯
R. fragilis (Pers. ex Fr.) Fr. 홍색애기무당버섯
R. lauroceraci Melzer 밀짚색무당버섯

R. lepida Fr. 졸각무당버섯
R. lilacea Qy' el. 연보라무당버섯
R. nigricans. (Bull.) Fr. 절구버섯
R. ochroleuca (Secr.) Fr. 쪼개무당버섯
R. olivaceae (Schaeff.) Fr. 혈색줄기무당버섯
R. pectinata (St. Amans) Fr. 달팽이무당버섯
R. pseudodeliva Lange 흰무당버섯아재비
R. sanguinea Fr. 혈색무당버섯
R. senecis Imai 흙무당버섯
R. vesca Fr. 조각무당버섯
R. violeipes Qu' el. 자주빛무당버섯
R. xerampelina (Secr.) Fr. 포도무당버섯
Lactarius campholatus (Fr.) Fr. 민맛젖버섯
L. chrysorrhoeus Fr. 노랄젖버섯
L. gerardii var. *gerardii* Smith & Thiers 주름검은젖버섯
L. laeticolorus (Imai) Imaz. 붉은 젖버섯
L. lignyotus Fr. 잿빛햇대젖버섯
L. lignyotus var. *marginatus* Smith & Thiers 보라빛햇대젖버섯
L. piperatus (Fr.) S. F. Gray 굴털이
L. pyrogalus (Fr.) Fr. 제브라젖버섯
L. subdulcis (Fr.) S. F. Gray 광릉젖버섯
L. torminosus (Fr.) S. F. Gray 큰붉은젖버섯
L. vellereus var. *vellereus* Smith & Thiers 흰털젖버섯아재비
L. violascens (Ott.: Fr.) Fr. 잿빛젖버섯
L. uvidus var. *uvidus* Smith & Thiers 물젖버섯아재비
L. zonarius (Fr.:Neuh) var. *zonarius* Hesler & Smith 당귀젖버섯아재비
L. circellatus var. *circellatus* 작은테젖버섯아재비
L. controversus (Fr.) Fr. 째젖버섯
L. cilicioides (Fr.) Fr. 염소털젖버섯

Paxillaceae 우단버섯과

Paxillus involutus (Batsch ex Fr.) Fr. 주름우단버섯

P. panuoides (Fr. ex Fr.) Fr. 은행잎우단버섯
P. curtisii Ber. in Berk. et Curt. 꽃잎우단버섯

Aphyllorphales 민주름버섯목

Ramariaceae 싸리버섯과

Ramaria apiculata (Fr.) Donk 바늘싸리버섯
R. aurea (Schaeff. ex Fr.) Qu' el. 황금싸리버섯
R. flaccida (Fr.) Ricken 다박싸리버섯
R. formosa (Fr.) Qu' el. 붉은싸리버섯
Multiclavula mucida (Fr.) Petersen 끈적뱅어버섯

Clavariaceae 국수버섯과

Ramariopsis kunzei (Fr.) Donk 쇠뜨기버섯
Clavaria purpurea Mull. ex Fr. 자주국수버섯
C. vermicularis Fr. 국수버섯
Clavicornia pyxidata (Fr.) Doty 쯤나무싸리버섯

Clavariadelphaceae 방망이싸리버섯과

Clavariadelphus pistillaris (Fr.) Donk 방망이싸리버섯

Clavulinaceae 창싸리버섯과

Clavulinopsis fusiformis (Fr.) Corner 노란창싸리버섯
C. helvola (Fr.) Corner 종창싸리버섯
C. miyabeana S. Ito 붉은창싸리버섯

Cantharellaceae 피꼬리버섯과

Cantharellus cibarius Fr. 피꼬리버섯
C. fraiesii Qu' el 호박피꼬리버섯
C. minor Pk. 애기피꼬리버섯

Thelephoraceae 굴뚝버섯과

Thelephora multiparita Fr. 많은가지사마귀버섯

T. terrestris Fr. 사마귀버섯

Stereaceae 꽃구름버섯과

Stereum hirsutum (Willd ex Fr.) S.F. Gray 꽃구름버섯

S. ostrea (Bl. et Nees) Fr. 갈색꽃구름버섯

S. spectabile Klozsch 단풍꽃구름버섯

Sparassiaceae 꽃송이버섯과

Sparasis crispa Wolf. ex Fr. 꽃송이버섯

Corticaceae 고약버섯과

Corticium chrysocreas Berk. et Curt. 황금고양버섯

Pulcherriicum caetuleum (St. Amans) Parmasto 청자색모피버섯

Climacodontaceae 수염버섯과

Climacodon septentrionalis (Fr.) Karst. 수염버섯

Schizophyllaceae 차머보버섯과

Schizophyllum commune Fr. 치마버섯

Hydnaceae 턱수염버섯과

Sarcodon aspratus (Berk.) S. Ito 능이

Hydneium aurantiacum (Batsch.: Fr.) Karst. 황색깔대기버섯

H. conrescens (Pers.:Schw.) Banker 고리갈색깔대기버섯

Phellodon melaleucus (Fr.:Fr.) Karst 살팽이버섯

Hydnum repandum L. ex Fr. 턱수염버섯

H. repandum var. *album* Qu'el 흰턱수염버섯

Basidioradulum malare (Fr.) Furukawa 큰이빨버섯

Steccherinum ochraceum (Pers. ex Fr.) S.F.

Gray 바늘버섯

Hericeum erinacium (Bull. ex Fr.) Pers. 노루궁뎅이
Meruliaceae 아교버섯과

Stereopsis burtiannum (Peck) Reid. 꽃자개버섯

Ganodermataceae 불로초과

Ganoderma lucidum (Leyss. ex Fr.) Karst. 불로초

Polyporaceae 구멍장이버섯과

Merurius tremellosus Fr. 아교버섯

Coriorus consors(Berk.) Imaz. 송곳니구름버섯

C. hirsutus(Fr.) Qu' el 흰구름버섯

C. versicolor(Fr.) Qu' el 구름버섯

Fomes fomentarius(L. ex Fr.) Kickx. 말굽버섯

Lenzites betulina(L. ex Fr.) Fr. 조개껍질버섯

Daedalea dickinsii(Berk. ex Cooke) Yasuda 등갈색미로버섯

Trametes pubescens(Schum ex Fr.) Pil. 흰융털구름버섯

T. suaveolens(L. ex Fr.) Fr. 송편버섯

Pycnoporus cinnabarinnus(Jacq. ex Fr.) Karst. 주걱간버섯

P. coccineus(Fr.) Bond et Sing. 간버섯

Fomitopsis afficinarius(Fr.) Bond. et Sing 말굽잔나비버섯

F. insularis(Murr.) Imaz. 벽돌빛잔나비버섯

F. nigra(Berk) Imaz. 검은잔나비버섯

F. pinicola(Fr.) Karst. 소나무잔나비버섯

F. rhodophaeus(Lev.) Imaz. 넓적잔나비버섯

Favolus alveolarius Qu' el. 벌집버섯

F. arcularius(Fr.) Amas. 쯤벌집버섯

Daedaleopsis confragosa(Bolt. ex Fr.) Schroet 도장버섯

D. styracina(P.Henn.) Imaz. 때죽도장버섯

D. tricolor(Fr.) Bond. et Sing. 삼색도장버섯

Piptoporus beturina(Bull. ex Fr.) Karst 자작나무버섯

Laetiporus sulphurerus(Fr.) Bond. et Sing. 덕다리버섯

L. sulphureus var. *miniatus*(Jungh) Imaz. 붉은덕다리버섯
Polyporus brumalis(Fr.) Karst. 겨울우산버섯
P. picipes(Fr.) Karst 검정대겨울우산버섯
P. elegans(Fr.) Karst 노란대겨울우산버섯
Hirschioporus abietinus(Fr.) Donk 옷솔버섯
H. fusco-violaceus(Fr.) Donk 기와옷솔버섯
Microporus affinis(Blume et Nees ex Fr.) Fr.매꽃버섯부치
Tyromyces borearis(Fr.) Imaz 물렁개떡버섯
T. sambuceus(Lloyd) Imaz. 명아주개떡버섯
Elfvigina applanata (Pers.) Karst. 잔나비결상
Irpex lacteus(Fr. ex Fr.) Fr. 기계층버섯
Bjerkandera adusta(Fr.) Karst. 줄버섯
Gloeophyllum abietinum(Fr. ex Fr. 전나무조개버섯

Hymenochaetaceae 소나무비늘버섯과

H. yasudai Imaz 무늬소나무비늘버섯
Coltricia cinnamomea(Jacq. ex Fr.) Murr. 톱니겨우살이버섯
C.perennis(L. ex. Fr.) Murr. 겨우살이버섯
Phaeolus schweinitzii(Fr.) Pat. 해변버섯
Cyclomyces fuscus Kunze 고리버섯

Pjellinaceae 진흙버섯과

Phellinus igniarius(L.ex. Fr.) Qu' el 말뚝진흙버섯
P. robustus(Korst.) Bourd. et Galz. 찰진흙버섯

Heterobasidomycetes 이형담지자균아강

Tremellales 흰목이목

Tremellaceae 흰목이과

Tremella foliacea Fr. 흰목이
T. fuciformis Berk. 꽃흰목이

T. globospora Reid 방울백목이
Exidia uva-passa Lloyd 아교좁목이
Phlogiotis helvelloides (Fr.) Martin 장미주걱목이
Pseudohydnum gelatinosum (Scop. ex Fr.) Karst. 헛바늘목이

Auriculariales 목이목

Auriculariaceae 목이과
Auricularia auricula-judae(Bull. ex St. Am.) Berk. 목이

Dacrymycetales 붉은목이목

Dacrymycetaceae 붉은목이과
Calocera cornea(Batsch ex Fr.) Fr. 아교뿔버섯
C. viscosa(Pers. ex Fr.) Fr. 등황색끈적짜리버섯
Dacrymyces palmatus(Schw.) Brut. 손바닥붉은목이

gasteromycetes 복균강

Lycoperdales 말불버섯목

Lycoperdaceae 말불버섯과
Lycoperdon mammaeforme Pers. ex Pers. 비늘말불버섯

L. pedicellatum Peck 긴꼬리말불버섯
L. perlatum Pers. 말불버섯
L. pyriforme Schaeff. ex Pers. 줌말불버섯
Lanopila nipponica(Kaw.) Y. Kobay. 땡구알버섯

Tulostomatales 연지버섯목

Galostomataceae 연지버섯과

Calostoma japonicum P. Henn. 연지버섯

Astraeaceae 먼지버섯과

Astraeus hygrometricus(Pers.) Morg. 먼지버섯

Geastraceae 방귀버섯과

Geastrum sessile(Sow.) Pouz. 테두리방귀버섯

Phallales 말뚝버섯목

Phallaceae 말뚝버섯과

Phallus rugulosus(Fisch.) O. Kuntze 붉은말뚝버섯

Mutinus bambusinus(Zell.) Fisch. 끝검은뱀버섯

Clathraceae 바구니버섯과

Lysurus mokusin(L. ex Pers) Fr. 새주둥이버섯

Nidulariales 찻잔버섯목

Nidulariaceae 찻잔버섯과

Cyathus stercoreus(Schw.) De Toni 좁주름찻잔버섯

C. striatus(Hunds.) Wied. 주름찻잔버섯

Ascomycotina 자낭균이목

Discomycetes 반균강

Pezizales 주발버섯목

Helvellaceae 안장버섯과

Helvella crispa Fr. 주름안장버섯

H. lacunosa Afz. ex Fr. 안장버섯

Leptopodia elastica(St. Amans) Boud. 긴대안장버섯

Cyromitra esculenta(Pers.) Fr. 마귀곰보버섯

Peziziaceae 주발버섯과

Peziza badia Pers. ex Merat 자주주발버섯

P. badoconfusa Korf 고려주발버섯

P. repanda Pers. 넓은주발버섯

P. vesiculosa Bull. ex St. Amnas 주발버섯

Sarcosomataceae 털고무버섯과

Galiella celebica(P. Henn.) Nannf. 갈색털고무버섯

Pyromenataceae 접시버섯과

Scutellinia scutellata(L. ex St. Amans) Lamb 접시버섯

Trichophaea gregaria(Rehem) Boud. 무리털종지버섯

Otidea alutacea(Pers.) massee 주머니짜진귀버섯

Helotiales 고무버섯목

Geoglossaceae 콩나물고무버섯과

Trichoglossum walteri(Berk.) Dur. 왈트마귀순갈버섯

Microglossum viride(Pers. ex Fr.) Gill. 녹색좁콩나물버섯

Spathularia clavata Pers. ex Fr. 넓적콩나물버섯

S. flavida Pers. ex Fr. 황금넓적콩나물버섯

Leotia lubrica Pers. 콩두건버섯

Cudonia circinans(Pers.) Fr. 투구버섯

Sclerotiniaceae 균핵버섯과

Bisporella citrina(Batsch ex Fr.) Korf et Carpenter 황색황고무버섯

Demateaceae 살갓버섯과

Chlorosplenium aeruginosum (Gray) De Not. 녹청균

Pyrenomycetes 핵균강
Sphaeriales 콩버섯과
Hypocreaceae 육좌균과
Hypocrea rufa (Pers. ex Fr.) Fr. 짐버섯

Xylariaceae 콩꼬투리버섯과
Xylaria carpophila(Pers.) Fr. 젓가락콩꼬투리버섯
X. polymorpha(Pers. ex Mer.) Grev. 다형콩꼬투리버섯
Daldinia concentrica(Bott. ex Fr.) Ces. et do Not. 콩버섯

References

- Bas, C. 1969. Morphology and Subdivision of Amanita and Monograph of its section *Lepidella, Persoonia*, vol. 5, 285-579
- Cho, D. H. and S. S. Park. 1986. The Mycoflora of Higher Fungi in Mt. Kayasan, *The Report of the KACN* 28: 165-173.
- Cho, D. H. and C. I. Ryoo. 1991. The Mycoflora of Higher Fungi in Mt. Songni, *The Report of the KACN* 29: 237-245.
- Cho, D. H. and S. S. Park. 1991. Notes on genus *Entoloma* of Korea(I), *Kor. J. Mycol.* 19(1): 11-17.
- Dennis, R. W. G., P. D Oron and F. B. Hora. 1960. New Check Lists of British *Agarics* and *Boleti*, Cambridge University Press. p. 125.
- Imazeki, R. and T. Hongo. 1987. Colored Illustration of Mushrooms of Japan, vol. I, Hoikusha Publishing Co., LTD. PP. 1-315.
- _. 1989. *ibid*, vol. II. PP. 1-315.
- Imazeki, R., Y. Otani and T. Hongo. 1988. Fungi of Japan, Yama-kei Publishers Co. LTD. PP. 1-622.
- Ito, S., 1955. Mycological Flora of Japan 2(4), Yokendo, PP. 1-658.
- Jenkins, D. T., 1986. Amanita of North America, Mad River press, PP. 1-198.
- Korean Society of Mycology*. 1978. Suggestion on Standard Korean Names of Mushrooms in Korea, *Kor. J. Mycol.* 6: 45-55.

- Kuyper, T. W., 1986. A Revision of the Genus *Inocybe* in Europe, Riksherbarium, Leiden, the Netherlands, PP. 1-247.
- Largent, L., D., 1977. How to Identify Mushrooms of Genus I, Second Ed. Eureka California, USA PP.1-166.
- Lee, J. W., 1990. Insect Fauna of Mt. Paectu, *Nature Conservation*, 70: 33-47
- Lee, J. Y., 1980. Coloured Korean Mushrooms, vol. I, Academic Press, PP. 1-365
- Lee, J. Y. and D. H. Cho. 1988. The Mycoflora of Higher Fungi in Mt. Wolchul, *The Reprt of the KACN*, 27: 213-219.
- Lee, J. Y. and S. W. Hong. 1985. Illustrated Flora and Fauna of Korea 28, Mushrooms, Ministry of Education, Korea, PP. 1-962.
- Lee, T. S., 1990. The List of Recorded Mushrooms in Korea, *Kor. J. Mycol*, 18(4): 233-259.
- Lee, Y. N., 1991. Flowering Plants on Baectu Mountain, Hangilsa, Korea, PP. 1-317.
- Park, S. S., D. H. Cho and J. Y. Lee. 1986. The Flora of Higher Fungi in Mt. Jiri Areas, *Kor. J. Mycol.*, 14(4): 247-252.
- Park, S. S. and D. H. Cho. 1988. *ibid*(2), *Kor. J. Mycol.* 16(3): 144-150.
- Park, S. S., D. H. Cho and C. I. Ryoo. 1990. *ibid*(2), *Kor. J. Mycol.* 16(2): 51-57.
- Park, S. S., D. H. Cho and J. Y. Lee. 1987. The Flora of Higher Fungi in Mt. Muhack Areas(III) *Kor. J. Mycol.* 15(2): 71-75.
- Park, W. H., K. S. Kim and K. H. Min. 1991. The Higher Fungal Flora in the Areas of Mt. Daesung and Mt. Daeduck, *Kor. J. Mycol.* 19(3): 167-174.
- Park, W. H. and H. D. Lee. 1991. Colored Fungi of Korea, Kyo-Hak Publishing Co. pp. 1-504.
- Phillips, R., 1981. Mushrooms and other Fungi of Great Britain & Europe, Pam Books, LPD. London, pp. 1-288.
- Singer, R., 1875. The Agaricales in modern Taxonomy, 3rd. eds. Gantner Verlage, KG., pp. 1-912, 84 pls.
- Smith, A. H. and H. D. Theirs. 1971. The *Boletus* of Michigan, the University of Michigan Press, Ann Arbor, USA. pp. 1-417, 157 pls. Correction: 19(4):p. 247.