[구IGRINS-01] 적외선 고분산 분광기 IGRINS 및 GMTNIRS project

천무영¹, 육인수¹, 이성호¹, 박찬¹, 김강¹, IGRINS team¹,박수종², Daniel T. Jaffe³ ¹한국천문연구원, ²경희대학교, ³University of Texasat Austin, USA

한국천문연구원은 미국 택사스 대학 및 경희대와 함께 2개의 적외선 고분산 분광기 프로젝트를 진행하고 있다. 2013년 완성을 목표로 진행하고 있는 IGRINS ((the Immersion GRating INfrared Spectrograph) 는 최종 설계를 완료하여 지난 8월 25일 최종 설계 검토 회의를 진행하였으며, 내년 상반기까지 제작, 하반기 실험실 정렬을 거쳐 2013년맥도날드 2.7미터 부착 시험 관측을 예정하고 있다.

한국이 참여하고 있는 거대망원경 GMT (Giant Magellan Telescope)의 제 1세대 관측기기로 제안한 고분산 적외선 분광기 GMTNIRS 는 IGRINS의 성능에 J, L, M band 분광기능을 더한 것이다. 총 6개의 개념 설계 기기중 하나로 선정되어 지난 1년간 개념설계를 진행해왔으며, 10월 3일 최종 개념 설계 검토 회의를 진행할 예정이다.

이 두 기기의 성능, 현재까지의 진행상황 그리고 앞으로의 계획에 대해 설명한다.

[7IGRINS-02] VPH Gratings for Near-Infrared Spectrographs

Sungho Lee¹, Casey Deen², Moo-Young Chun¹, Kang-Min Kim¹, In-Soo Yuk^{1,3}, Chan Park¹, Heeyoung Oh¹, Surangkhana Rukdee¹, Hwakyung Jeong¹, Soojong Pak⁴, MichaelGully-Santiago², Hanshin Lee³, Joseph Strubhar³, Marc Rafal³, Daniel Jaffe²

¹Korea Astronomy and Space Science Institute, ²Dept. of Astronomy, University of Texas at Austin, ³McDonald Observatory, University of Texas at Austin, ⁴Dept. of Astronomy and Space Science, Kyung Hee University

Volume Phase Holographic (VPH) gratings are getting more popular as dispersion elements in spectrographs. High efficiency, compact configuration, and easy handling are driving many visual spectrographs to use VPH gratings for their main dispersers or for their cross-dispersers in higher resolution spectrographs. More recently, VPH gratings are being adopted in near-infrared by some spectrographs and by a number of next generation instrument projects. IGRINS (Immersion Grating Infrared Spectrograph) uses a VPH grating as a cross-disperser in each H or K band arm. J or H band performance of VPH gratings has been proven by other instruments. But K-band VPH gratings are new to the field. In this presentation, we are going to present test results we have got so far for verification of H-band VPH gratings and development of K-band VPH gratings.