[구GC-23] Preliminary results from cosmological hydrodynamic simulations

Jihye Shin¹, Juhan Kim², Sungsoo S. Kim^{1,3} & Suk-Jin Yoon⁴

¹Department of Astronomy & Space Science, Kyung Hee University,

²Korea Institute for Advanced Study,

³School of Space Research, Kyung Hee University,

⁴Center for Space Astrophysics and Department of Astronomy, Yonsei University

We have performed our first cosmological hydrodynamic simulation using the recently developed SPH+GOPTM code that includes radiative cooling/heating, star formation, and supernova feedback. Here we present preliminary results from the simulation

 $3.4 \times 10^4 \, \mathrm{M}_{\odot}$, thus sub-galactic structures, such as satellite galaxies and globular clusters around a host galaxy, can be resolved with more than hundred particles. We follow formation and evolution of the sub-galactic structures in view of their star formation history, merging/accretion rate, and origins.

[구GC-24] Shock waves in and around clusters of galaxies

Sungwook E. Hong¹, Dongsu Ryu¹ and Hyesung Kang²

¹Department of Astronomy and Space Science, Chungnam National University, Daejeon,

Korea

²Department of Earth Sciences, Pusan National University, Pusan, Korea

We examine the distribution and properties of shock waves within a couple of Mpc from cluster center with single-level grid simulations using up to 20483 grid zones. The effects of cooling/heating and feedbacks from galaxies are also incorporated. There are two different populations of shocks, merger shocks and accretion shocks. We discuss the manifestation of shocks through radio relics.