

Faunal List of Oribatid Mites (Acari : Oribatida) at the 44th (deciduous) and 45th (coniferous) compartment in Kwangreung, Korea

Park, Hong-Hyun, Chul-Eui Jung, Joon-Ho Lee,

Seong-Sik Choi* and Buom-Young Lee**

(Department of Agricultural Biology, College of Agriculture and Life Sciences,
Seoul National University, Suwon, Korea)

(* Department of Agronomy, College of Life and Resource Sciences, Wonkwang University, Iksan, Korea)

(** Department of Entomology, Forestry Research Institute, Forestry Administration, Seoul, Korea)

광릉지역의 날개응애(Acari : Oribatida) 목록 : 44임반(활엽수림)과 45임반(침엽수림)을 중심으로

박홍현, 정철의, 이준호, 최성식*, 이범영**

(서울대학교 농업생명과학대학 농생물학과)

(* 원광대학교 생명자원과학대학 농학과)

(** 산림청 임업연구원 곤충과)

ABSTRACT

A total of 101 species belonging to 76 genera under 42 families in Kwangreung coniferous forest (45th compartment) and 108 species belonging to 69 genera under 40 families in Kwangreung deciduous forest (44th compartment) was reported, respectively.

Key words : Oribatida, coniferous forest, deciduous forest, Kwangreung, Korea

INTRODUCTION

The morphologically highly diverse oribatid mites constitute the richest order in the subclass Acari. They belong to the most important terrestrial arthropodan groups for their enormous numbers and the varieties of species. Also their activity might be of decisive importance in the

life of the soil and the processes of energy turnover (Wallwork, 1976). The oribatid mite has been considered to be with the category of suborder until lately, but now is generally accepted as order Oribatida (Wolley, 1988; Fujikawa, 1991; Evans, 1992; Fujikawa et al., 1993). Most taxonomic studies of Oribatida in Korea have been conducted by Choi (1985, 1986a, 1986b, 1986d, 1988, 1989, 1994) but ecological

studies are rare. Species diversity of oribatid mites in Kwangreung, which is located in the northern suburban area near Seoul and is relatively well protected from human activity and environmental stress, was reported by Choi (1984, 1996). Here, we report the result of two years investigation on oribatid mites from 1993 to 1994 at Kwangreung coniferous (45th compartment) and deciduous (44th compartment) forests.

SYSTEMATICS

SUBCLASS ACARI
SUPERORDER ACTINOTRICHIDA
ORDER ORIBATIDA

I. Oribatid mites in Kwangreung coniferous forest

- Family Mesolophoridae Ewing, 1917
어리조개옹애과
Archolophora sp.
- Family Hypochthoniidae Berlese, 1910 땅옹애과
Eohypochthonius crassisetiger Aoki, 1959
Hypochthonius rufulus Koch, 1836
- Family Lomanniidae Berlese, 1916 펭이옹애과
Lohmannia coreana Choi, 1985
Mixacarus exilis Aoki, 1970
Vepracarus hirsutus Aoki, 1961
- Family Epilohmanniidae Oudemans, 1916
배꼽옹애과
Epilohmannia pallida pacifica Aoki, 1970
- Family Phthiracaridae Perty, 1841 조개옹애과
Phthiracarus clemens Aoki, 1963
- Family Steganacaridae Niedbala, 1986
가시조개옹애과
Atropacarus (Atropacarus) striculus (Koch, 1836)
Hoplophthiracarus sp.
- Family Euphthiracaridae Jacot, 1930
배꼽조개옹애과
- Euphthiracarus* sp.
Microtritia minima (Berlese, 1904[1905])
Rhysotritia ardua (Koch, 1841)
- Family Oribotritiidae Grandjean, 1953(1954)
방패옹애과
Protorobotritia ensifer Aoki, 1969
- Family Camisiidae Oudemans, 1900
Camisia segnis (Hermann, 1804)
C. lapponica (Tr g rdh, 1910)
Heminothrus sp.
Platynothrus yamasakii (Aoki, 1958)
- Family Malaconothridae Berlese, 1916
장님옹애과
Malaconothrus japonicus Aoki, 1966
M. pygmaeus Aoki, 1969
Trimalaconothrus sp.
- Family Nothriidae Berlese, 1896 그물왕옹애과
Nothrus sp.
N. sp.1
- Family Trhypochthoniidae Willmannm, 1931
쌍무늬옹애과
Trhypochthonius tectorum (Berlese, 1896)
- Family Nanhermanniidae Sellnick, 1928
해면옹애과
Nanhermannia bifurcata Fujikawa, 1990
N. sp.
Nippohermannia parallela (Aoki, 1961)
- Family Gymnodamaeidae Grandjean, 1954
아교옹애과
Allodamaeus decemsetiger Choi et Aoki, 1988
- Family Damaeidae Berlese, 1896 뿔염주옹애과
Epidamaeus coreanus (Aoki, 1966)
E. sp.
Tectodamaeus armatus Aoki, 1984
T. striatus Enami et Aoki, 1988
- Family Damaeolidae Grandjean, 1965
Fosseremus quadripertitus Grandjean, 1965

- Costeremaeus ornatus* Aoki, 1970
- Family Eremobelidae Balogh, 1961 귀옹애과
Eremobelba japonica Aoki, 1959
- Family Eremulidae Grandjean, 1965
 동아줄옹애과
Eremulus avenifer Berlese, 1913
- Family Eremaeidae Sellnick, 1928
 다리차양옹애과
Eremaeus tenuisetiger Aoki, 1970
- Family Astegistidae Balogh, 1961 달마옹애과
Cultroribula lata Aoki, 1961
C. *tridentata* Aoki, 1965
- Family Gustaviidae Oudemans, 1900
 실톱옹애과
Gustavia microcephala (Nicolet, 1855)
- Family Liacaridae Sellnick, 1928 달걀옹애과
Liacarus contiguus Aoki, 1969
L. *flammeus* Aoki, 1967
L. *kilchini* Choi, 1985
L. *orthogonios* Aoki, 1959
- Family Metrioppiidae Balogh, 1943
 뜯지게옹애과
Ceratoppia bipilis (Hermann, 1804)
- Family Carabodidae Koch, 1842 왕옹애과
Carabodes peniculatus Aoki, 1970
C. *rimosus* Aoki, 1959
- Family Otocepheidae Balogh, 1961
 오징어옹애과
Dolicheremaeus elongatus Aoki, 1967
Fissicepheus clavatus (Aoki, 1959)
F. *coronarius* Aoki, 1967
F. *haradai* Choi, 1986
Trichotocepheus erabuensis Aoki, 1965
- Family Tectocepheidae Grandjean, 1953(1954)
 사각며리옹애과
Tectocepheus velatus (Michael, 1880)
- T.* *cuspidentatus* Knülle, 1954
- Family Autognetidae Grandjean, 1960
 철로옹애과
Autogneta masahitoi Aoki, 1963
- Family Oppiidae Grandjean, 1951 줄쌀옹애과
Arcoppia arcuialis (Aoki, 1959)
Brachioppiella ctenifera barbata Choi, 1986
Lasiobelba sp.
Lauroppia neerlandica (Oudemans, 1900)
Machuellella ventrisetosa Hammer, 1961
Oppia minutissima Sellnick, 1950
O. *sagami* Aoki, 1984
O. sp.
O. sp.1
O. sp.2
O. sp.3
O. sp.4
O. sp.5
Oppiella nova (Oudemans, 1902)
Quadroppia quadricarinata (Michael, 1885)
Ramusella (*Ramusella*) *sengbuschi* Hammer, 1968
- Family Suctobelidae Jacot, 1938 유리창옹애과
Flagrosuctobelba niginata (Aoki, 1961)
Suctobelbella yezoensis Fujikawa et Fujita, 1987
Suctobelbila tuberculata Aoki, 1970
- Family Licneremaeidae Grandjean, 1953
 두꺼비날개옹애과
Licneremaeus sp.
- Family Haplozetidae Grandjean, 1936
 소매옹애과
Incabates sp.
Peloribates longisetosus (Willmann, 1930)
Rostrozetes ovulum (Berlese, 1908)
- Family Protoribatidae Balogh et Balogh, 1984
 긴소매옹애과
Protoribates crassisetiger Choi, 1986
- Family Hemileidae Balogh et Balogh, 1984
Tuberemaeus singularis Sellnick, 1930

Family Oripodidae Jacot, 1925 뚜껑옹애과
Oripoda pinicola Aoki et Ohkubo, 1974
Truncopes sp.

Family Parakalummidae Grandjean, 1936
 주머니나비옹애과
Neoribates sp.
Protokalumma sp.

Family Scheloribatidae Grandjean, 1933
 판날개옹애과
Scheloribates latipes (Koch, 1841)
 S. *rigidisetosus* Willmann, 1951
 S. sp.
 S. sp.1

Family Xylobatidae Balogh et Balogh, 1984
 도포소매옹애과
Xylobates sp.
Perxylobates sp.

Family Ceratozetidae Jacot, 1925 잔날개옹애과
Ceratozetella imperatoria (Aoki, 1963)
Ceratozetes sp.
Boreozetes sp.

Family Chamobatidae Thor, 1937
Chamobates sp.

Family Mycobatidae Grandjean, 1953
 사다리옹애과
Punctoribates punctum(Koch, 1839) Family

Achipteriidae Thor, 1929 뾰족날개옹애과
Achipteria sp.
Anachipteria grandis Aoki, 1961
Parachipteria distincta (Aoki, 1959)

Family Galumnidae Jacot, 1925 나비옹애과
Pergalumna altera (Oudemans, 1915)
 P. *magnipora* Aoki, 1961
Trichogalumna lineata Okubo, 1984

I. Oribatid mites in Kwangreung deciduous forest

Family Steganacaridae Niedbala, 1986

가시조개옹애과
Atropacarus(*Atropacarus*) *striculus* (Koch, 1836)
Hoplophorella sp.

Family Euphthiracaridae Jacot, 1930
 배꼽조개옹애과
Euphthiracarus foveolatus Aoki, 1980
Microtritria minima (Berlese, 1904[1905])
Rhysotritia ardua (Koch, 1841)

Family Hypochthoniidae Berlese, 1910 띠옹애과
Eohypochthonius crassisetiger Aoki, 1959
Hypochthonius rufulus Koch, 1836

Family Cosmochthoniidae Grandjean, 1945
 긴털띠옹애과
Cosmochthonius reticulatus Grandjean 1947

Family Lomanniidae Berlese, 1916 팽이옹애과
Lohmannia coreana Choi, 1985
Mixacarus exilis Aoki, 1970
Vepracarus hirsutus Aoki, 1965

Family Eulohmanniidae Oudemans, 1916
 유령옹애과
Eulohmannia ribagai Berlese, 1910

Family Perlohmanniidae Grandjean, 1958
 장수옹애과

Apolohmannia gigantea Aoki, 1960

Family Epilohmanniidae Oudemans, 1923
 배꼽옹애과

Epilohmania pallida pacifica Aoki, 1970
 E. sp.

Family Camisiidae Oudemans, 1920 왕옹애과
Camisia segnis (Hermann, 1804)
 C. *spinifer* (Koch 1836)
Heminothrus minor Aoki, 1969.
 H. sp.

Family Malaconothridae Berlese, 1916
 장남옹애과
Malaconothrus japonicus Aoki, 1966
 M. *pygmaeus* Aoki, 1969

- Trimalaconothrus joonsooi* Choi, 1986
- Family Nothridae Berlese, 1896 그물왕옹애과
- Nothrus biciliatus* Koch, 1844
- N.* sp.
- Family Trhypochthoniidae Willmann, 1931 쌍무늬옹애과
- Trhypochthonius tectorum* (Berlese, 1896)
- T.* *japonicus* Aoki, 1970
- Family Nanhermanniidae Sellnick, 1928 해면옹애과
- Nanhermannia nana* (Nicolet, 1855)
- Nippohermania parallela* (Aoki, 1961)
- Family Gymnodamaeidae Grandjean, 1954 아교옹애과
- Allodarnaeus decemsetiger* Choi et Aoki, 1985
- A.* *transitus* Aoki, 1984
- Family Damaeidae Berlese, 1896 뿔염주옹애과
- Damaeus* sp.1
- D.* sp.2
- D.* sp.3
- D.* sp.4
- D.* sp.5
- D.* sp.6
- Family Damaeolidae Grandjean, 1965
- Fosseremus* sp.
- Costeremaeus ornatus* Aoki, 1970
- Family Eremobelbidae Balogh, 1961 귀옹애과
- Eremobelba japonica* Aoki, 1959
- Family Eremaeidae Sellnick, 1928 다리차양옹애과
- Eremaeus orientalis* Golosova, 1970
- E.* *tenuisetiger* Aoki, 1979
- Family Zetorchestidae Michael, 1898
- Zetorcheses* sp.
- Family Astegistidae Balogh, 1961 달마옹애과
- Cultroribula breviclavata* Aoki, 1984
- C.* *lata* Aoki, 1961
- C.* *tridentata* Aoki, 1965
- Family Gustaviidae Oudemans, 1900 실톱옹애과
- Gustavia microcephala* (Nicolet, 1855)
- Family Liacaridae Sellnick, 1928 달걀옹애과
- Liacarus contiguus* Aoki, 1969
- L.* *flammeus* Aoki, 1969
- L.* *kilchini* Choi, 1985
- L.* *orthogonios* Aoki, 1959
- L.* sp.
- Family Charassobatidae Grandjean, 1958
- Charassobates* sp.
- Family Carabodidae Koch, 1837 검둥이옹애과
- Carabodes peniculatus* Aoki, 1970
- C.* *transversarius* Choi et Aoki, 1986
- C.* sp.
- Family Tectocepheidae Grandjean, 1953 사각머리옹애과
- Tectocepheus cuspidatus* Knülle, 1954
- T.* *velatus* (Michael, 1880)
- T.* *titanus* Okubo, 1982
- Family Otocepheidae Balogh, 1961 오징어옹애과
- Dolicheremaeus elongatus* Aoki, 1967
- D.* *baloghi* Aoki 1967
- Fissicepheus haradai* Choi, 1986
- F.* *mitis* Aoki, 1970
- Megalotocepheus japonicus* Aoki 1965
- Trichotocepheus erabuensis* Aoki, 1965
- Family Oppiidae Grandjean, 1951 좁쌀옹애과
- Arcoppia vipera* (Aoki, 1959)
- Brachioppiella ctenifera barbata* Choi, 1986
- B.* cf. *sheshanensis* Wen et al. 1984
- Machuella ventrisetosa* Hammer, 1961
- Multioppia gapsaensis* Choi, 1986
- M.* *gracilis* Hammer, 1972
- Oppia minutissima* Sellnick, 1950

- O. neerlandica* (Oudemans, 1900) Family Chamobatidae Grandjean, 1954
O. sp. *Chamobates* sp.
- O. sp.1* Family Ceratozetidae Jacot, 1925 잔날개옹애과
O. sp.3 *Ceratozetes* spp.
O. sp.6 *Boreozetes donghaksaensis* Choi, 1986
Oppiella nova (Oudemans, 1902) *Diapterobates songliensis* CHOI, 1986
Quadroppia quadricarinata (Michael, 1885)
Ramusella (Ramusella) sengbuschi Hammer, 1968 *D. sp.*
- Family Suctobelbidae Grandjean, 1954 Family Mycobatidae Gradjean, 1953
 유리창옹애과 *Punctoribates punctum* (Koch, 1839)
- Flagrosuctobelba natinata* (Aoki, 1961) Family Phenopelopidae Ewing, 1917 염마옹애과
Suctobelbella frondosa Aoki et Hukuyama, 1976 *Euphelops acromios* (Hermann, 1804)
- S. ongisensillata* Fujita et Fujikawa, 1987 Family Oribatellidae Jacot, 1925 판지게옹애과
S. yezoensis Fujikawa et Fujita, 1987 *Oribatella meridionalis* Berlese, 1908
- S. sp.* Family Galumnidae Jacot, 1925 나비옹애과
S. sp.1 *Galumna chujoi* Aoki, 1966
- Suctobelbila tuberculata* Aoki, 1970 *G. longiporosa* Fujikawa, 1972
- Family Haplozetidae Grandjean, 1936 *G. sp.*
- 소매옹애과 *Trichogalumna lineata* Okubo, 1964I
Rostrozetes pulcherrimus Berlese, 1960 *Pergalumna intermedia* Aoki, 1963
- Family Oripodidae Jacot, 1925 뚜껑옹애과 *P. magnipora* Aoki, 1961
Incabates aokii Choi, 1985 *P. sp.*
- Oripoda pinicola* Aoki et Ohkubo, 1974
- Family Parakalummidae Grandjean, 1963
- 주머니나비옹애과
- Neoribates* sp.
- Protokalumma parvisetigerum*, Aoki 1965
- Family Scheloribatidae Grandjean, 1933
- 판날개옹애과
- Scheloribates latipes* (Koch, 1884)
- S. rigidisetosus* Willmann, 1851
- Family Protoribatidae Balogh et Balogh, 1984
- 긴소매옹애과
- Protoribates* sp.
- Family Xylobatidae Balogh et Balogh, 1984
- 도포소매옹애과
- Xylobates* sp.
- Perxylobates coreanus* Choi, 1986
- 광릉 지역에서 수행된 토양서식성 날개옹애류 생물상 조사 결과, 침엽수림지역(45임반)에서는 42과 76속 101종이 조사되었으며, 활엽수림지역(44임반)에서는 40과 69속 108종이 조사되었다.
- 검색어 : 날개옹애, 침엽수림지역, 활엽수림지역, 광릉
- ## REFERENCES
- Choi, S. S. 1984. Studies on the analysis of soil micro-arthropod community in Gwangreung area. Wonkwang Univ. 18 : 185~235.
- Choi, S. S. 1985. The Oribatid mites (Acari :

- Cryptostigmata) from Korean (I). Wonkwang Univ. 19 : 63~77.
- Choi, S. S. 1986a. The Oribatid mites (Acari : Cryptostigmata) from Korea (5) : On new and unrecorded species of the family Oppidae. Acta. Arachnol. 34 : 61~67.
- Choi, S. S. 1986b. The Oribatid mites (Acari : Cryptostigmata) from Korea (6). Wonkwang Univ. 20 : 109~127.
- Choi, S. S. 1986c. The Oribatid mites (Acari : Cryptostigmata) from Korea (7). J. Syst. Zool. 2 : 37~42.
- Choi, S. S. 1986d. The Oribatid mites (Acari : Cryptostigmata) from Korea (8). Korean Arachnol. 2 : 47~53.
- Choi, S. S. 1988. Study on the Oribatid mites (Acari : Cryptostigmata) from Korean Peninsula(I). Wonkwang Univ. 22 : 99~127.
- Choi, S. S. 1989. A study on Unrecorded species of Oribatid mites (Acari : Cryptostigmata) from Korea. Wonkwang Univ. 23 : 421~430.
- Choi, S. S. 1994. Taxonomic study on soil mites (Acari : Cryptostigmata) of Korea. Kor. J. Appl. Entomol. 33 : 39~50.
- Choi, S. S. 1996. Study on the biodiversity in the forest ecosystem - Oribatid mites (Acari : Cryptostigmata) in Mt. Keum, Namhae and Kwangreung forest. Wonkwang Univ. 31 : 9~31.
- Evans, G. O. 1992. Principles of Acarology. Cambridge Univ. Press. 562pp.
- Fujikawa, T. 1991. List of oribatid families and genera of the world. Edaphologia. No. 46. 132pp.
- Fujikawa, T., M. Fujita and J. Aoki. 1993. Checklist of oribatid mites of Japan (Acari, Oribatida), Journal of The Acarological Society of Japan. Vol 2. Suppliment 1. 121pp.
- Wallwork, J. A. 1976. The distribution and diversity of soil fauna. Academic Press. 331pp.
- Woolley, T. A. 1988. Acarology : Mites and human welfare. John Wiley & Sons. 484pp.

(1996년 10월 28일 접수)