

## 만성 골수성 백혈병과 재생 불량성 빈혈로 진단받은 환자의 치료 전 동결보존된 정자를 이용한 세포질내 정자주입술로 임신에 성공한 2례

포천중문 의과대학 산부인과학교실<sup>1</sup>, 비뇨기과학교실<sup>2</sup>, 불임의학연구소<sup>3</sup>,  
가톨릭대학교 의과대학 내과학교실<sup>4</sup>

1 . 2 . 3 . 4 . 1 . 1

### Successful Pregnancy by ICSI using Spermatozoa Banked Prior to Bone Marrow Transplantation for Severe Aplastic Anemia and Chronic Myelogenous Leukemia

Jee Eun Han<sup>1</sup>, Tae Gyu Chung<sup>2</sup>, Mi Kyung Chung<sup>3</sup>, Woo Sung Min<sup>4</sup>,  
Sook Hwan Lee<sup>1</sup>, Tae Ki Yoon<sup>1</sup>

<sup>1</sup>Department of Obstetrics and Gynecology, <sup>2</sup>Department of Urology, <sup>3</sup>Infertility Medical Center,  
CHA General Hospital, College of Medicine, Pochon CHA University, Seoul,

<sup>4</sup>Department of Internal Medicine, College of Medicine, Catholic University, Seoul, Korea

**Objective:** To report two cases of successful pregnancies following long term cryopreserved spermatozoa prior to bone marrow transplantation (BMT) for chronic myelogenous leukemia (CML) and severe aplastic anemia (SAA).

**Materials and Methods:** Case report.

**Results:** With the first case, after cryopreservation of semen from 25 year-old man with CML prior to BMT, his wife is being pregnant by intracytoplasmic sperm injection (ICSI) using thawed spermatozoa. With the second case, 28 year-old man with SAA became father by ICSI using banked spermatozoa before BMT.

**Conclusion:** These cases support that men with malignancy have the chance of fathering their own genetic children. It is important therefore, to increase the awareness of clinicians especially oncologists and patients themselves to the new developments in preserving fertility for cancer patients.

**Key Words:** Semen cryopreservation, ART, ICSI, CML, SAA

가

가

.<sup>1-3</sup>

10 18 mm  
2 , 1152  
가 .<sup>4.5</sup> pg/ml HCG (Profasi<sup>®</sup>, Serono) 10,000 U  
1998 . HCG 36  
가 7  
, 3 가  
가 2 3 3 . 2  
. β-hCG 500 mU/ml  
1 6 2  
4 mm 가  
25 가 1998 3  
1998 9 2  
Hydroxyurea  
Interferone-alpha 3 28 가 1998 5  
2×10<sup>6</sup>/ 1998 7  
ml 25%, 6×10<sup>6</sup>/ml 16%, 3.4×10<sup>6</sup>/ml 44% . 2  
8 vials . 35×10<sup>6</sup>/ml  
27%, 100×10<sup>6</sup>/ml 47% . 2  
vials .  
1999 2001 .  
2001 12 .  
1999 2 .  
. GnRH- . GnRH-agonist Busere-  
agonist Buserelin acetate lin acetate 0.3 mg 가 3  
0.3 mg 가 3 0.1 mg FSH (Metrodin-HP<sup>®</sup>,  
pure FSH (Metrodin-HP<sup>®</sup>, Serono) HMG Serono) HMG (Pergonal<sup>®</sup>, Serono)  
(Humegon<sup>®</sup>, Organon) . 9 18 mm  
. 12 18 mm 가 6 , 4038 pg/  
4 , 1337 pg/ml ml HCG (Profasi<sup>®</sup>, Serono) 10,000 U  
. HCG 36 . HCG 36  
10 11  
7 가 . 5 가  
3 7 2 3 5 2  
β-hCG . β-hCG가 87.6 mU/ml  
2003 2 2 . 6 1  
GnRH-agonist recombinant , 3.75 kg  
human FSH (Gonal F<sup>®</sup>, Serono) HMG (IVF-M<sup>®</sup>, LG) .

가 .  
가

가

45~50  
25 .<sup>7</sup>  
가

가 .  
가 .<sup>4,8</sup> ,  
<sup>9,10</sup>  
<sup>5</sup> ,  
<sup>11-13</sup> 가  
가  
가  
6  
2~3  
3  
가 . 1988 A. Lass Boum Hall Clinic  
<sup>5</sup> , , , , ,  
<sup>14</sup>  
가 가 가

1. Horne G, Atkinson A, Brinson DR, Radford J, Yin JAR, Edi-Osagie ECO, et al. Achieving pregnancy against the odds: successful implantation of frozen-thawed embryos generated by ICSI using spermatozoa banked prior to chemo/radiotherapy for Hodgkin's disease and acute leukemia. *Hum Reprod* 2001; 16: 107-9.
2. Tounaye H, Camus M, Bollen N, Wisanto A, Van Steirteghem AC, Devroey P. In vitro fertilization with frozen-thawed sperm: a method for preserving the progenitive potential of Hodgkin patients. *Fertil Steril* 1991; 55: 443-5.
3. Bokemeyer C, Schmoll HJ, Van Rhee J. Long-term gonadal toxicity after therapy for Hodgkin's lymphoma. *Ann Hematol* 1994; 68: 105-10.
4. Meirou D, Schenker JG. Cancer and male infertility. *Hum Reprod* 1995; 10: 2017-22.
5. Lass A, Akagbosu F, Abusheikha N, Hassouneh M, Blayney M, Avery S, et al. A programme of semen cryopreservation for patients with malignant disease in a tertiary infertility centre: Lessons from 8 years' experience. *Hum Reprod* 1998; 13(11): 3256-61.
6. Padron OF, Sharma RK, Thomas AJ, Agarwal A. Effects of cancer on spermatozoa quality after cryopreservation: a 12-year experience. *Urol Androl* 1997; 67(2): 326-31.
7. Keating MJ. In: Wyngaarden JB, Smith LH, Bennett JC, editors. *Cecil textbook of medicine: chronic leukemia*. 19th ed. Philadelphia: Saunders press; 1992. p.933-44.
8. Fossa SD, Aass N, Molne K. Is routine pre-treatment cryopreservation of semen worthwhile in the

- management of patients with testicular cancer? Br J Urol 1989; 64: 524-9.
9. Berthelsen JG. Sperm counts and serum follicle-stimulating hormone levels before and after radiotherapy and chemotherapy in men with testicular germ cell cancer. Fertil Steril 1984; 41: 281-6.
  10. Botchan A, Hauser A, Yogev L. Testicular cancer and spermatogenesis. Hum Reprod 1997a; 12: 755-8.
  11. Khalifa E, Oehninger S, Acosta AA, Morshedi M, Veeck L, Bryzski RG, et al. Successful fertilization and pregnancy outcome using cryopreserved/thawed spermatozoa from patients with malignant diseases. Hum Reprod 1992; 7: 105-8.
  12. Vigersky RA, Chapman RM, Berenberg J, Glass AR. Testicular dysfunction in untreated Hodgkin's disease. Am J Med 1982; 73: 482-6.
  13. Sanger WG, Olson JH, Sherman JK. Semen cryobanking for men with cancer-criteria change. Fertil Steril 1992; 58: 1024-7.
  14. Chen SU, Ho NH, Chen HF. Pregnancy achieved by intracytoplasmic sperm injection using cryopreserved semen from a man with testicular cancer. Hum Reprod 1996; 11: 2645-7.
-