

NutriSonic web expert system for meal management and nutrition counseling with nutrient time-series analysis, e-food exchange and easy data transition

Soon-Myung Hong^{1§}, Jee-Ye Cho¹, Jin-Hee Lee¹, Gon Kim² and Min-Chan Kim²

¹*Department of Food and Nutrition, University of Ulsan, Ulsan, Korea*

²*School of Computer Engineering & Information Technology, University of Ulsan, Ulsan, Korea*

Received May 8, 2008; Revised May 28, 2008; Accepted June 13, 2008

Abstract

This study was conducted to develop the NutriSonic Web Expert System for Meal Management and Nutrition Counseling with Analysis of User's Nutritive Changes of selected days and food exchange information with easy data transition. This program manipulates a food, menu and meal and search database that has been developed. Also, the system provides a function to check the user's nutritive change of selected days. Users can select a recommended general and therapeutic menu using this system. NutriSonic can analyze nutrients and e-food exchange ("e" means the food exchange data base calculated by a computer program) in menus and meals. The expert can insert and store a meal database and generate the synthetic information of age, sex and therapeutic purpose of disease. With investigation and analysis of the user's needs, the meal planning program on the internet has been continuously developed. Users are able to follow up their nutritive changes with nutrient information and ratio of 3 major energy nutrients. Also, users can download another data format like Excel files (.xls) for analysis and verify their nutrient time-series analysis. The results of analysis are presented quickly and accurately. Therefore it can be used by not only usual people, but also by dietitians and nutritionists who take charge of making a menu and experts in the field of food and nutrition. It is expected that the NutriSonic Web Expert System can be useful for nutrition education, nutrition counseling and expert meal management.

Key Words: NutriSonic, web expert system, nutrient time-series analysis, e-food exchange

Introduction

The prevalence of diabetes mellitus is increasing in the world. Diet therapy for diabetes mellitus is very important for controlling blood sugar. Food exchange is used widely for meal planning and nutrition education of diabetes mellitus. Hong *et al.* (2003) and Hong *et al.* (2004) develops calculating program for food exchange amounts of food groups. But it is very difficult to find a web-based meal planning program using food exchange.

So the program is required to be able to make meal planning by using food exchange to manage diabetes mellitus, obesity and other diseases for diet therapy.

Some off-line programs on menu planning, nutrition analysis and nutrition education counseling have been developed and used (Han, 1997a; Han, 1997b; Han & Rhee, 1993b; Hong, 1989; Hong, 1996; Kang *et al.*, 1998; Kang *et al.*, 1999; Kolasa & Miller, 1996; Peter *et al.*, 1998). Similar programs on the internet are insufficient (Choi, 2000). Therefore the system based on the internet that has a friendly user interface and accepts the needs of users is required as soon as possible (Hong & Hwang, 2001).

Nutrition related programs based on the internet were

developed such as the analysis of food intake (Han, 2000), nutritional counseling and diet management of diabetes mellitus (Han & Jeong, 2004; Hong & Kim, 2004), food exchange database construction and search system (Hong *et al.*, 2003; Hong *et al.*, 2004), menu planning and searching system: MenuGen, National Rural Living Institute (Hong *et al.*, 2004) and meal planning and evaluation system: NutriEval (Hong, 2007). But the developed programs are insufficient in meal planning using food exchange for diabetes and obesity. Users have trouble to input food or meals and can not have nutrient and e-food exchange analysis, storing and modifying the data.

In the case of the USA, as a program based on internet, the food composition table from the USDA is commonly used. Cyberdiet services food nutrition information and menu and some web sites have meal analysis functions, but those are insufficient (Lee & Nieman, 2003). The Food Surveys Research Group of the United States Department of Agriculture has developed automated methods for collecting and processing food intake data. These methods are part of the Dietary Intake Data System designed to efficiently collect and process high quality food intake data. The foundation of the system is the Automated

* This study was supported by 2007 Research Funds of University of Ulsan.

§ Corresponding Author: Soon-Myung Hong, Tel. 82-52-259-2374, Fax. 82-52-259-1496, Email. smhong@ulsan.ac.kr

Multiple Pass Method (AMPM) Blaise instrument, which is used to collect 24-hour dietary recalls (McDowell, 2003; Raper *et al.*, 2004).

In this study, we developed the internet-based food, menu and meal management expert system for nutrition management and nutrition counseling with e-food exchange, nutrient time-series analysis and data transformation. This system considers the sex, age and disease conditions and creates general meal and therapeutic meal for disease. We expect that NutriSonic will contribute to health and nutrition improvement.

Materials and Methods

The implementation of the system

Table 1 shows the development environments of server and users. The operating system for servers is Linux. The user operating system is the Microsoft Windows series. The web server is Apache. Development languages are PHP, Javascript and HTML. The database is MySQL. Users can access NutriSonic using internet browsers.

Database structures

Table 2 shows the database composition. NutriSonic expert system database is composed of food, menus and meals. The food composition table is provided from the National Rural Living Science Institution in Rural Development Administration (National Rural Living Science Institution, 2001). And we used e-food exchange database (Hong *et al.*, 2003). The menu database is based on the results of the diet assessment system (National Rural Living Science Institute, 2000) and CAN-Pro program ver

2.0 (The Korean Nutrition Information Center, 2002). And in modifying the results, it has 24 categories from rice to others. Menu codes are divided into three: grand, middle-range, and specific classification. The meal database uses the recommended meals which are the results of the studies on developing the web-based Korean style dietary management system: MenuGen (Hong *et al.*, 2004). These are composed of meals according to the user's characteristics and therapeutic meals.

System architecture of nutrisonic web expert system

Fig. 1 shows the system architecture of the web expert system. The database is composed of user's information such as user's meal database, user's menu database and user's information and also web expert database such as recommended meal database, recommend menu database, food nutrient database and e-food exchange database (ver 1.0 and ver 2.0). With these databases, meal nutrient time-series analysis, e-food exchange and data transition can be calculated.

The scenario of meal planning and nutrition counseling

The NutriSonic web expert system is based on rules and cases. The recommended meal is based on pre-constructed cases. Meal properties are adjusted as user preferences. The web expert system verifies that the assessment of nutrients and calories is relevant to the properties of users. These results can be used for nutrition counseling, especially for diet therapy of diabetes mellitus patients. The dietitian or physical doctor teaches the food exchange system and meal planning using food exchange. But the dietitian, physical doctor and patient can not calculate the exact amount of food exchange because the present food exchange list is not complete. The e-food exchange can help the dietitian, physical doctor, diabetes patient, and their helpers to

Table 1. The development environment of server and users

Server		Users	
OS	Linux	OS	Windows(95, 98, 2000, XP, etc.)
Web Server	Apache	User's Environment	above Internet Explorer 5.0
Development Languages	PHP, Javascript, HTML	User's Environment	above Internet Explorer 5.0
Database	MySQL	Client's Environment	above Internet Explorer 5.0

Table 2. Web expert system database construction

Food	(1) The food composition table from the National Rural Living Science Institution in Rural Development Administration (The Sixth Revision, 2001) (2) e-food exchange (ver 1.0 and ver 2.0)
Menu	(1) Menu categorization (2) Menu Constituents and Nutrient Quantity Database construction (3) Recommended menus with picture and user menu database construction
Meal	(1) Characteristic recommended meals (2) Recommended meal database construction (3) Therapeutic meal database construction




Fig. 1. The System Architecture of NutriSonic Web Expert System




Fig. 2. Scenario of meal planning by NutriSonic Web Expert System

calculate the exact amount of food exchange of their diets to meet recommend food exchange amount. Fig. 2 shows the process of meal planning.

Fig. 2, (1) is a step to input the user's sex and age. (2) is a step to search the meal which is relevant to the user's properties from the recommended meals (8). (3) is a step to select a meal among the recommended meals. (4) assesses the nutrients and calories of the meals, the menus and foods. This step verifies that the planned meal is relevant to the user's properties. (5) completes the meal planning. By composing the menu (9) using the food database (10), a recommended meal database is made. The stored meal in (11) is included in the user's meal database. Anyone can use it. Case Base (6) is used when a user searches the recommended meal and selects the meal. (12) is a step to verify and assess e-food exchange information of a current menu or meal. In (13), users can trace his or her nutrients time-series analysis. The expert system provides users with data transition function to Excel (14).

Results

Menus of nutrisonic web expert system

Table 3 shows the meals of the NutriSonic Web Expert System. The main menu are (1) Meal Management, (2) Menu Management, (3) Food Management, (4) Nutrient and e-food exchange Analysis. Each main menu has its sub menu. And the sub meals have some node menus. As shown in Table 3, some functions are shared in each function for common purposes. For example, nutrient and e-food exchange analysis is a shared function to Meal Management and Menu Management, etc. NutriSonic web expert system provides a dynamic view, informative results and data transition function.

Table 3. The menus of NutriSonic Web Expert System

Expert Menus		
Main contents	Sub contents	Specific contents
Meal Management	Meal Planning	(1) User Meal (2) User Menu (3) Recommended Meal
Meal Management	(1) Meal Search (2) Nutrient Analysis (3) Nutrient Time-series Analysis (4) e-food exchange Analysis	(1) User Meal Search, Nutrient Time-series analysis (2) Recommended Meal Search (3) Search for Meal (4) Nutrient Analysis for Meal (5) Nutrient Analysis for Meal (6) Nutrient Analysis for Food (7) Nutrient Time-series Analysis for Meal (8) e-Food Exchange of Food and Meal
Meal Management	Comparing a daily recommended nutrition quantity	(1) Comparing a daily recommended nutrition quantity (2) View of nutrient analysis
Menu Management	Menu Input and Search	(1) Menu input, delete, modify (2) Menu search
Dish Management	Nutrient Analysis of Menu	(1) Nutrient analysis (2) Photo of a portion (3) e-Food Exchange of Menu
Food Management	Food Input and Search	(1) Food input, delete, modify (2) Food search (3) Conditional search of food
Nutrient Analysis	(1) Nutrient Analysis (2) Foodstuffs Analysis (3) Comparing with RDA	(1) Nutrient Analysis for Meal (2) Nutrient Analysis for Menu (3) Nutrient Analysis for Food (4) Comparing a daily recommended nutrition quantity (5) e-Food Exchange of Food and Meal (6) Data Transition to Excel

Introduction of home page

Fig. 3 is the main screen of NutriSonic web expert system (<http://nutrition.ulsan.ac.kr/nutrisonic/>). This screen is for users. The nutrient and e-food exchange database in food, menu and meal that a user can use is made by experts. The main functions of the system are meal management, menu management, food management, search, and nutrient and e-food exchange analysis. The recommended meals and menus are made by experts. The NutriSonic web expert system aims to make use of an expert's meals and menus, and to provide relevant meal




Fig. 3. Main screen of NutriSonic Web Expert System

planning and nutrition counseling. The system is concentrated on the informative functions.

Meal planning with nutrisonic

Fig. 4 is a screen of meal planning. The top screen is divided into 4 frames. Each frame is numbered as its operation characteristic for convenient user interface.

1) Selection of menu classification

Fig. 4, [1] is a selection of menu categories. This is classified by meals like breakfast, lunch and dinner. A user can search a menu by selecting each group from the first and the second categories. Also, a user can input the menu name directly to find it. In the menu category, the grand menu classification is classified by 14 groups, such as rice and soup. Rice has middle-range classifications like a crust of lightly scorched boiled rice, lightly scorched dried rice, plain rice, rice with glutinous rice, etc. Like this system, all menus are classified into the grand, middle-ranged, and specific categories. This classification is modified based on the "diet assessment system of National Rural Living Science Institute" or "Can Pro".

In case of a menu search, users can search the menus with the full or partial-word. Single food name searching is impossible. Retrieved food or planning menus can be added to a current meal. After meal planning and storing, the meal pattern is given automatically as a menu classification. This automatic pattern is the initiative try in internet-based meal planning. Users or experts can add the contents of recommended meals or user meals in the search meal. And they can modify and add the rate or quantity of the current meal's menus and each food.

2) Selection of menu

Fig. 4, [4] shows the results that the selected menu is added to the current meal. It is the result of searching according to the conditional input for menu selection function. In NutriSonic web expert system, experts or users can follow by adding work: (1) categorical menu selection, (2) recommended meal searching and adding, (3) meal searching and adding, (4) menu searching and adding, (5) single food searching and adding, (6) making a single food and adding it.




Fig. 4. The meal planning screen of NutriSonic Web Expert System

3) Detailed information of meal

Fig. 4, [3] is a detailed view of menus in a current meal. Users can change or modify the menu name, foodstuffs of a menu and quantity of foodstuffs. And a user can analyze nutrients of menus and food. In case of changing the total weight of a current meal, an expert is able to change the total weight to the weight, percentage and user's degree. Adding or deleting the menus in a current meal is possible. Also, the rates of calories, fat and proteins are presented. And the sum for a current meal, for meals and for menus is calculated. The rates and percentages of carbohydrates, proteins and fats in a whole meal are shown by a bar graph. And the amount of e-food exchange amount of a meal is calculated. In [4], the name of the current planning meal is created automatically with composition of user-name and total calories. When a menu is added to a current meal, the meal name is changed simultaneously.

4) Information of meal

Fig. 4, [4] shows the meal properties. There is a meal planning date and a meal applying date. Users or experts can select each property. Age properties have general age groups with infants. In case of women, the age groups are divided into pregnant or not and the first or second half of pregnancy. The planned meal is stored in the database. The properties of recommended meals is not sufficient to provide the meals which a user needs. For a more intellectual meal planning, we consider the following factors: user's activity, a clinical history and a propensity of meal intake.

Nutrient and e-food exchange analysis and storing of meal

The function of meal planning has a view of recommended energy, nutrient, e-food exchange. If a user does not select the meal properties, the criterion of nutrient analysis is based on the 20 ~ 29 years of age and a male. Fig. 4 shows the view of recommended energy and nutrients.

1) Nutrients analysis and storing meal

This is comparing and analyzing a daily nutrient recommended quantity of planning or of a planned meal. For a user's age and sex, the web expert system calculates the sum of each meal such as breakfast, lunch and dinner. Then, the web expert system compares the total energy with a daily nutrient recommended quantity. There is a nutrient analysis of foodstuffs in each meal. Also, it provides information of foodstuffs in a current meal. If needed, it is possible to modify and delete the current meals, menus, and foodstuffs. When the meal planning is completed, the web expert system stores the meal as meal properties. Stored meals can be used in meal searching, meal modification and new meal planning.

2) Analysis of nutrient changes

After making a meal for users, or recommending nutritionists

영양소	현재 식사	권장량	비율 (%)
에너지 (kcal)	457.9	2333	19.6%
탄수화물 (g)	346.6	300	115.5%
지방 (g)	17.9	70	25.6%
단백질 (g)	12.9	70	18.4%

Fig. 9. Comparison of a current meal with the recommended dietary allowance

식품명	중량 (g)	에너지 (kcal)	탄수화물 (g)	지방 (g)	단백질 (g)
아침 밥	90	333	74.3	0.4	4.7
아침 김치	143	124.9	1.4	20.3	8.2
총합	233	457.9	75.7	20.7	12.9

Fig. 10. Nutrient analysis of a current meal

Fig. 9 is a comparison screen of a current meal with the Korean Recommended Dietary Allowance (2000). The screen shows the menu names, quantities and nutrient analysis data. Also, it shows the sum of breakfast, lunch, dinner and the comparison of daily recommended nutrient quantity. The rate is presented as a percentage. On the bottom of the screen is the calorie rates of three main nutrients. Fig. 10 is a screen of nutrient analysis of a current meal. In a detailed view, there are menu names, food names, quantities of foods, menus and meals, calories and three main nutrients. Also, the web expert system shows the rates of the three main nutrients as a bar graph. Besides, the system provides a comparison analysis with the recommended nutrient quantity and a view of nutrient analysis.

Menu search and management

Fig. 11 is a screen of menu search and management. It is a search result in order of cooked rice, boiled rice with assorted mixtures, fried rice and fried rice with kimchi. It is possible for a user to search menus by menu name or menu classification. So a searched menu provides food ingredients with each nutrient, menu nutrients and pictures (Fig. 12). The web expert system provides a screen print-out and view of a portion.

식품명	중량 (g)	에너지 (kcal)	탄수화물 (g)	지방 (g)	단백질 (g)
아침 밥	90	333	74.3	0.4	4.7
아침 김치	143	124.9	1.4	20.3	8.2
총합	233	457.9	75.7	20.7	12.9

Fig. 11. Menu search and management of NutriSonic expert system

식품명	중량 (g)	에너지 (kcal)	탄수화물 (g)	지방 (g)	단백질 (g)
아침 밥	90	333	74.3	0.4	4.7
아침 김치	143	124.9	1.4	20.3	8.2
총합	233	457.9	75.7	20.7	12.9

Fig. 12. Searched Menu with ingredients, nutrients and menu pictures by NutriSonic

Food management and search

Table 4 shows the food management and search contents. Food management and search has input food composition data and conditional search items such as food group, food code, Korean food name, English food name, calorie and nutrient. And food is divided into key foods and total foods in the database. Fig. 13 is a screen of food management. Food data modifying, deleting and saving with new food name are available on food

Table 4. Food management and search of the web expert system

Food management and search	Food Group	All groups, cereals, potatoes and starches, sugars and sweeteners, pulses, nuts and seeds, vegetables, mushrooms, fruits, meats, eggs, fish and shellfish, seaweeds, milks, oils and fats, beverages, seasonings, prepared foods, others
	Food Code	
	Food Name: Korean, English	
	Calorie: range	
	Nutrient	e-Food exchange, protein, fat, non-fibrous, fiber, ash, calcium, phosphorus, iron, sodium, potassium, retinol, β-carotene, thiamin, riboflavin, ascorbic acid, niacin
	Search with key foods in database	
	Search with total foods in database	

식품번호	식품명	영양성분	단백질(g)	지방(g)	탄수화물(g)	에너지(kcal)	비타민A(%)	비타민C(%)	칼슘(mg)	인(mg)
001	바나나	Banana	1.1	0.3	22.8	90	0.00	0.00	14.4	30.2
002	사과	Apple	0.5	0.1	13.8	52	0.00	0.00	1.4	10.2
003	감	Grapefruit	0.8	0.1	15.2	58	0.00	0.00	1.4	10.2
004	귤	Orange	0.9	0.1	16.2	62	0.00	0.00	1.4	10.2
005	레몬	Lemon	0.7	0.1	14.2	56	0.00	0.00	1.4	10.2
006	오렌지	Orange	0.9	0.1	16.2	62	0.00	0.00	1.4	10.2
007	키위	Kiwi	1.1	0.3	22.8	90	0.00	0.00	14.4	30.2
008	포도	Grape	0.6	0.1	12.8	48	0.00	0.00	1.4	10.2
009	자두	Plum	0.7	0.1	14.2	56	0.00	0.00	1.4	10.2
010	복숭아	Peach	0.8	0.1	15.2	58	0.00	0.00	1.4	10.2
011	수박	Watermelon	0.6	0.1	12.8	48	0.00	0.00	1.4	10.2
012	멜론	Melon	0.7	0.1	14.2	56	0.00	0.00	1.4	10.2
013	참외	Honeydew	0.8	0.1	15.2	58	0.00	0.00	1.4	10.2
014	망고	Mango	0.9	0.1	16.2	62	0.00	0.00	1.4	10.2
015	파파야	Papaya	1.0	0.1	17.2	66	0.00	0.00	1.4	10.2
016	호박	Pumpkin	0.8	0.1	15.2	58	0.00	0.00	1.4	10.2
017	멜론	Melon	0.7	0.1	14.2	56	0.00	0.00	1.4	10.2
018	수박	Watermelon	0.6	0.1	12.8	48	0.00	0.00	1.4	10.2
019	복숭아	Peach	0.8	0.1	15.2	58	0.00	0.00	1.4	10.2
020	자두	Plum	0.7	0.1	14.2	56	0.00	0.00	1.4	10.2
021	키위	Kiwi	1.1	0.3	22.8	90	0.00	0.00	14.4	30.2
022	포도	Grape	0.6	0.1	12.8	48	0.00	0.00	1.4	10.2
023	멜론	Melon	0.7	0.1	14.2	56	0.00	0.00	1.4	10.2
024	참외	Honeydew	0.8	0.1	15.2	58	0.00	0.00	1.4	10.2
025	망고	Mango	0.9	0.1	16.2	62	0.00	0.00	1.4	10.2
026	파파야	Papaya	1.0	0.1	17.2	66	0.00	0.00	1.4	10.2
027	호박	Pumpkin	0.8	0.1	15.2	58	0.00	0.00	1.4	10.2
028	멜론	Melon	0.7	0.1	14.2	56	0.00	0.00	1.4	10.2
029	수박	Watermelon	0.6	0.1	12.8	48	0.00	0.00	1.4	10.2
030	복숭아	Peach	0.8	0.1	15.2	58	0.00	0.00	1.4	10.2
031	자두	Plum	0.7	0.1	14.2	56	0.00	0.00	1.4	10.2
032	키위	Kiwi	1.1	0.3	22.8	90	0.00	0.00	14.4	30.2
033	포도	Grape	0.6	0.1	12.8	48	0.00	0.00	1.4	10.2
034	멜론	Melon	0.7	0.1	14.2	56	0.00	0.00	1.4	10.2
035	참외	Honeydew	0.8	0.1	15.2	58	0.00	0.00	1.4	10.2
036	망고	Mango	0.9	0.1	16.2	62	0.00	0.00	1.4	10.2
037	파파야	Papaya	1.0	0.1	17.2	66	0.00	0.00	1.4	10.2
038	호박	Pumpkin	0.8	0.1	15.2	58	0.00	0.00	1.4	10.2
039	멜론	Melon	0.7	0.1	14.2	56	0.00	0.00	1.4	10.2
040	수박	Watermelon	0.6	0.1	12.8	48	0.00	0.00	1.4	10.2
041	복숭아	Peach	0.8	0.1	15.2	58	0.00	0.00	1.4	10.2
042	자두	Plum	0.7	0.1	14.2	56	0.00	0.00	1.4	10.2
043	키위	Kiwi	1.1	0.3	22.8	90	0.00	0.00	14.4	30.2
044	포도	Grape	0.6	0.1	12.8	48	0.00	0.00	1.4	10.2
045	멜론	Melon	0.7	0.1	14.2	56	0.00	0.00	1.4	10.2
046	참외	Honeydew	0.8	0.1	15.2	58	0.00	0.00	1.4	10.2
047	망고	Mango	0.9	0.1	16.2	62	0.00	0.00	1.4	10.2
048	파파야	Papaya	1.0	0.1	17.2	66	0.00	0.00	1.4	10.2
049	호박	Pumpkin	0.8	0.1	15.2	58	0.00	0.00	1.4	10.2
050	멜론	Melon	0.7	0.1	14.2	56	0.00	0.00	1.4	10.2
051	수박	Watermelon	0.6	0.1	12.8	48	0.00	0.00	1.4	10.2
052	복숭아	Peach	0.8	0.1	15.2	58	0.00	0.00	1.4	10.2
053	자두	Plum	0.7	0.1	14.2	56	0.00	0.00	1.4	10.2
054	키위	Kiwi	1.1	0.3	22.8	90	0.00	0.00	14.4	30.2
055	포도	Grape	0.6	0.1	12.8	48	0.00	0.00	1.4	10.2
056	멜론	Melon	0.7	0.1	14.2	56	0.00	0.00	1.4	10.2
057	참외	Honeydew	0.8	0.1	15.2	58	0.00	0.00	1.4	10.2
058	망고	Mango	0.9	0.1	16.2	62	0.00	0.00	1.4	10.2
059	파파야	Papaya	1.0	0.1	17.2	66	0.00	0.00	1.4	10.2
060	호박	Pumpkin	0.8	0.1	15.2	58	0.00	0.00	1.4	10.2
061	멜론	Melon	0.7	0.1	14.2	56	0.00	0.00	1.4	10.2
062	수박	Watermelon	0.6	0.1	12.8	48	0.00	0.00	1.4	10.2
063	복숭아	Peach	0.8	0.1	15.2	58	0.00	0.00	1.4	10.2
064	자두	Plum	0.7	0.1	14.2	56	0.00	0.00	1.4	10.2
065	키위	Kiwi	1.1	0.3	22.8	90	0.00	0.00	14.4	30.2
066	포도	Grape	0.6	0.1	12.8	48	0.00	0.00	1.4	10.2
067	멜론	Melon	0.7	0.1	14.2	56	0.00	0.00	1.4	10.2
068	참외	Honeydew	0.8	0.1	15.2	58	0.00	0.00	1.4	10.2
069	망고	Mango	0.9	0.1	16.2	62	0.00	0.00	1.4	10.2
070	파파야	Papaya	1.0	0.1	17.2	66	0.00	0.00	1.4	10.2
071	호박	Pumpkin	0.8	0.1	15.2	58	0.00	0.00	1.4	10.2
072	멜론	Melon	0.7	0.1	14.2	56	0.00	0.00	1.4	10.2
073	수박	Watermelon	0.6	0.1	12.8	48	0.00	0.00	1.4	10.2
074	복숭아	Peach	0.8	0.1	15.2	58	0.00	0.00	1.4	10.2
075	자두	Plum	0.7	0.1	14.2	56	0.00	0.00	1.4	10.2
076	키위	Kiwi	1.1	0.3	22.8	90	0.00	0.00	14.4	30.2
077	포도	Grape	0.6	0.1	12.8	48	0.00	0.00	1.4	10.2
078	멜론	Melon	0.7	0.1	14.2	56	0.00	0.00	1.4	10.2
079	참외	Honeydew	0.8	0.1	15.2	58	0.00	0.00	1.4	10.2
080	망고	Mango	0.9	0.1	16.2	62	0.00	0.00	1.4	10.2
081	파파야	Papaya	1.0	0.1	17.2	66	0.00	0.00	1.4	10.2
082	호박	Pumpkin	0.8	0.1	15.2	58	0.00	0.00	1.4	10.2
083	멜론	Melon	0.7	0.1	14.2	56	0.00	0.00	1.4	10.2
084	수박	Watermelon	0.6	0.1	12.8	48	0.00	0.00	1.4	10.2
085	복숭아	Peach	0.8	0.1	15.2	58	0.00	0.00	1.4	10.2
086	자두	Plum	0.7	0.1	14.2	56	0.00	0.00	1.4	10.2
087	키위	Kiwi	1.1	0.3	22.8	90	0.00	0.00	14.4	30.2
088	포도	Grape	0.6	0.1	12.8	48	0.00	0.00	1.4	10.2
089	멜론	Melon	0.7	0.1	14.2	56	0.00	0.00	1.4	10.2
090	참외	Honeydew	0.8	0.1	15.2	58	0.00	0.00	1.4	10.2
091	망고	Mango	0.9	0.1	16.2	62	0.00	0.00	1.4	10.2
092	파파야	Papaya	1.0	0.1	17.2	66	0.00	0.00	1.4	10.2
093	호박	Pumpkin	0.8	0.1	15.2	58	0.00	0.00	1.4	10.2
094	멜론	Melon	0.7	0.1	14.2	56	0.00	0.00	1.4	10.2
095	수박	Watermelon	0.6	0.1	12.8	48	0.00	0.00	1.4	10.2
096	복숭아	Peach	0.8	0.1	15.2	58	0.00	0.00	1.4	10.2
097	자두	Plum	0.7	0.1	14.2	56	0.00	0.00	1.4	10.2
098	키위	Kiwi	1.1	0.3	22.8	90	0.00	0.00	14.4	30.2
099	포도	Grape	0.6	0.1	12.8	48	0.00	0.00	1.4	10.2
100	멜론	Melon	0.7	0.1	14.2	56	0.00	0.00	1.4	10.2

Fig. 13. A screen of food management

식품번호	식품명	영양성분	단백질(g)	지방(g)	탄수화물(g)	에너지(kcal)	비타민A(%)	비타민C(%)	칼슘(mg)	인(mg)
001	바나나	Banana	1.1	0.3	22.8	90	0.00	0.00	14.4	30.2
002	사과	Apple	0.5	0.1	13.8	52	0.00	0.00	1.4	10.2
003	감	Grapefruit	0.8	0.1	15.2	58	0.00	0.00	1.4	10.2
004	귤	Orange	0.9	0.1	16.2	62	0.00	0.00	1.4	10.2
005	레몬	Lemon	0.7	0.1	14.2	56	0.00	0.00	1.4	10.2
006	오렌지	Orange	0.9	0.1	16.2	62	0.00	0.00	1.4	10.2
007	키위	Kiwi	1.1	0.3	22.8	90	0.00	0.00	14.4	30.2
008	포도	Grape	0.6	0.1	12.8	48	0.00	0.00	1.4	10.2
009	멜론	Melon	0.7	0.1	14.2	56	0.00	0.00	1.4	10.2
010	참외	Honeydew	0.8	0.1	15.2	58	0.00	0.00	1.4	10.2
011	망고	Mango	0.9	0.1	16.2	62	0.00	0.00	1.4	10.2
012	파파야	Papaya	1.0	0.1	17.2	66				

the food was obtained (Raper *et al.*, 2004).

In Korea, some internet programs such as MenuGen (Hong *et al.*, 2004) and NutriEval (Hong, 2007) provide food composition tables with a searching engine. And web-based programs for nutrition were developed (Han & Jeong, 2004; Her & Lee, 2002; Hong & Kim, 2005; Hong *et al.*, 2004; Hong, 2007; Lee *et al.*, 2002), but web-based food exchange calculating programs for diet therapy partly. Nutrition related programs based on the internet were developed such as the analysis of a food intake and nutrition screening system (Han, 2000), a web-based internet program for nutritional counseling and diet management of patient with diabetes mellitus (Han & Jeong 2004), food exchange database construction and search system (ENECC/E-Food Exchange) based on the internet (Hong *et al.*, 2003), e-food exchange database construction of commonly used foods and search system (Hong *et al.*, 2004) and menu planning and recommended menu search system (MenuGen) of the National Rural Living Science Institution in Rural Development Administration (Hong *et al.*, 2004). In addition, there is the status of eating habits, analysis of eating habits, obesity, calorie expenditure and nutrient analysis of menus in the internet program of the nutrition computing (Hong & Kim, 2004). And NutriEval (KFDA, Korea Food and Drug Administration) was developed with drag and drop for meal planning and nutrient evaluation for children (Hong, 2007). But the developed programs are insufficient in meal planning and nutrient analysis. Especially on diet therapy using food exchange for diabetes and obesity, users have trouble to input food or meals and can not have nutrient and e-food exchange analysis, storing and modifying the data.

We expect that NutriSonic will contribute to meal planning using e-food exchange for meal management of diabetes and obesity and nutrition improvement. And we hope NutriSonic with e-food exchange, nutrient time-series analysis and data transition could be widely used for diet therapy and nutrition education.

Literature cited

- Choi YS (2000). Contents of domestic and overseas web pages related to nutrition and guides to build web nutrition information. *Journal of Korean Diet Association* 6:1-8.
- Han JS (1997a). A computerized system for diagnosis and nutritional assessment of dietary intakes : Recommended dietary allowances for Koreans, 6th Revision. *Journal of Korean society food and nutrition* 26:726-732.
- Han JS (1997b). A computerized dietary prescription and nutritional counseling system for patients with hyperlipidemia. *Journal of Korean society food and nutrition* 26:733-742.
- Han JS & Rhee SH (1993). A computerized nutrition counseling system for patients with diabetes. *Journal of Korean society food and nutrition* 22:734-742.
- Han JS (2000). A system for nutritional assessment and diagnosis of dietary intakes through internet. *Journal of Korean society food science and nutrition* 29:1177-1184.
- Han JS & Jeong JH (2004). A web-based internet program for nutrition counseling and diet management of patient with diabetes mellitus. *Journal of Korean society food science and nutrition* 33:114-122.
- Her ES & Lee KH (2002). Development of computer-aided nutritional education program for the school children. *Journal of Korean Nutrition* 35:791-799.
- Hong SM, Cho HS & Kim G (2003). A basic study of Food Exchange database construction and search system (ENECC/E-Food Exchange) based on internet. *Journal of Korean Diet Association* 9:159-171.
- Hong SM, Cho HS & Kim G (2004). Improvements in e-Food Exchange of commonly used foods and search system (ENECC/E-Food Exchange) based on internet. *Journal of Korean Diet Association* 10:129-142.
- Hong SM (1989). Development of computer programs for nutrition counseling. *Journal of Korean Nutrition* 4:275-289.
- Hong SM (1996). Development status and application of software in nutrition. *Journal of Korean Nutrition* 29:1170-1174.
- Hong SM & Hwang HJ (2001). A study on the current situation and needs for the internet program of the nutrition computing. *Journal of Korean Diet Association* 8:9-18.
- Hong SM & Kim G (2004). Manipulation System for Nutrition Counseling Based on Internet. *Journal of Korean Diet Association* 10:284-292.
- Hong SM, Bae JH, Kim G, Choi JS & Kim YO (2004). MenuGen: Menu Planning and Recommended Menu Search System for Promotion of Self Sufficiency of Korean Food. *Journal of Korean Diet Association* 10:272-283.
- Hong SM (2007). *Web-Site Data Base Construction, Nutritional Menus Development for Children and Web-site Data Base Application*, p.151-239. Research Report of Korea Food and Drug Administration., Seoul. Republic of Korea
- Hong SM & Kim G (2005). System for Nutrition Counseling and Screening. *Korean Journal of Community Nutrition* 7(4): 220-229.
- Kang HJ, Kim KJ & Kim I (1998). A study on the menu planning program by food exchange group. *Journal of Korean Nutrition* 31:1192-1205.
- Kang HJ, Kim KJ & Kim I (1999). A study on the computerized nutrition counseling program by food intake and exercise amount checking. *Journal of Korean Nutrition* 32:598-607.
- Kolasa KM & Miller MG (1996). New developments in nutrition education using computer technology. *J Nutr Educ* 28:7-14.
- Korea Food & Drug Administration (2007) .<http://nutrieval.kfda.go.kr/index.kid>. Accessed on 3/26/2008.
- Lee JW, Seo JS, Kim KE & Ly SY (2002). A needs assessment to develop website contents on nutritional information and counseling for teenagers. *Journal of Korean Community Nutrition* 7:664-674.
- Lee RD & Nieman DC (2003). *Nutritional Assessment*, 3rd ed, p.144-162. Mc Graw Hill, Boston. USA
- McDowell M (2003). US Department of Health and Human Services. US Department of Agriculture Survey Integration Activities. *Journal of Food Composition and Analysis* 16:343-346.
- National Rural Living Science Institute (2000). *Software CD, Diet Assessment System*. Suwon. Republic of Korea
- National Rural Living Science Institute (2001). *Food composition table, sixth revision*. Suwon. Republic of Korea
- National Rural Living Science Institute (2002). *Studies on Developing Web-based Korean Style Dietary Management System to Improve the Self Sufficiency of Food*, p.233-281, National Rural Living Science Institute, Suwon. Republic of Korea

- Peter GJ, Marling C & Sterling L (1998). An artificial intelligence system for computer-assisted menu planning. *J Am Diet Assoc* 98:1009-1014.
- Raper N, Perloff B, Ingwersen L, Steinfeldt L & Anand J (2004). An overview of USDA's Dietary Intake Data System. *Journal of Food Composition and Analysis* 17:545-555.
- Rural Development Administration (2001) <http://www.rrdi.go.kr/menugen>. Accessed on 3/26/2008.
- The Korean Nutrition Society (2000). *Recommended Dietary Allowances for Koreans, 7th Revision*. Seoul. Republic of Korea
- US Department of Agriculture (USDA) (2002). Agricultural Research Service. USDA National Nutrient Database for Standard Reference, Release 15. Online. Nutrient Data Laboratory Home Page on the World Wide Web: <http://www.nal.usda.gov/fnic/foodcomp>. Accessed on 3/26/2008.