



항라산 도야지

가

1989

가 가 가

가 . 가 .
가 .

1997

,
(:20 , :120 ,
:200), (:20
, :90 , :100), ()
(:10 , :20 , :50),
(:2 , :5 ,
:5) 1

가

90,000 ,
45,000 .



40

5 , 2,850 , 3 (,)

650 가 2,000

500 450 , 가 ()

300 400 . () 1

(-35 , 22)

1,900 , 550 가

6,000 ,

, 가 , -4 -20

- - -가

가 가 157, , E.Coli, 0-

115kg , 가

가

. 99

PSE 100

28 4

3

가

- (1) 10
()가
- (2) 167 ~ 170 126
110Kg 가 180 , 가
115Kg
- (3) 가 55:45 ,
3~4
- (4) 가
75 1 3 1 가가
가
- (5) (1
) 가 3

(6)

(7)

(8)



- 1994 12 20
- 1995 4 1
- 1995 6 23
- 1995 10 18
- 1995 10
- 1996 11
- 1997 4 28
- 1997 8 21 FCG ()
- 1998 9 2 (7.5)
- 1998 10 8
- 1999 4 24 1
- 1999 5 12
- 2001 4 28 2
- 2002 8 HACCP
- 2003 1

가 : (,), , , ,
 : HACCP, FCG, Q , ISO 9001
 : 2003 ()
 2004 ()
 2005 ()
 2006 ()
 2007 () 3

