

논문 2009-46SP-1-1

병렬 세선화 알고리즘을 이용한 1-화소 굵기의 선 구하기

(Obtaining 1-pixel Width Line Using an Enhanced Parallel Thinning Algorithm)

권 준 식*

(Jun-Sik Kwon)

요 약

세선화 알고리즘은 문자인식, 도형 및 도면 인식 등에 매우 중요하게 사용되고 있다. 세선화 알고리즘은 여러 가지 방법으로 제안되어 왔다. 본 논문에서는 이전에 제안된 세선화 알고리즘 중 선처리가 후처리에 영향을 주지 않는 병렬 세선화 알고리즘 중에서 ZS, LW, 및 WHF 알고리즘의 문제점을 찾아내었다. ZS 알고리즘은 사선 방향에서 화소가 손실되는 문제점을 안고 있으며, LW 알고리즘은 사선 방향에서의 화소 두께가 1이 되지 못하는 문제점을 내포하고 있다. 따라서 본 알고리즘에서는 사선 방향에서 8근방을 이루며, 화소의 두께도 완전히 1이 되도록 개선시킨 병렬 세선화 알고리즘을 제안한다.

Abstract

A Thinning algorithm is a very important factor in order to recognize the character, figure, and drawing. Until comparatively lately, the thinning algorithm was proposed by various methods. In this paper, we ascertain the point at issue of ZS(Zhang and Suen), LW(Lu and Wang) and WHF(Wang, Hui and Fleming) algorithms that are the parallel thinning algorithms. The parallel thinning algorithm means the first processing doesn't have to influence to the second processing. ZS algorithm has a problem which loses pixels in slanting lines and LW algorithm doesn't have one pixel width in slanting lines. So I propose an advanced parallel thinning algorithm that connects the pixels each other and preserve the end point.

Keywords : thinning, parallel processing, 8-neighbor connectivity, 1-pixel width line, end point preservation.

I. Introduction

Until comparatively lately, many thinning algorithms were researched by various methods. In order to reduce the quantity of information minimally, a thinning algorithm play an important role in recognition of the character, figure, and drawing^[1~2].

These thinning methods are classified into two categories. One is an algorithm based the pixel. It is repeatedly to exclude an outline-pixel from a boundary of object until slim lines with one-pixel

width are remained. The other algorithm is not based the pixel. The pixel-based method is to find the centerline of object. This algorithm has an advantage of calculation, but it has a fundamental problem to makes redundancy pixels in horizontal stroke at scan-time. It is not suitable in general applications^[1~5].

The pixel-based algorithm is also classified into two categories. In excluding the boundary pixels, to influence the first process to the second process is the sequential method. On the other hand, the parallel processing method means the first process does not influence to the second process.

After Zhang and Suen (ZS) thinning algorithm^[6]

* 평생회원, 세명대학교 전기공학과

(Dept. of Electrical Eng. Se-Myung University)

접수일자: 2008년7월16일, 수정완료일: 2008년12월30일

was introduced, many thinning algorithms were proposed by various methods. Lu and Wang (LW) algorithm^[7], Wang, Hui and Fleming (WHF) algorithm^[8] and other algorithms are followed. ZS thinning algorithm, referred generally, has problems which does not preserve slanting lines with two-pixel width sometimes. LW algorithm can shrink the horizontal lines well, but has the two-pixel width in slanting lines. WHF algorithm can make the one-pixel width, but according to circumstances, it has a problem that makes needless trees. Those algorithm's results are shown in Fig. 1.

The weak points which miss the important information of original image and an 8-neighbor connectivity and do not make one-pixel width are the very serious problems. Therefore, I propose a new parallel thinning algorithm. It can preserve information of objects in slanting lines, and has an 8-neighbor connectivity. An algorithm proposed, in this paper, makes the slanting lines with two-pixel width into the one-pixel width lines. And it preserves an 8-neighbor connectivity and makes slim lines with a perfect 1-pixel width. The previous algorithms are reviewed and a new parallel thinning algorithm is proposed in the second section. And I describe the detail and evaluate the performance. In the third section, the experimental results in previous algorithms are shown and compared with the performances by the proposed algorithm, and the problems are discussed. Finally, I conclude the new thinning algorithm and consider the further researches.

II. Parallel thinning algorithm

1. Previous parallel thinning algorithms

In the drawing and character recognition, the thinning algorithm plays a very important role. Creating the thinned image precisely and making the minimum data is to hold a key to recognize the object.

The study of thinning has been improved until




그림 1. 알고리즘 수행 결과

Fig. 1. Algorithm performances.

lately. The well-proved thinning algorithms are ZS algorithm, LW algorithm and WHF algorithm, etc. As shown in Fig. 1, ZS algorithm has a problem that the slanting lines are erased. LW algorithm has the problem with slanting lines with two-pixel width were remained. And WHF algorithm has a weak point that makes needless trees.


In Fig. 1, (a) is original image and (b), (c), (d), and (e) are each algorithm's performance. The black points are existing pixels and the white points are erased pixels. We can find that ZS algorithm makes one-pixel horizontal line but loses slanting lines. LW algorithm and WHF algorithm have some problem, however the proposed algorithm can settle the problems and make perfect slim lines of 1-pixel with 8-neighbor connectivity.

1.1. ZS algorithm

ZS parallel thinning algorithm performs sub-iteration step twice.

P1	P2	P3
P8	Pi	P4
P7	P6	P5

(a) 3×3 mask's pixel position



(b) Number of 0→1 patterns

그림 2. 3×3 마스크와 0에서 1로 바뀌는(0→1) 패턴의 수

Fig. 2. 3×3 Mask and number of 0→1 patterns.

The first step:

The pixels satisfied with following conditions are erased.

1. $2 \leq B(P_i) \leq 6$
2. $A(P_i) = 1$
3. $P_2 * P_4 * P_6 = 0$
4. $P_4 * P_6 * P_8 = 0$

Here, $B(P_i)$ is the number of value 1 in 8-neighbor pixels of Fig. 2 (a) and expressed in following equation (1).

$$B(P_i) = P_1 + P_2 + \dots + P_8 \quad (1)$$

And, as shown in Fig. 2 (b), $A(P_i)$ means the number of 0 to 1 (0→1) patterns in 8-neighbor pixels.

The second step:

Condition 3 and 4 in the first step are replaced with the following conditions.

- 3'. $P_2 * P_4 * P_8 = 0$
- 4'. $P_2 * P_6 * P_8 = 0$

1.2. LW algorithm

To solve the problem which slanting lines with

2-pixel width are erased, Lu and Wang replaced the condition 1 ($2 \leq B(P_i) \leq 6$) in ZS algorithm with following condition $3 \leq B(P_i) \leq 6$. By using the modified condition, the slanting lines do not disappeared, however the algorithm can not make 1-pixel slanting lines.

1.3. WHF algorithm

In the WHF algorithm, a new condition equation (2) is added to LW algorithm and it improves the algorithm.

$$(P_3 \oplus P_5) \cdot (P_2 \oplus P_6) \cdot \overline{P_4} \cdot P_8 = 1 \quad (2)$$

This WHF algorithm makes 1-pixel width in slanting lines, but also has faults that it makes needless trees.

2. Proposed parallel thinning algorithm

The proposed algorithm improves the ZS algorithm's problem that the slanting lines with two-pixel width are erased and the LW algorithm's problem which can not make one-pixel slanting lines. The proposed algorithm executes thinning of input image through two iteration steps by the condition 1, and performs again the thinning by using the following additional condition 2.

<Condition 1>

The first iteration step:

1. $2 \leq B(P_i) \leq 6$
2. $A(P_i) = 1$
3. $P_2 * P_4 * P_6 = 0$
4. $P_4 * P_6 * P_8 = 0$

The second iteration step:

1. $3 \leq B(P_i) \leq 6$
2. $A(P_i) = 1$
3. $P_2 * P_4 * P_8 = 0$
4. $P_2 * P_6 * P_8 = 0$

<Condition 2>

1. $P1 \cdot P8 \cdot P6 = 1$ & $P3 = 0$
2. $P3 \cdot P4 \cdot P6 = 1$ & $P1 = 0$
3. $P5 \cdot P6 \cdot P8 = 1$ & $P3 = 0$
4. $P4 \cdot P6 \cdot P7 = 1$ & $P1 = 0$

It means that all the pixels satisfied by above condition 1 are erased in the input image and the condition 2 finds to erase the remained lines with 2-pixel width. Thus, from the top of oblique lines, the process is performed to make the 2-pixel lines into 1-pixel lines. In condition 2, P1 or P3 must be zero. Because, as shown in Fig. 3, P1 or P3 must not be connected to other point of slanting lines. If there are any pixels in that position (P1 or P3), Pi is a connected point and it must not be erased. Consequently, the proposed thinning algorithm can make perfect 1-pixel lines with 8-neighbor connectivity.

When any end point is existed in top end or bottom end of oblique lines, the point is a removing pattern that makes to 1-pixel lines. It is shown in Fig. 3 (b). And, when any end point is existed in left end or right end of oblique lines, the point is also another removing pattern that makes to 1-pixel lines and depicted in Fig. 3 (b).




그림 3. 계단형 사선 제거 패턴
Fig. 3. Step type oblique line erasing patterns.

III. Experimental results and consideration

To evaluate the effectiveness of this algorithm, the experimental results are shown and compared in Figs. 4, 5 and 6. In the figures, (a) is original image, (b) is image thinned by ZS algorithm, (c) is image thinned by LW algorithm, and (d) is image thinned by the proposed algorithm.

As shown in Fig. 4 (b), ZS algorithm loses the top end points of an X-shaped image and makes slanting lines into 2-pixel width lines. A stripper image (Fig. 5 (b)) thinned by ZS algorithm loses the top and bottom end points and has 2-pixel width lines. In a thinned longnose image (Fig. 6 (b)), more bottom pixels are shrunk and slanting lines of oblique parts are remained in 2-pixel width. LW algorithm shows the better performance than ZS algorithm. As shown in (c) of Figs. 4, 5, and 6, end points shrink less than in ZS algorithm, but slanting lines of oblique parts are still remained in 2-pixel width.

However, as shown in (d) of Figs. 4, 5, and 6, we can find the prominent performance of the proposed algorithm. It shows the better performance than the




그림 4. (a) X자형 영상, (b) ZS 알고리즘에 의한 결과, (c) LW 알고리즘에 의한 결과, (d) 제안한 알고리즘에 의한 결과

Fig. 4. (a) X-shaped image, (b) Result by ZS, (c) Result by LW, and (d) Result by the proposed algorithm.




그림 5. (a) 스트리퍼 영상, (b) ZS 알고리즘에 의한 결과, (c) LW 알고리즘에 의한 결과, (d) 제안한 알고리즘에 의한 결과
 Fig. 5. (a) Stripper image, (b) Result by ZS, (c) Result by LW, and (d) Result by the proposed algorithm.




그림 6. (a) 롱노즈 영상, (b) ZS 알고리즘에 의한 결과, (c) LW 알고리즘에 의한 결과, (d) 제안한 알고리즘에 의한 결과
 Fig. 6. (a) Longnose image, (b) Result by ZS, (c) Result by LW, and (d) Result by the proposed algorithm.

previous algorithms. End points do not shrink and thinned slanting lines of oblique parts have perfect 1-pixel width and 8-neighbor connectivity.

In the experimental results, we know that ZS algorithm makes end points shrinking seriously and lots of 2-pixel width lines. When we execute the thinning by using the LW algorithm, end point shrinking effect is reduced than in the ZS algorithm. But it makes the 2-pixel width lines like ZS algorithm's performance. However, in the proposed algorithm, the shrinking effect of end point is reduced remarkably, and the thinned skeleton has 1-pixel width and 8-neighbor connectivity.

IV. Conclusion

In this paper, I propose the new parallel thinning algorithm that can make the slanting lines thinned with one-pixel width, preserve the end points, and ensure the 8-neighbor connectivity. The previous ZS algorithm loses many end points and can not make the one-pixel slanting lines. The LW algorithm can reduce the end point shrinking phenomenon, but can not make the one-pixel slanting lines like ZS algorithm. And WHF algorithm can make the 1-pixel slim lines, but make also the needless trees. However, the proposed algorithm shows the better performance than previous algorithms in end point preservation effect and makes 1-pixel slanting lines that have a perfect 8-connectivity. In the experimental results by using the previous algorithms, we can not find the perfect 1-pixel slanting lines. But, as proven in experimental results, we can find that the slimmer 1-pixel skeletons can be extracted by proposed thinning method, and the extracted skeletons have a perfect 8-connectivity.

The feature of proposed algorithm is parallel thinning algorithm and the method can extract the one-pixel slim lines. It can settle also the end point shrinking phenomenon and has a perfect 8-connectivity. we think that the proposed algorithm can be used necessarily in character, figure and drawing recognition, because the proposed algorithm has the predominant features that are 1-pixel width, end point preservation, and perfect 8-connectivity. In

the further study, our proposed parallel thinning algorithm will be applied to many application fields for preprocessing, image understanding and recognition, etc. And I will research to enlarge the effectiveness of the proposed algorithm.

References

- [1] R. C. Gonzalez and R. E. Woods, *Digital Image processing*, Addison-Wesley, New York, 1992.
- [2] D. H. Ballard and C. M. Brown, *Computer Vision*, Prentice-Hall, Englewood Cliffs NJ, 1982.
- [3] E. L. Flores, "A fast thinning algorithm," *Proc. of the SBT/IEEE International Telecommunications Symposium*, vol. 2, pp. 594-599, Aug. 1998.
- [4] Y. Y. Zhang, "Redundancy parallel thinning," *Pattern Recognition Letters*, vol. 18, no. 1, pp. 27-35, Jan. 1997.
- [5] J-S. Kwon, "Improved Parallel thinning Algorithm for Fingerprint Image Processing," *Journal of IEEK*, vol. 41-SP, no. 3, pp. 73-82, May 2004.
- [6] T. Y. Zhang and C. Y. Suen, "A fast parallel algorithm for thinning digital patterns", *Communications of the ACM*, vol. 27, no. 6, pp. 236-239, Mar. 1984.
- [7] H. E. Lu, and P. S. P. Wang, "An improved fast parallel algorithm for thinning digital patterns," *Proc. of the IEEE Conf. on Computer Vision and Pattern Recognition*, pp. 364-367, 1985.
- [8] P. S. P. Wang, L. Hui, and Jr. T. Fleming, "Further improved fast parallel thinning algorithm for digital Patterns," In *Computer Vision, Image Processing and Communication Systems and Applications* edited by P. S. P. Wang, pp. 37-40, 1986.

저자 소개



권준식(평생회원)

1984년 중앙대학교 전자공학과
공학사 졸업.

1986년 중앙대학교 전자공학과
공학석사 졸업.

1995년 중앙대학교 전자공학과
공학박사 졸업.

1986년 10월~1987년 10월 현대전자 근무.

1987년 10월~1991년 8월 금성통신 근무.

1995년 3월~현재 세명대학교 전기공학과 교수.

<주관심분야 : 영상신호처리, 컴퓨터비전, 수리형
태학, 영상정보은닉>