The effects of circadian disturbances induced by night-shifts on the mouse peripheral tissues

Dong-Hyun Seo ¹, Han-Sung Kim¹, Chang-Yong Ko ², Jürgen Schreiber², Yeong-Su Jang³, and Kiho Bae ³

- 1 Department of Biomedical Engineering & Institute of Medical Engineering,
- 2 Structural and Medical Health Monitoring, Fraunhofer Institute for Nondestructive Testing IZFP, Dresden 01109, German
- 3 Division of Biological Science and Technology, Yonsei University & Yonsei-Fraunhofer Medical Device Lab, Wonju 220710, Korea

We have examined the effect of circadian disturbances induced by night-shifts on the phenotypes of the tibiae and abdominal adipose tissues in a mouse model by using *in vivo* micro-computed tomography (micro-CT). We found that the volumes of total and visceral abdominal adipose tissues in the night-shifted group of mice were significantly larger (69% and 92%, respectively) than those in the control. The mean polar moment of inertia, cross-sectional thickness, and bone mineral density of the cortical bone in the night-shifted group of mice were less (13%, 5%, and 3%, respectively) than those in the control. Moreover, the volume and the thickness of growth-plates of the tibiae in the night-shifted mice were significantly smaller (22% and 20%, respectively) than those in the control. Taken together, our results indicate that disturbances in the mouse circadian rhythms induced by night-shifts affect the morphological characteristics of cortical bone, the volume and the thickness of growth-plates, and the volume of abdominal adipose tissues.

References

- 1. Bass J and Takahashi, JS (2010) Circadian integration of metabolism and energetics. Science 330: 1349-1354.
- 2. Ko C-Y et al., (2010) Suggestion of Methodology for Evaluation of Abdominal Adipose Tissue of C57BL/6 Female Mice Using In-Vivo Micro-CT, Tissue Eng Regen Med, 7: 410-418.
- 3. Ko C-Y et al., (2012) Trabecular Bone Response to Mechanical Loading in Ovariectomized Sprague-Dawley Rats Depends on Baseline Bone Quantity. J Biomechanics, *In press*.