
Erratum

Erratum: The Flow Field of Undershot Cross-Flow Water Turbines Based on PIV Measurements and Numerical Analysis

Yasuyuki Nishi¹, Terumi Inagaki², Yanrong Li², Ryota Omiya³ and Kentaro Hatano³

¹Department of Mechanical Engineering, Ibaraki University
4-12-1 Nakanarusawa-cho, Hitachi-shi, Ibaraki, 316-8511, Japan, y-nishi@mx.ibaraki.ac.jp

²Department of Mechanical Engineering, Ibaraki University
4-12-1 Nakanarusawa-cho, Hitachi-shi, Ibaraki, 316-8511, Japan

³Graduate School of Science and Engineering, Ibaraki University
4-12-1 Nakanarusawa-cho, Hitachi-shi, Ibaraki, 316-8511, Japan

Figure 1 in the original paper is corrected as follows.




Fig. 1 The test runner

Reference [16] was not cited in the original paper. Therefore, reference [16] was not cited in Figs. 5-7 in the original paper. The corrections are as follows.

References

[16] Y. Nishi, T. Inagaki, R. Omiya and J. Fukutomi, 2013, "Performance and Internal Flow of an Undershot-Type Cross-Flow Water Turbine," Transactions of the Japan Society of Mechanical Engineers, Series B, Vol. 79, No. 800, pp. 521-532. (in Japanese)

Fig. 5 Torque and power performance curves as a function of rotational speed from experiment and numerical analysis [16]

Fig. 6 Correlation between the rotational speed and both the upstream (h_3) and downstream (h_4) water depths from experiment and numerical analysis [16]

Fig. 7 Correlation between the rotational speed and both the upstream (Fr_3) and downstream (Fr_4) Froude numbers from experiment and numerical analysis [16]