

*, **

A Review of Transaction-Based Energy Management Technology for Energy Prosumers

Seak Bai Koh*, Sung-Yong Son**

가
가

Abstract The proliferation of distributed power sources such as renewable energy sources drives the changes of consumers to prosumers who actively want to deal with energy. The prosumer is a new type of consumer that can sell surplus energy or additionally generated energy to electric power companies, other energy service providers, or other consumers. To implement such a concept, a new technology and platform that can support the transaction of the prosumers are required. However, the study in the area is limited since it is in the early stage. This work examines the state-of-the-art transaction-based energy management technology through comparative analysis of representative technologies to show the future trends. Although, technologies and standards for transaction based energy are not much matured yet. related new research will be continued via competitions.

Key Words : Energy Prosumer, Energy management, IEC 62325, Transaction, Transactive Control, Transactive Energy

1. 서론

전

, 가
[1-3]. 가
가
가

. 2012

2 Btu (British Thermal
Unit)
[3]. EIA (Energy Information
Administration) 30

This work was supported by the Korea Institute of Energy Technology Evaluation and Planning (KETEP) and the Ministry of Trade, Industry & Energy (MOTIE) of the Republic of Korea (No.20168530050080)

*Department of Electrical Engineering, Gachon University

**Corresponding Author : Department of Electrical Engineering, Gachon University (xtra@gachon.ac.kr)

Received December 14, 2017

Revised December 20, 2017

Accepted December 31, 2017

가
 가
 .
 가

[4]. IEC 62325가

가 가
 가

가 . 2
 (deregulation) , 3
 가 . 4
 가 5

가 가 .
 가 가 .
 가 [5]. 2.
 가 가
 (Demand Response, DR) 가 가 / , , , ,
 가 , , , , ,
 . DR [5].

가 가 . 가 가 가
 가 가
 가 가
 가

가, 가 PNNL Transactive Energy(TE)
 가 가 [5][6]. TE

(Transaction Based Energy)

Transactive Energy
 PowerMatcher PowerMatcher가 IEC
 IEC 62325 62325 EU

가 가 .

3.

3.1 Transactive Energy

TE PNNL 2011 5 GWAC(gridwise architecture council) TE

TE “가

가

”

[6].

TE

PJM system TE

2014 GWAC

TE

6가

[6].

-TE

-TE

가

-TE

-TE

(observable)

가 가 (auditable)

가 가

-TE

가

-

가 TE

TE

[7].

-Architecture:

가 ,

-Extent: TE

가 가

가 TE

(, ,) .

TE가 가

-Transacting parties:

AI

-Transaction:

-Transacted commodities:

가 가

-Temporal variability: 가

-Interoperability: 가 (party)

-Value discovery mechanism:

가 가


-Assignment of value:

가 가

-Alignment of objectives: 가

win-win win-lose가

-Assuring stability:



1. Transactive Energy element GWAC [5]
 Fig. 1. GWAC Interoperability Stack with elements of transactive energy


GWAC 1 GWAC
 TE
 [5]. 가
 (cyber-physical level)

3.2 PowerMatcher

가 , ,
 [5].
 가
 PowerMatcher가
 2004 PowerMatcher
 LMP (Locational Marginal
 Pricing) 가 PowerMatcher

(agent)

(device)



2. PowerMatcher
 Fig. 2. Hierarchy of supply & demand matchers in the PowerMatcher

2 - Power
 Matcher
 SD-Matcher
 SD-Matcher
 (matching)
 SD-Matcher
 SD-Matcher 가
 SD-Matcher 가
 SD-Matcher
 SD-Matcher
 SD-Matcher
 가 가
 SD-Matcher
 가
 SD-Matcher 가
 SD-Matcher 가 (equilibrium price) 가

가
가
가
[8].

-Freely-controllable devices:
()

[7]
-Stochastic operation devices:

-User-action devices:
stochastic
operation device

-Shiftable operation devices:
() batch-type

가
(constraint) 가
(local optimization) 가 가

-External resource buffering devices:
가 on/off 가
가
()가
()가
heat buffering device

(global optimization).
PowerMatcher ESC (The Energy Supply Cooperative)
(Hybrid Energy Grid Management: HEGRID, Lochem)
[9].

3.3 IEC 62325

-Electricity storage devices:
flywheel super capacitor

(protocol)
가
가
EU IEC 62325
가

가 가


가
IEC 62325 ENTSO-E(European Network of Transmission System Operators for

Electricity)
 EU TSO
 . ENTSO-E use
 case CIM (common information
 model)
 . IEC TC 57 IEC 62325
 WG-16 (Deregulated Energy Market)
 ,
 CIM .
 IEC 62325 series
 [10]-[17].
 -IEC 62325-301: Common information model
 (CIM) extensions for markets. CIM
 extensions object
 -IEC 62325-351: CIM European market model
 exchange profile. ESMP (European market


profile) . European style market
 profile (ESMP)
 -IEC 62325-45x: Profile and context modelling
 rules.
 IEC 62325-301 CIM model
 (Market Operations Package) EU
 (Market Management Package)
 [10]. IEC 62325-351
 EU TSO
 business process [11].
 EU Bidding
 ()
 . IEC 62325-351
 TSO

(scheduling),
 (capacity allocation),
 가 가(settlement)
 가
 가 (acknowledgement)
 TSO

IEC 62325 TSO
 ENSTO-E (European Network of Transmission
 System Operators for Electricity)
 EU
 TSO



3. IEC 62325 [10]
 Fig. 3. IEC 62325 model overview



4. IEC 62325-450 modelling framework [11]
 Fig. 4. IEC 62325-450 modelling framework

IEC 62325-351 EU (regional contextual model)

ACCs(aggregate core components)

(document contextual model)

ACCs

(contextualisation) ACCs aggregate business information entities (ABIEs)

(message assembly model)

XML 가 [12].

4.

TE PowerMatcher IEC 62325
 . TE 가

PowerMatcher

(가)

IEC 62325 EU TSO

IEC 62325-301 CIM

DSO/ISO

TE OASIS OpenADR

CIM

1. TE, PowerMatcher, IEC 62325

Table 1. Comparison among TE, PowerMatcher and IEC 62325

	TE	PowerMatcher	IEC 62325
Identity	multi-variable optimization mechanism	simulator	standard
Purpose	optimization	power supply-demand matching	TSO BP standardization
Related persons	policy maker, grid operator, market operator, etc.	grid operator, market operator, etc.	TSO
Characteristic	sometimes, market only cannot solve all problems	can be applied to the various sized market	too big for the small, middle market

5.

TE PowerMatcher,

IEC 62325 . IEC
 62325 EU CIM
 model IEC 62325-351
 TSO

TE
 . PowerMatcher

TE
 PowerMatcher

prosumer

가
 (local market)
 [18].

가
 가
 TE 가
 가
 가

Society: Washington, D.C. Available
 online:

<http://www.aps.org/policy/reports/popa-reports/upload/integratingelec.pdf>.

[3] Jeffrey Taft, Paul De Martini, Ultra-large scale control architecture. in Innovative Smart Grid Technologies (ISGT), 2013 IEEE PES.

[4] U.S. E.I.A. 2014. Annual Energy Outlook 2014, Report No. DOE/EIA-0383(2014), 269 pp. U.S. Energy Information Administration: Washington, D.C.

[5] J.K. Kok, C.J. Warmer, I.G. Kamphuiset, PowerMatcher: Multiagent Control in the Electricity Infrastructure, AAMAS'05, July 25-29, 2005.

[6] The GridWise Architecture Council, GridWise Transactive Energy Framework Version 1.0, PNNL-22946 Ver1.0, January 2015.

[7] Nilgun Atamturk, Marzia Zafar, Policy & Planning Division, California Public Utilities Commission, Transactive Energy: A Surreal Vision or a Necessary and Feasible Solution to Grid Problems?, October 2014.

[8] Koen Kok, The PowerMatcher: Smart Coordination for the Smart Electricity Grid, Ph.D degree Dissertation, SIKS(the Dutch Research School for Information and Knowledge systems) Dissertation Series No. 2013-17, May 13, 2013.

[9] Bram van der Waaij, Wilco Wijbrandi, Mente Konsman, White paper Energy Flexibility Platform and Interface (EF-Pi), How the developments in the Energy Flexibility Market can be accelerated by the Energy Flexibility Platform and Interface, TNO, June 1, 2015.

[10] IEC, IEC 62325 301 Framework for energy market communications – Part 301: Common information model (CIM)

REFERENCES

- [1] S. Katipamula, D.P. Chassin, D.D. Hatley, R.G. Pratt, D.J. Hammerstrom, Transactive Controls: Market-Based GridWise™ Controls for Building Systems, PNNL-15921, July 2006.
- [2] APS Panel on Public Affairs. 2010. Integrating Renewable Electricity on the Grid, Report, 40 pp. American Physical

- extensions for markets, May 2014.
- [11] IEC, IEC 62325 351 Framework for energy market communications – Part 351: CIM European market model exchange profile, September 2013.
 - [12] IEC, IEC 62325 450 Framework for energy market communications – Part 450: Profile and context modelling rules, April 2013.
 - [13] IEC, IEC 62325 451-1 Framework for energy market communications – Part 451-1: Acknowledgement business process and contextual model for CIM European market, October 2013.
 - [14] IEC, IEC 62325 451-2 Framework for energy market communications – Part 451-2: Scheduling business process and contextual model for CIM European market, May 2014.
 - [15] IEC, IEC 62325 451-3 Framework for energy market communications – Part 451-3: Transmission capacity allocation business process (explicit or implicit auction) and contextual models for European market, July 2014.
 - [16] IEC, IEC 62325 451-4 Framework for energy market communications – Part 451-4: Settlement and reconciliation business process, contextual and assembly models for European market, November 2014.
 - [17] IEC, IEC 62325 451-5 Framework for energy market communications – Part 451-5: Problem statement and status request business processes, contextual and assembly models for European market, February 2015.
 - [18] Olamide Jogunola, Augustine Ikpehai, Kelvin Anoh, Bamidele Adebisi, Mohammad Hammoudeh, Sung-Yong Son, Georgina Harris, State-Of-The-Art and Prospects for Peer-To-Peer

Transaction-Based Energy System, Energies, October, 2017.


(Seak Bai Koh) []



- 1991 KAIST
- 2018 가

< >

(Sung-Yong Son) []



- 1990 KAIST
- 1992 KAIST
- 2000 Univ. of Michigan, Ann Arbor

< >