

## Synoptic list of Symphyta (Hymenoptera) in Korea

Jong-Wook Lee\*, Jin-Kyung Choi and Bia Park

Department of Life Sciences, Yeungnam University, Gyeongsan, 38541, Republic of Korea

\*Correspondent: jwlee1@ynu.ac.kr

The suborder Symphyta comprises more than 8,000 described species worldwide, of which about 4,400 extant species are recorded from the Eastern Palaearctic. Symphyta can be easily distinguished from the suborder Apocrita by the abdomen, which is broadly joined to the thorax. The larvae of most species feed on herbaceous to woody. A list of the 418 described species of Symphyta in Korea is presented. The list is in taxonomic sequence by superfamily, family, subfamily and genus and includes 116 genera in 22 subfamilies, 12 families, and seven superfamilies. We provide the page reference of the original description of every species and genus listed, Korean name, host records, and all **Korean records**. The list also provides the distribution of all the species by country.

Keywords: Cephidoidea, North Korea, Orussoidea, Pamphilioidea, Siricoidea, South Korea, Tenthredinoidea, Xiphydrioidea, Xyeloidea

© 2019 National Institute of Biological Resources  
DOI:10.12651/JSR.2019.8.1.001

### INTRODUCTION

The order Hymenoptera is traditionally divided into 'Symphyta' and 'Apocrita'. The suborder Symphyta, which is structurally most primitive, is not species richness (only 10.8% of Korean species) and geologically old. The members of Symphyta first appeared as fossils in the Triassic, about 200 million years ago.

Symphyta are generally accepted to be a paraphyletic assemblage. The species have preserved most of the ancestral attributes of the order, especially the plant-feeding habits, numerous wing veins, and comparatively unmodified abdomen in which the first two segments look very much like the succeeding ones.

Most adult sawflies are stubby, soft-bodied Hymenoptera that fly only weakly. The ovipositor of most species is used to pierce plant tissue and is compressed laterally and modified with marginal teeth so that it looks and functions like a saw, hence the name sawfly. Adult sawflies are recognized and separated from other Hymenoptera by the abdomen, which is broadly joined to the thorax. Additional characteristics include the presence of many veins in the wings, which are greatly reduced in the Orussidae and other Hymenoptera, the presence of two trochanters, and the presence of cenchri (except in the Cephidae).

The larvae of Symphyta are phytophagous, except for members of the family Orussidae that are predatory or

parasitic. The larvae of most species are caterpillar like, equipped with legs and eyes, and these organisms walk about eating foliage like true caterpillars (Lepidoptera). However, a few groups have eyeless, largely legless larvae that bore into various plant tissues, including wood. Many species that feed on plants of importance to humans are, or potentially can be, of considerable economic importance. Indeed, some are extremely damaging to agricultural crops, ornamental plants, and forest stands.

The approximately 8,000 described species of Symphyta are divided into about 640 valid genera, 14 extant families and eight superfamilies (Aguiar *et al.*, 2013). In Korean Symphyta, Radoszkowski (1890) described four species, including two new species [*Hylotoma assimilis* (= *Arge pagana pagana*), *H. anceps* (= *A. ustulata*)] that were recorded for the first time from Korea. Takeuchi (1927) and Sato (1928) treated new species and new genera from Korea. Kim (1963; 1970) described 177 species, 72 genera, 10 families, and five superfamilies. Taxonomic studies of Korean sawflies have been conducted by Korean taxonomists (mainly Drs. Lee and Ryu) and foreigners (mainly Drs. Smith and Shinohara) since the 2000s. In the late 1900s, Lee and Ryu (1996a) revised the Korean fauna, to contain 321 species, 97 genera, 11 families, and six superfamilies. Moreover, Lee *et al.* (2000) treated mainly the family Tenthredinidae and described 215 species, 64 genera, and seven subfamilies. Recently, there have been quite

**Table 1.** Taxonomic composition of superfamilies, families, subfamilies, genera and species of Symphyta in Korea.

Superfamily	Family	Subfamily	Genus	Species
Cephoidea	Cephidae	Cephinae	8	9
Orussoidea	Orussidae	Ophrynopinae	1	1
		Orussinae	1	3
Pamphilioidea	Megalodontesidae		1	1
	Pamphiliidae	Cephalciinae	2	8
		Pamphiliinae	4	42
Siricoidea	Siricidae	Siricinae	4	9
		Tremicinae	1	5
Tenthredinoidea	Argidae	Arginae	2	34
		Sterictiphorinae	3	6
	Blasticotomidae		1	1
	Cimbicidae	Abiinae	2	9
		Cimbicinae	6	14
	Diprionidae	Diprioninae	4	8
	Tenthredinidae	Allantinae	15	28
		Athaliinae	1	8
		Blennocampinae	15	27
		Heterarthrinae	7	15
		Nematinae	13	34
		Selandriinae	9	35
		Tenthredininae	10	105
Xiphadroidea	Xiphydriidae	Xiphydriinae	3	6
Xyloidea	Xyelidae	Macroxylinae	1	3
7 superfamilies	12 families	Xylinae	2	7
		22 subfamilies	116 genera	418 species

a few undescribed and unrecorded genera and species of family Argidae, Cephidae, Orussidae, Pamphiliidae, and Tenthredinidae reported by Choi *et al.* (2014; 2015; 2016), Choi and Lee (2018), Liu *et al.* (2018), Lee *et al.* (2015b), Park *et al.* (2017; 2018), Park and Lee (2018), Shinohara *et al.* (2018) and Wei *et al.* (2015; 2017). Therefore, it is known that the suborder Symphyta has a total of seven superfamilies, 12 families, 22 subfamilies, 116 genera, and 418 species from Korea.

In this study, we provide a brief taxonomic history of Korean Symphyta, taxonomic composition of Korean Symphyta (Table 1), Korean records, Korean name (South and North Korean name), distributional information, and bibliography.

## MATERIALS AND METHODS

The present list is based on specimens from field collections obtained from 1967 to 2017 by various authors, as well as those of collections from the following institutions and museums. We provide all references containing Korean records, but some articles with only a list of species such as faunal and local survey studies were excluded.

Taxa are arranged as follows:

1. Alphabetical order in terms of hierarchical classification using superfamily, family, subfamily, and

genus

2. Where relevant, “unplaced taxa” are listed at the end of each group.

These names are sorted alphabetically according to genus and species names of the binomen as originally published. If the species is synonymized, we follow the changed name of that system. The use of “[sic!]” in connection with a name combination indicates that the original spelling is incorrect (e.g., misspelling of the genus name, use of a capital letter for a species name, or wrong gender agreement of the species-group name). Names of the mentioned host plants follow ‘The Plant List’ (<http://www.theplantlist.org/>).

## RESULTS

Order Hymenoptera Linné, 1758 벌목

Suborder Symphyta Gerstäcker, 1867 잎벌아목

Superfamily Cephoidea Newman, 1834 나무벌상과  
Family Cephidae Newman, 1834 나무벌과  
(NK: 줄기벌과)

Subfamily Cephinae Westwood, 1840 나무벌아과

### Genus *Caenocephus* Konow, 1896

노란다리나무벌속

*Caenocephus* Konow, 1896a: 150-152. Type species:

*Caenocephus jakowleffi* Konow.

**1. *Caenocephus xanthopus* Shinohara, 1999**

노란다리나무벌

*Caenocephus xanthopus* Shinohara, 1999: 68-69.**Korean records.** Shinohara, 1999; Lyu et al., 2014.**Host plant.** Unknown.**Distribution.** Korea (South, North), Japan.**Genus *Cephus* Latreille, 1803** 나무벌속*Astatus* Jurine in Panzer, 1801a: 163. Not available. Suppressed. Type species: *Sirex pygmaeus* Linné, 1767.*Cephus* Latreille, 1803: 303. Type species: *Sirex pygmaeus* Linné, 1767.*Peronistilus* Ghigi, 1905: 26-28. Type species: *Cephus politissimus* Costa, 1888.*Peronistilomorphus* Pic, 1916: 24. Type species: *Peroni-stilomorphus berytensis* Pic, 1916.*Cephus (Fossulocephus)* Pic, 1917: 2. Type species: *Cephus (Fossulocephus) citriniventris* Pic, 1917.*Pseudocephus* Dovnar-Zapolskij, 1931a: 47. Type species: *Cephus pulcher* Tischbein, 1852.**2. *Cephus nigripennis* (Takeuchi, 1927)** 검정나무벌

(NK: 검은날개줄기벌)

*Eumetabolus nigripennis* Takeuchi, 1927a: 378-379.*Monoplopus japonicus* Forsius, 1928a: 67-69.*Cephus graminis* Maa, 1944: 48-49.**Korean records.** Takeuchi, 1927a; Takeuchi, 1938; Kim, 1963; Zool. Soc. Kor., 1968; Chu, 1969; Kim, 1970; Kim et al., 1994; Lee and Ryu, 1996a; Paek et al., 2010; Ahn et al., 2013; Lyu et al., 2014.**Host plants.** *Elymus semicostatus* (Nees ex Steud.) Melderis, *Elytrigia kamoji*.**Distribution.** Korea (South, North), China, Japan, Russia.**Genus *Hartigia* Schiødte, 1839** 고려나무벌속*Hartigia* Schiødte, 1839: 332, 347, 370. Type species: *Astatus satyrus* Panzer, 1801.*Cerobactrus* Costa, 1860: Cefidei 9. Type species: *Cerobactrus major* Costa, 1860.*Macrocephus* Schlechtendal, 1878: 153. Type species: *Macrocephus ulmariae* Schlechtendal, 1878.*Cephosoma* Gradl, 1881: 294-296. Type species: *Cephosoma syringae* Gradl.*Adirus* Konow, 1899a: 74. Type species: *Cephus trimaculatus* Say, 1824.*Paradirus* Dovnar-Zapolskij, 1931a: 39. Type species: *Paradirus algiricus* Dovnar-Zapolskij, 1931.*Hissarocephus* Gussakovskij, 1945: 530-531. Type species: *Hissarocephus stackelbergi* Gussakovskij, 1945.**3. *Hartigia coreana* Takeuchi, 1938** 고려나무벌*Hartigia coreana* Takeuchi, 1938: 199-200.**Korean records.** Takeuchi, 1938; Kim, 1963; Zool. Soc. Kor., 1968; Kim, 1970; Kim et al., 1994; Lee and Ryu, 1996a; Paek et al., 2010; Lyu et al., 2014.**Host plant.** Unknown.**Distribution.** Korea (North), Russia.**4. *Hartigia viator* (F. Smith, 1874)** 소요나무벌*Cephus viator* F. Smith, 1874: 385-386.*Macrocephus japonicus* Ghigi, 1915: 305-305.**Korean records.** Togashi, 1973; Lee and Ryu, 1996a; Shinohara and Yamada, 2005b; Paek et al., 2010; Lyu et al., 2014.**Host plant.** Unknown.**Distribution.** Korea (South), China, Japan, Russia.**Genus *Janus* Stephens, 1829** 배나무벌속*Janus* Stephens, 1829: 341. Type species: *Janus connexus* Stephens, 1829.*Phylloecus* Newman, 1838: 485. Type species: *Phylloecus faunus* Newman, 1838.*Ephippionotus* Costa, 1860: Cefidei 10. Type species: *Ephippionotus luteiventris* Costa, 1860.**5. *Janus piri* Okamoto and Muramatsu, 1925**

배나무벌

*Janus piri* Okamoto and Muramatsu, 1925: 10-16.**Korean records.** Okamoto and Muramatsu, 1925; Takeuchi, 1938; Cho, 1955; Kim, 1963; Zool. Soc. Kor., 1968; Kim, 1970; Kim et al., 1994; Lee and Ryu, 1996a; Paek et al., 2010; Lyu et al., 2014.**Host plants.** *Pirus certiana*, *Pyrus communis* L., *Pyrus* sp.**Distribution.** Korea (South, North), China.**Genus *Koreocephus* Wei and Lee, 2018**

한국나무벌속(신칭)

*Koreocephus* Wei and Lee, in Liu et al., 2018: 337-338.Type species: *Koreocephus maculatus* Wei and Lee, 2018.**6. *Koreocephus maculatus* Wei and Lee, 2018**

한국나무벌(신칭)

*Koreocephus maculatus* Wei and Lee, in Liu et al., 2018: 339-340.**Korean record.** Liu et al., 2018.**Host plant.** Unknown.**Distribution.** Korea (South).**Genus *Sinicephus* Maa, 1949** 왕소나무벌속(신칭)

**Genus Sinicephus Maa, 1949a: 18, 23-24.** Type species: *Janus giganteus* Enderlein, 1913.

**Neohartigia Okutani, 1966: 60-61.** Type species: *Cephus giganteus* (Enderlein, 1913).

#### 7. ***Sinicephus giganteus* (Enderlein, 1913)**

왕소나무벌(신칭)

*Janus giganteus* Enderlein, 1913: 215-216.

**Korean records.** Abe and Togashi, 1989; Lee and Ryu, 1996a; Hara *et al.*, 2018.

**Host plant.** Unknown.

**Distribution.** Korea (South), China, Japan, Taiwan.

#### Genus ***Stenocephus* Shinohara, 1999** 배짧은나무벌속

*Stenocephus* Shinohara, 1999: 61-62. Type species: *Stenocephus oncogaster* Shinohara, 1999.

#### 8. ***Stenocephus oncogaster* Shinohara, 1999**

배짧은나무벌

*Stenocephus oncogaster* Shinohara, 1999: 63-65.

**Korean records.** Shinohara, 1999; Paek *et al.*, 2010; Lyu *et al.*, 2014.

**Host plant.** Unknown.

**Distribution.** Korea (North), China, Japan.

#### Genus ***Stigmatijanus* Wei, 2007** 점무늬날개나무벌속

*Stigmatijanus* Wei in Wei and Nie, 2007: 110. Type species: *Janus stigmatical* Maa, 1949.

#### 9. ***Stigmatijanus koreanus* Wei, Choi and Lee, 2015**

점무늬날개나무벌

*Stigmatijanus koreanus* Wei, Choi and Lee, 2015: 104-106.

**Korean records.** Wei *et al.*, 2015; Lee *et al.*, 2016b.

**Host plant.** Unknown.

**Distribution.** Korea (South).

Superfamily Orussoidea Newman, 1834

벌레살이송곳벌상과

Family Orussidae Newman, 1834 벌레살이송곳벌과

Subfamily Ophrynopinae

검정벌레살이송곳벌아과(신칭)

#### Genus ***Ophrynopus* Konow, 1897**

검정벌레살이송곳벌속(신칭)

*Ophrynopus* Konow, 1897e: 602, 605. Type species: *Ophrynopus andrei* Konow, 1897.

*Ophrynella* Ross, 1937: 113-114. Type species: *Oryssus nigricans* Cameron, 1883.

#### 10. ***Ophrynopus tosensis* (Tosawa and Sugihara, 1934)** 검정벌레살이송곳벌

*Oryssus* [sic!] *tosensis* Tosawa and Sugihara, 1934: 1-2.

**Korean records.** Choi and Suh, 2011; Choi *et al.*, 2014.

**Host plant.** *Quercus* sp.

**Distribution.** Korea (South), Japan.

Subfamily Orussinae Newman, 1834

벌레살이송곳벌아과

#### Genus ***Orussus* Latreille, 1797** 벌레살이송곳벌속

*Orussus* Latreille, 1797: 111. Type species: *Oryssus coronatus* Fabricius, 1798.

*Heliorussus* Benson, 1955: 16. Type species: *Heliorussus scutator* Benson, 1955.

#### 11. ***Orussus abietinus* (Scopoli, 1763)**

전나무벌레살이송곳벌

*Sphex Abietina* [sic!] Scopoli, 1763: 296.

*Tenthredo degener* Christ, 1791: 438-439.

*Sirex vespertilio* Fabricius, 1793: 129.

*Oryssus* [sic!] *coronatus* Fabricius, 1798: 218. Name for *Sphex abietina* Scopoli, 1763.

*Oryssus* [sic!] *albo-punctatus* [sic!] Gimmerthal, 1836: 434.

*Oryssus* [sic!] *hyalinipennis* Costa, 1860: 4-5.

**Korean records.** Vilhelmsen, 2003; Blank *et al.*, 2006; Choi *et al.*, 2014.

**Host plants.** *Alnus glutinosa* (L.) Gaertn., *Betula pendula* Roth, *Fagus sylvatica* L., *Picea abies* (L.) H. Karst., *Pinus halepensis* Mill., *Pinus sylvestris* L., *Quercus pyrenaica* Willd.

**Distribution.** Korea (North), Albania, Algeria, Austria, Belarus, Belgium, Bosnia and Herzegovina, Bulgaria, China, Croatia, Czech Republic, Estonia, Finland, France, Germany, Greece, Hungary, Iran, Italy, Kazakhstan, Latvia, Lithuania, Poland, Romania, Russia, Slovakia, Slovenia, Spain, Sweden, Switzerland, Syria, Turkey, Ukraine.

#### 12. ***Orussus coreanus* Takeuchi, 1938** 벌레살이송곳벌

*Orussus coreanus* Takeuchi, 1938: 178-179.

**Korean records.** Takeuchi, 1938; Kim, 1963; Zool. Soc. Kor., 1968; Kim *et al.*, 1994; Lee and Ryu, 1996a; Choi and Suh, 2011; Choi *et al.*, 2014; Paek *et al.*, 2010; Lyu *et al.*, 2014.

**Host plant.** Unknown.

**Distribution.** Korea (South, North).

#### 13. ***Orussus melanosoma* Lee and Wei, 2014**

운문벌레살이송곳벌

*Orussus melanosoma* Lee and Wei in Choi et al., 2014: 254-256.

**Korean records.** Choi et al., 2014; Lee et al., 2015a; Lee et al., 2016a.

**Host plant.** Unknown.

**Distribution.** Korea (South).

Superfamily Pamphilioidea Cameron, 1890  
납작잎벌상과

Family Megalodontesidae Konow, 1897  
빗니수염잎벌과

**Genus Megalodontes Latreille, 1803** 빗니수염잎벌속

*Megalodontes* Latreille, 1803: 302. Type species: *Tenthredo cephalotes* Fabricius, 1781.

*Tarpa* Fabricius, 1804: 19. Type species: *Tarpa cephalotes* (Fabricius, 1781).

*Megalodus* Rafinesque, 1815: 127. Name for *Megalodontes* Latreille, 1803.

*Melanopus* Konow, 1897a: 2, 12. Type species: *Tarpa fabricii* Leach, 1817.

*Tristactus* Konow, 1897a: 2, 12. Type species: *Lyda judaicus* (Lepeletier, 1823).

*Megalodontes (Rhipidioceros)* Konow, 1897a: 2. Type species: *Tarpa flabellicornis* Germar, 1825.

*Megalodontes (Forficulotarpa)* Pic, 1918: 12. Type species: *Megalodontes levallanti* (Lucas, 1848).

*Tristactoides* Chevin, 1985: 73. Type species: *Tristactoides lacourtii* Chevin, 1985.

**14. *Megalodontes spiraeae* (Klug, 1824)** 빗니수염잎벌  
(NK: 큰이잎벌)

*Tarpa spiraeae* Klug, 1824: 188-189.

*Tarpa pectinicornis* Klug, 1824: 194-197.

*Tarpa ruthena* Jakowlew, 1888: 375.

*Tarpa borealis* Jakowlew, 1891: 10-11.

*Megalodontes (Rhipidioceros) siberiensis* Rohwer, 1925b: 1-2.

*Megalodontes coreensis* Takeuchi, 1927a: 379-380.

**Korean records.** Takeuchi, 1927a, 1938; Doi, 1938; Kim, 1963; Zool. Soc. Kor., 1968; Chu, 1969; Kim, 1970; Togashi, 1973; Zombori, 1974; Kim, 1980; Xiao et al., 1992; Kim et al., 1994; Lee et al., 1995a; Lee et al., 1995b; Lee et al., 1995c; Lee et al., 1996; Lee and Ryu, 1996a; Paek et al., 2010; Ahn et al., 2013; Lyu et al., 2014.

**Host plant.** *Sphallerocarpus gracilis* (Besser ex Trevir.) Koso-Pol.

**Distribution.** Korea (South, North), China, Mongolia, Russia.

Family Pamphiliidae Cameron, 1890 납작잎벌과

Subfamily Cephalciinae Benson, 1945 솔납작잎벌아과

**Genus *Acantholyda* Costa, 1894** 솔납작잎벌속

*Acanthocnema* Costa, 1859: 3. Not available. Suppressed. Type species: *Tenthredo erythrocephala* Linné, 1758.

*Lyda* (*Acantholyda*) Costa, 1894: 232. Type species: *Tenthredo erythrocephala* Linné, 1758.

*Lyda* (*Itycorsia*) Konow, 1897a: 13. Type species: *Tenthredo hieroglyphica* Christ, 1791.

**15. *Acantholyda (Acantholyda) erythrocephala* (Linné, 1758)** 솔납작잎벌 (NK: 붉은머리잎벌)

*Tenthredo erythrocephala* Linné, 1758: 558.

*Acantholyda erythrocephala* var. *vittata* Enslin, 1918: 674.

*Acantholyda grangeoni* Riou, 1999: 128.

**Korean records.** Takeuchi, 1927a; Sato, 1928; Takeuchi, 1930; Takeuchi, 1938; Cho, 1955; Kim, 1963; Zool. Soc. Kor., 1968; Chu, 1969; Kim, 1970; Kim et al., 1994; Shinohara, 1995a; Lee and Ryu, 1996a; Shinohara and Byun, 1996; Shinohara and Lee, 1997; Paek et al., 2010; Ahn et al., 2013; Lyu et al., 2014.

**Host plants.** *Larix decidua* Mill., *Pinus armandii* Franch., *Pinus banksiana* Lamb., *Pinus bungeana* Zucc. ex Endl., *Pinus cembra* L., *Pinus densiflora* Siebold and Zucc., *Pinus mugo* Turra, *Pinus nigra* J.F. Arnold, *Pinus pungens* Lamb., *Pinus resinosa* Aiton, *Pinus sibirica* Du Tour, *Pinus* sp., *Pinus strobus* L., *Pinus sylvestris* L., *Pinus sylvestris* var. *mongholica* Litv., *Pinus tabuliformis* Carrière.

**Distribution.** Korea (South, North), Austria, Belarus, Belgium, Bulgaria, Canada, China, Croatia, Czech Republic, Denmark, Estonia, Finland, France, Germany, Great Britain, Greece, Hungary, Italy, Japan, Latvia, Lithuania, Luxembourg, Moldova, Netherlands, Norway, Poland, Romania, Russia, Slovakia, Spain, Sweden, Switzerland, Ukraine, USA.

**16. *Acantholyda (Itycorsia) parki* Shinohara and Byun, 1996** 잣나무별납작잎벌

*Acantholyda parki* Shinohara and Byun, 1996: 93-96.

**Korean records.** Kim, 1963; Zool. Soc. Kor., 1968; Kim, 1970; Kim et al., 1994; Lee and Ryu, 1996a; Shinohara and Byun, 1996; Shinohara and Lee, 1997; Shinohara, 2000; Paek et al., 2010; Lyu et al., 2014.

**Host plant.** *Pinus koraiensis* Siebold and Zucc.

**Distribution.** Korea (South), Russia.

**17. *Acantholyda (Itycorsia) posticalis koreana* Shinohara, 2000** 사사기납작잎벌

*Acantholyda posticalis koreana* Shinohara, 2000: 68-72.

**Korean records.** Takeuchi, 1938; Kim, 1963; Zool. Soc. Kor., 1968; Kim *et al.*, 1994; Lee and Ryu, 1996a; Shinohara and Byun, 1996; Shinohara and Lee, 1997; Shinohara, 2000; Paek *et al.*, 2010; Lyu *et al.*, 2014.

**Host plants.** *Pinus densiflora* Siebold and Zucc., *Pinus sylvestris* var. *mongholica* Litv., *Pinus tabuliformis* Carrière.

**Distribution.** Korea (South).

#### 18. *Acantholyda (Itycorsia) posticalis pinivora* Enslin, 1918 소나무납작잎벌(신칭)

*Tenthredo stellata* Christ, 1791: 457-458. Primary homonym of *Tenthredo stellata* Geoffroy, 1785.

*Tenthredo pratensis* Fabricius, 1793: 122-123. Primary homonym of *Tenthredo pratensis* Linné, 1758.

*Acantholyda pinivora* Enslin, 1918: 677-678. Name for *Tenthredo stellata* Christ, 1791.

*Acantholida* [sic!] *nemoralis* var. *Magnini* [sic!] Pic, 1944: 1.

*Acantholyda nemoralis* forma *orientalis* Koehler, 1954: 77, 86, 87.

*Acantholyda nemoralis* forma *occidentalis* Koehler, 1957: 185.

*Acantholyda nemoralis* forma *praecox* Koehler, 1962: 256. Not available. Name for *Acantholyda nemoralis* forma *orientalis* Koehler, 1954. Infrasubspecific name.

*Acantholyda nemoralis* forma *serotina* Koehler, 1962: 256. Not available. Name for *Acantholyda nemoralis* forma *occidentalis* Koehler, 1957. Infrasubspecific name.

**Korean record.** Cho, 1955.

**Host plants.** *Pinus densiflora* Siebold and Zucc., *Pinus koraiensis* Siebold and Zucc., *Pinus mugo* Turra, *Pinus nigra* J.F. Arnold, *Pinus* sp., *Pinus strobus* L., *Pinus sylvestris* L., *Pinus sylvestris* var. *mongholica* Litv., *Pinus tabuliformis* Carrière.

**Distribution.** Korea (locality unknown), Albania, Austria, Belarus, Belgium, Bulgaria, China, Croatia, Czech Republic, Denmark, Estonia, Finland, France, Germany, Great Britain, Greece, Hungary, Italy, Latvia, Netherlands, Norway, Poland, Romania, Russia, Slovakia, Spain, Sweden, Switzerland, Ukraine.

#### Genus *Cephalcia* Panzer, 1803 걸노랑납작잎벌속

*Cephalcia* Jurine in Panzer, 1801a: 163. Not available. Suppressed.

*Cephalcia* Panzer, 1803: 8-9. Type species: *Cephaleia arvensis* Panzer, 1803.

*Cephaleia* Jurine, 1807: 65-66. Type species: *Cephalcia arvensis* Panzer, 1803.

*Lioalyda* Ashmead, 1898: 209. Type species: *Lyda frontalis* Westwood, 1874.

#### 19. *Cephalcia alpina* (Klug, 1808) 알프스납작잎벌

*Lyda alpina* Klug, 1808: 281-282.

*Lyda Fallenii* [sic!] Dalman, 1823: 95.

*Lyda abietina* Hartig, 1837: 342-343.

*Lyda annulata* Hartig, 1837: 343, 410.

*Cephaleia alpina* var. *luctuosa* Enslin, 1918: 665. Not available. Infrasubspecific name.

**Korean records.** Lee and Ryu, 1996a; Paek *et al.*, 2010; Lyu *et al.*, 2014.

**Host plants.** *Larix decidua* Mill., *Larix × eurolepis* A. Henry, *Larix kaempferi* (Lamb.) Carrière, *Larix* sp., *Picea abies* (L.) H. Karst., *Picea jezoensis* (Siebold and Zucc.) Carrière, *Picea koraiensis* Nakai, *Picea obovata* Ledeb., *Picea* sp.

**Distribution.** Korea (locality unknown), Austria, Belgium, China, Czech Republic, Denmark, Estonia, Finland, France, Germany, Italy, Luxembourg, Netherlands, Norway, Poland, Russia, Slovakia, Sweden, Switzerland, Ukraine.

#### 20. *Cephalcia lariciphila lariciphila* (Wachtl, 1898)

삼지연납작잎벌(NK: 높은산작은잎벌)

*Cephaleia lariciphila* Wachtl, 1898: 93-95.

**Korean records.** Zombori, 1978; Kim *et al.*, 1994; Lee and Ryu, 1996a; Choi and Ko, 2006; Paek *et al.*, 2010; Ahn *et al.*, 2013; Lyu *et al.*, 2014.

**Host plants.** *Larix decidua* Mill., *Larix × eurolepis* A. Henry, *Larix gmelinii* (Rupr.) Kuzen., *Larix gmelinii* var. *principis-rupprechtii* (Mayr) Pilg., *Larix kaempferi* (Lamb.) Carrière, *Larix sibirica* Ledeb., *Larix* sp.

**Distribution.** Korea (North), Austria, Belgium, China, Germany, Italy, Switzerland.

#### 21. *Cephalcia nigricoxae* (Matsumura, 1912)

걸노랑납작잎벌

*Lyda nigricoxae* Matsumura, 1912: 78.

**Korean records.** Takeuchi, 1930; Kim, 1963; Zool. Soc. Kor., 1968; Kim, 1970; Kim *et al.*, 1994; Lee and Ryu, 1996a; Paek *et al.*, 2010; Lyu *et al.*, 2014.

**Host plant.** Unknown.

**Distribution.** Korea (locality unknown), Japan.

#### 22. *Cephalcia sachalinensis* (Matsumura, 1911)

화태납작잎벌

*Lyda sachalinensis* Matsumura, 1911: 89-90.

**Korean records.** Takeuchi, 1938; Kim, 1963; Zool. Soc. Kor., 1968; Kim, 1970; Kim *et al.*, 1994; Lee and Ryu, 1996a; Paek *et al.*, 2010; Lyu *et al.*, 2014.

**Host plant.** Unknown.

**Distribution.** Korea (South, North), Russia.

Subfamily Pamphiliinae Dalla Torre, 1894  
남작잎벌아과

**Genus Chrysolyda Shinohara, 2002**

노란주둥이남작잎벌속(신칭)

*Chrysolyda* Shinohara, 2002a: 372-374. Type species:  
*Pamphilius leucocephalus* Takeuchi, 1938.

**23. *Chrysolyda leucocephala* (Takeuchi, 1938)**

노란주둥이남작잎벌

*Pamphilius (Pamphilius) leucocephalus* Takeuchi, 1938:  
217, 219-220.

**Korean records.** Shinohara and Lee, 1997; Shinohara, 2002a; Paek et al., 2010; Lyu et al., 2014.

**Host plant.** Unknown.

**Distribution.** Korea (South), Japan, Russia.

**Genus Neurotoma Konow, 1897** 무지개남작잎벌속

*Neurotoma* Konow, 1897a: 2, 18-19. Type species:  
*Tenthredo flaviventris* Retzius, 1783.

*Neurotoma (Gongylocorsia)* Konow, 1897a: 19. Type species: *Neurotoma mandibularis* (Zaddach, 1866).

**24. *Neurotoma atrata* Takeuchi, 1930** 검정남작잎벌

*Neurotoma atrata* Takeuchi, 1930: 8-9.

**Korean records.** Shinohara, 1980; Shinohara, 1992a; Shinohara and Byun, 1993; Kim et al., 1994; Lee and Ryu, 1996a; Shinohara and Lee, 1997; Shinohara, 2002a; Shinohara and Xiao, 2006; Paek et al., 2010; Lyu et al., 2014; Shinohara and Wei, 2016.

**Host plant.** *Quercus acutissima* Carruth.

**Distribution.** Korea (South), China, Japan, Russia.

**25. *Neurotoma coreana* Shinohara, 1980** 고려남작잎벌

*Neurotoma coreana* Shinohara, 1980: 88-89.

**Korean records.** Shinohara, 1980; Shinohara and Byun, 1993; Kim et al., 1994; Lee and Ryu, 1996a; Shinohara and Lee, 1997; Shinohara, 2002a; Paek et al., 2010; Lyu et al., 2014.

**Host plant.** *Quercus* sp.

**Distribution.** Korea (South).

**26. *Neurotoma iridescens* (André, 1882)**

무지개남작잎벌

*Lyda iridescens* André, 1882: 443.

*Cephaleia (Cephaleia) nigrocoerulea* Rohwer, 1910a:  
100-101.

*Neurotoma sorbi* Forsius, 1911: 78-80.

*Lyda nigricans* Matsumura, 1912: 77.

*Neurotoma nakayamai* Sugihara, 1933: 173-175.

*Pamphilius sajanicus* Stroganova, 1978: 145-146.

**Korean records.** Kim, 1963; Zool. Soc. Kor., 1968; Kim, 1970; Shinohara, 1980; Shinohara and Byun, 1993; Kim et al., 1994; Shinohara, 1995a; Lee and Ryu, 1996a; Shinohara, 2002a; Shinohara, 2002c; Shinohara and Yamada, 2005a; Paek et al., 2010; Shinohara, 2013; Lyu et al., 2014.

**Host plants.** *Crataegus chlorosarca* Maxim., *Malus sieboldii* (Regel) Rehder, *Prunus avium* (L.) L., *Prunus cerasus* L., *Cerasus jamasakura* var. *jamasakura*, *Prunus padus* L., *Prunus* sp., *Prunus × yedoensis* Matsum., *Sorbaria sorbifolia* (L.) A. Braun, *Sorbus aucuparia* L., *Sorbus commixta* Hedl., *Sorbus* sp.

**Distribution.** Korea (South), Finland, Germany, Japan, Latvia, Norway, Russia.

**27. *Neurotoma satoi* Shinohara, 1980** 수원남작잎벌

*Neurotoma satoi* Shinohara, 1980: 88-91, 103-107.

**Korean records.** Shinohara, 1980; Shinohara and Byun, 1993; Kim et al., 1994; Lee and Ryu, 1996a; Shinohara, 2002a; Paek et al., 2010; Lyu et al., 2014.

**Host plants.** *Quercus acutissima* Carruth., *Quercus* sp.

**Distribution.** Korea (South).

**28. *Neurotoma sibirica* Gussakovskij, 1935**

시베리아남작잎벌

*Neurotoma sibirica* Gussakovskij, 1935: 162, 372-373.

*Neurotoma nemoralis* var. *obsoleta* Takeuchi, 1936a:  
60-61.

**Korean records.** Takeuchi, 1938; Kim, 1963; Zool. Soc. Kor., 1968; Kim, 1970; Shinohara, 1980; Shinohara, 1992a; Shinohara and Byun, 1993; Kim et al., 1994; Lee and Ryu, 1996a; Shinohara and Lee, 1997; Shinohara, 2002a; Shinohara and Vasilenko, 2005; Shinohara and Taeger, 2007; Paek et al., 2010; Lyu et al., 2014.

**Host plants.** *Populus tremula* L., *Sorbaria sorbifolia* (L.) A. Braun, *Sorbaria sorbifolia* var. *stellipila* Maxim., *Spiraea* sp.

**Distribution.** Korea (South, North), China, Japan, Russia.

**29. *Neurotoma silla* Shinohara, Choi and Lee, 2018**

신라남작잎벌(신칭)

*Neurotoma silla* Shinohara, Choi and Lee, 2018: 594.

**Korean record.** Shinohara et al., 2018.

**Host plant.** Unknown.

**Distribution.** Korea (South).

**Genus Onycholyda Takeuchi, 1938** 엘룩남작잎벌속

*Pamphilius (Onycholyda)* Takeuchi, 1938: 217-218. Type species: *Pamphilius viriditibialis* Takeuchi, 1930.

**30. *Onycholyda armata* (Maa, 1949) 얼룩납작잎벌**  
*Pamphilius armatus* Maa, 1949b: 37-39.

**Korean records.** Shinohara and Beneš, 1988; Shinohara and Byun, 1993; Kim et al., 1994; Lee and Ryu, 1996a; Shinohara, 2002a; Shinohara and Vasilenko, 2005; Shinohara and Xiao, 2006; Shinohara and Taeger, 2007; Paek et al., 2010; Lyu et al., 2014.

**Host plant.** Unknown.

**Distribution.** Korea (South, North), China, Russia.

**31. *Onycholyda nigroclypeata* Shinohara, 1987**

태누이스잎벌

*Onycholyda nigroclypeata* Shinohara, 1987: 649-653.

**Korean records.** Kim, 1970; Kim, 1980; Shinohara, 1987; Shinohara, 1992b; Shinohara and Byun, 1993; Kim et al., 1994; Lee et al., 1995b; Lee et al., 1995c; Lee and Ryu, 1996a; Shinohara and Lee, 1997; Shinohara, 2002a; Shinohara and Vasilenko, 2005; Shinohara and Taeger, 2007; Paek et al., 2010; Shinohara and Lee, 2011; Lyu et al., 2014.

**Host plant.** *Agrimonia pilosa* Ledeb.

**Distribution.** Korea (South, North), China, Russia.

**32. *Onycholyda odaesana* Shinohara and Byun, 1993**

진고개얼룩납작잎벌

*Onycholyda odaesana* Shinohara and Byun, 1993: 83.

**Korean records.** Shinohara and Byun, 1993; Kim et al., 1994; Lee and Ryu, 1996a; Shinohara and Lee, 1997; Shinohara, 2002a; Shinohara and Xiao, 2006; Paek et al., 2010; Shinohara and Lee, 2011; Shinohara and Wei, 2012; Lyu et al., 2014; Shinohara and Wei, 2016.

**Host plants.** *Rubus adenophorus* Rolfe, *Rubus parvifolius* L.

**Distribution.** Korea (South), China.

**33. *Onycholyda sertata* (Konow, 1903)**

무산령얼룩납작잎벌

*Pamphilius sertatus* Konow, 1903a: 37-38.

*Pamphilius Thomsoni* [sic!] Malaise, 1921: 15-16.

**Korean records.** Shinohara and Byun, 1993; Kim et al., 1994; Lee and Ryu, 1996a; Shinohara, 2002a; Shinohara and Taeger, 2007; Paek et al., 2010; Lyu et al., 2014.

**Host plants.** *Filipendula* sp., *Filipendula ulmaria* (L.) Maxim., *Spiraea* sp.

**Distribution.** Korea (North), China, Estonia, Finland, Norway, Russia, Sweden.

**34. *Onycholyda viriditibialis* (Takeuchi, 1930)**

청종아리납작잎벌

*Pamphilius viriditibialis* Takeuchi, 1930: 13-14.

*Pamphilius (Anoplolyda) tsherskii* Gussakovskij, 1935: 178-179, 380-381.

**Korean records.** Takeuchi, 1938; Kim, 1963; Zool. Soc. Kor., 1968; Kim, 1970; Shinohara, 1985c; Shinohara, 1986b; Shinohara, 1987; Shinohara and Byun, 1993; Kim et al., 1994; Lee and Ryu, 1996a; Shinohara and Lee, 1997; Shinohara, 2002a; Shinohara, 2002c; Shinohara and Yamada, 2005a; Shinohara et al., 2007; Shinohara and Taeger, 2007; Paek et al., 2010; Shinohara, 2013; Lyu et al., 2014.

**Host plants.** *Rubus crataegifolius* Bunge, *Rubus* sp.

**Distribution.** Korea (South, North), Japan, Russia.

**35. *Onycholyda zinovjevi* Shinohara, 1987**

초곡얼룩납작잎벌

*Onycholyda zinovjevi* Shinohara, 1987: 644-649.

**Korean records.** Shinohara and Byun, 1993; Kim et al., 1994; Lee et al., 1995b; Lee et al., 1995c; Lee and Ryu, 1996a; Shinohara, 2002a; Paek et al., 2010; Lyu et al., 2014.

**Host plant.** Unknown.

**Distribution.** Korea (South), Russia.

**Genus *Pamphilius* Latreille, 1803 납작잎벌속**

*Pamphilius* Latreille, 1803: 303. Type species: *Tenthredo sylvatica* Linné, 1758.

*Lyda* Fabricius, 1804: 43. Type species: *Tenthredo sylvatica* Linné, 1758.

*Anoplolyda* Costa, 1894: 239, 241. Type species: *Lyda alternans* O.G. Costa, 1859.

*Pamphilius (Bactroceros)* Konow, 1897a: 21. Type species: *Tenthredo vafer* Linné, 1767.

**36. *Pamphilius albopictus* (Thomson, 1871)**

삼각칼집납작잎벌

*Lyda albo-picta* [sic!] Thomson, 1871: 312.

*Pamphilius altaicus* Gussakovskij, 1935: 187, 381-382.

*Pamphilius viridipes* Achterberg and Aartsen, 1986: 33, 45-47.

**Korean records.** Shinohara, 1998a; Shinohara, 2002a; Paek et al., 2010; Lyu et al., 2014.

**Host plant.** *Prunus padus* L.

**Distribution.** Korea (South, North), Austria, Czech Republic, Denmark, Estonia, Finland, Germany, Great Britain, Netherlands, Norway, Poland, Russia, Slovakia, Sweden, Switzerland.

**37. *Pamphilius balteatus* (Fallén, 1808) 북방납작잎벌**

*Lyda balteata* Fallén, 1808c: 225.

*Pamphilius cingulatus* Latreille in Olivier and Latreille, 1812: 690-691.

*Lyda suffusa* Hartig, 1837: 345-346.

**Korean records.** Takeuchi, 1938; Kim, 1963; Zool. Soc. Kor., 1968; Kim, 1970; Shinohara, 1985b; Shinohara and Byun, 1993; Kim et al., 1994; Lee and Ryu, 1996a; Shinohara, 2002a; Shinohara and Vasilenko, 2005; Shinohara and Taeger, 2007; Paek et al., 2010; Lyu et al., 2014.

**Host plants.** *Fragaria* sp., *Prunus padus* L., *Prunus spinosa* L., *Rosa acicularis* Lindl., *Rosa canina* L., *Rosa majalis* Herrm., *Rosa pendulina* L., *Rosa* sp., *Rosa spinosissima* L., *Spiraea media* Schmidt.

**Distribution.** Korea (South, North), Austria, Belgium, Croatia, Czech Republic, Denmark, Estonia, Finland, France, Germany, Great Britain, Ireland, Italy, Japan, Netherlands, Norway, Poland, Romania, Russia, Slovakia, Sweden, Switzerland.

### 38. *Pamphilius benesi* Shinohara, 1985

끌검은촉각납작잎벌

*Pamphilius benesi* Shinohara, 1985a: 327-330.

**Korean records.** Shinohara, 2001; Shinohara, 2002a; Shinohara, 2002c; Shinohara and Yamada, 2005a; Shinohara et al., 2007; Paek et al., 2010; Shinohara, 2013; Lyu et al., 2014.

**Host plant.** *Corylus sieboldiana* Blume.

**Distribution.** Korea (South), Japan.

### 39. *Pamphilius brevicornis brevicornis* Hellén, 1948

작은뿔납작잎벌

*Pamphilius histrio* var. *brevicornis* Hellén, 1948: 40.

**Korean records.** Shinohara, 1995a; Shinohara, 1995b; Lee and Ryu, 1996a; Shinohara, 2002a; Paek et al., 2010; Lyu et al., 2014.

**Host plant.** Unknown.

**Distribution.** Korea (South), Russia.

### 40. *Pamphilius convexus* Shinohara, 1988

볼록납작잎벌

*Pamphilius convexus* Shinohara, 1988: 316-318.

**Korean records.** Shinohara and Lee, 1997; Shinohara, 2002a; Paek et al., 2010; Lyu et al., 2014.

**Host plant.** Unknown.

**Distribution.** Korea (South), Russia.

### 41. *Pamphilius coreanus* Takeuchi, 1938

황다리납작잎벌

*Pamphilius (Anoplolyda) coreanus* Takeuchi, 1938: 217-218, 225.

*Anoplolyda frontimacula* Malaise, 1943: 126.

**Korean records.** Takeuchi, 1938; Kim, 1963; Zool. Soc. Kor., 1968; Kim, 1970; Shinohara, 1979; Shinohara, 1981; Shinohara, 1993; Shinohara and Byun, 1993; Kim et al., 1994; Shinohara, 1995a; Lee and Ryu, 1996a; Shinohara and Lee, 1997; Shinohara, 2002a; Paek et al., 2010; Lyu et al., 2014.

**Host plant.** Unknown.

**Distribution.** Korea (South, North), Russia.

### 42. *Pamphilius croceus* Shinohara, 1986

샛노랑납작잎벌

*Pamphilius croceus* Shinohara, 1986a: 425-428.

**Korean records.** Shinohara, 1986a; Shinohara, 1991a; Shinohara, 1993; Kim et al., 1994; Lee and Ryu, 1996a; Shinohara, 2002a; Shinohara and Zhou, 2006; Paek et al., 2010; Lyu et al., 2014.

**Host plant.** Unknown.

**Distribution.** Korea (South), Russia.

### 43. *Pamphilius daisenus* Takeuchi, 1938

조팝나무납작잎벌

*Pamphilius (Pamphilius) daisenus* Takeuchi, 1938: 217, 221-222.

**Korean records.** Shinohara, 2001; Shinohara, 2002a; Shinohara and Yamada, 2005a; Paek et al., 2010; Lyu et al., 2014.

**Host plants.** *Aruncus dioicus* (Walter) Fernald., *Spiraea japonica* L.f. (Shinohara et al., 2016).

**Distribution.** Korea (South), Japan.

### 44. *Pamphilius gracilis* Shinohara, 1985

마가목납작잎벌

*Pamphilius gracilis* Shinohara, 1985a: 333-336.

**Korean records.** Shinohara, 2001; Shinohara, 2002a; Shinohara et al., 2007; Paek et al., 2010; Lyu et al., 2014.

**Host plants.** *Sorbus commixta* Hedl., *Sorbus* sp.

**Distribution.** Korea (South), Japan.

### 45. *Pamphilius heecheonparki* Shinohara, 1998

원통칼집납작잎벌

*Pamphilius heecheonparki* Shinohara, 1998a: 229-233.

**Korean records.** Shinohara, 1998a; Shinohara, 2002a; Shinohara and Vasilenko, 2005; Paek et al., 2010; Lyu et al., 2014.

**Host plants.** *Padus* sp., *Prunus* sp.

**Distribution.** Korea (South, North), Russia.

### 46. *Pamphilius histrio* Latreille, 1812 오대산납작잎벌

*Pamphilius histrio* Latreille in Olivier and Latreille,

1812: 689-690.

**Korean records.** Shinohara, 1995b; Lee and Ryu, 1996a; Shinohara, 2002a; Paek *et al.*, 2010; Lyu *et al.*, 2014.

**Host plants.** *Carpinus betulus* L., *Populus nigra* L., *Populus* sp., *Populus tremula* L., *Populus tremula* var. *davidiana* (Dode) C.K. Schneid.

**Distribution.** Korea (South), Austria, Belgium, Czech Republic, Denmark, Estonia, Finland, France, Germany, Great Britain, Hungary, Italy, Japan, Latvia, Netherlands, Norway, Romania, Russia, Slovakia, Spain, Sweden, Switzerland, Ukraine.

#### 47. *Pamphilius hortorum* (Klug, 1808) 남쪽납작잎벌 (신칭)

*Lyda hortorum* Klug, 1808: 278.

*Pamphilius hortorum bicinctus* Benson, 1945: 104.

**Korean records.** Shinohara, 2002a; Shinohara and Yuan, 2004; Shinohara and Vasilenko, 2005; Shinohara and Taeger, 2007.

**Host plants.** *Rubus idaeus* L., *Rubus idaeus* subsp. *nipponicus* Focke, *Rubus nemorosus* Hayne and Willd., *Rubus saxatilis* L., *Rubus* sp.

**Distribution.** Korea (South), Austria, Belgium, Croatia, Czech Republic, Denmark, Estonia, Finland, France, Germany, Great Britain, Hungary, Ireland, Italy, Japan, Latvia, Liechtenstein, Luxembourg, Montenegro, Netherlands, Norway, Poland, Republic of Serbia, Romania, Russia, Slovakia, Slovenia, Sweden, Switzerland, Ukraine.

#### 48. *Pamphilius kimi* Shinohara, 1997

자작나무납작잎벌(신칭)

*Pamphilius kimi* Shinohara, 1997: 227-230.

**Korean records.** Shinohara, 1997; Shinohara, 2002a.

**Host plant.** Unknown.

**Distribution.** Korea (South).

#### 49. *Pamphilius kyutekparki* Shinohara, 1991

동색배납작잎벌

*Pamphilius kyutekparki* Shinohara, 1991a: 53.

**Korean records.** Kim, 1980; Shinohara, 1991a; Kim *et al.*, 1994; Lee and Ryu, 1996a; Shinohara and Lee, 1997; Shinohara, 2002a; Shinohara and Zhou, 2006; Shinohara and Taeger, 2007; Paek *et al.*, 2010; Lyu *et al.*, 2014.

**Host plant.** *Acer* sp.

**Distribution.** Korea (South), Russia.

#### 50. *Pamphilius lobatus* Maa, 1950 둥굴레납작잎벌

*Pamphilius lobatus* Maa, 1950: 17-19.

**Korean records.** Shinohara, 1988a; Kim *et al.*, 1994; Lee and Ryu, 1996a; Shinohara and Lee, 1997; Shinohara, 2002a; Shinohara and Yamada, 2005a; Shinohara and Xiao, 2006; Shinohara *et al.*, 2007; Shinohara and Taeger, 2007; Paek *et al.*, 2010; Lyu *et al.*, 2014.

**Host plant.** *Macrodierilla middendorffiana* (Trautvetter and Meyer) Nakai.

**Distribution.** Korea (South), China, Japan.

#### 51. *Pamphilius maximus* Shinohara, 1995

꼭지납작잎벌

*Pamphilius maximus* Shinohara, 1995b: 59-61.

**Korean records.** Shinohara, 1995b; Lee and Ryu, 1996a; Shinohara, 2002a; Paek *et al.*, 2010; Lyu *et al.*, 2014.

**Host plant.** *Populus* sp.

**Distribution.** Korea (South), Russia.

#### 52. *Pamphilius montanus pulcher* Shinohara, 1988

노란날개납작잎벌

*Pamphilius pulcher* Shinohara, 1988b: 311-314.

**Korean records.** Shinohara, 2001; Shinohara, 2002a; Paek *et al.*, 2010; Lyu *et al.*, 2014.

**Host plant.** Unknown.

**Distribution.** Korea (South), Japan, Russia.

#### 53. *Pamphilius ochrostigma* Shinohara, 2001

노란점납작잎벌

*Pamphilius ochrostigma* Shinohara, 2001: 100-102.

**Korean records.** Shinohara, 2001; Shinohara, 2002a; Paek *et al.*, 2010; Lyu *et al.*, 2014.

**Host plant.** Unknown.

**Distribution.** Korea (South).

#### 54. *Pamphilius pallidus* Shinohara, 1988

연노랑다리납작잎벌(신칭)

*Pamphilius pallidus* Shinohara, 1988b: 308-310.

**Korean records.** Shinohara, 2004; Shinohara and Taeger, 2007.

**Host plant.** Unknown.

**Distribution.** Korea (South), Russia.

#### 55. *Pamphilius pallipes* (Zetterstedt, 1838)

어리연노랑다리납작잎벌

*Lyda pallipes* Zetterstedt, 1838: 355.

*Lyda flavipes* Zetterstedt, 1838: 355.

*Lyda variegata* Zaddach, 1866: 161-162.

*Pamphilius pallipes* Dalla Torre, 1894: 435. Name for

*Lyda pallipes* Zetterstedt, 1838.

**Korean record.** Shinohara, 2005b.

**Host plants.** *Alnus alnobetula* (Ehrh.) K. Koch, *Alnus incana* (L.) Moench, *Alnus matsumurae* Callier, *Alnus maximowiczii* Callier, *Alnus* sp., *Betula pendula* Roth, *Betula pubescens* Ehrh., *Betula pubescens* var. *pumila* (L.) Govaerts, *Betula* sp.

**Distribution.** Korea (South, North), Austria, Belgium, China, Czech Republic, Denmark, Estonia, Finland, France, Germany, Great Britain, Hungary, Iran, Ireland, Italy, Latvia, Netherlands, Norway, Russia, Slovakia, Sweden, Switzerland.

**56. *Pamphilius planifrons* Beneš, 1976** 이마납작잎벌  
*Pamphilius planifrons* Beneš, 1976: 164-165.

**Korean records.** Shinohara, 1988a; Kim et al., 1994; Lee and Ryu, 1996a; Shinohara, 2002a; Paek et al., 2010; Lyu et al., 2014.

**Host plant.** Unknown.

**Distribution.** Korea (South), Russia.

**57. *Pamphilius rhoae* Shinohara, 1988** 광릉납작잎벌  
*Pamphilius rhoae* Shinohara, 1988a: 188-194.

**Korean records.** Shinohara, 1988a; Kim et al., 1994; Lee and Ryu, 1996a; Shinohara and Lee, 1997; Shinohara, 2002a; Paek et al., 2010; Lyu et al., 2014.

**Host plant.** Unknown.

**Distribution.** Korea (South).

**58. *Pamphilius sulphureipes sulphureipes* W.F. Kirby, 1882** 어리황다리납작잎벌  
*Pamphilius sulphureipes* W.F. Kirby, 1882: 343.

**Korean records.** Shinohara, 1979; Shinohara, 1993; Kim et al., 1994; Lee and Ryu, 1996a; Shinohara, 2002a; Paek et al., 2010; Lyu et al., 2014.

**Host plant.** Unknown.

**Distribution.** Korea (South, North), Russia.

**59. *Pamphilius tricolor* Beneš, 1974** 삼색납작잎벌  
*Pamphilius tricolor* Beneš, 1974: 301-303.  
*Pamphilius fauni* Zhelochovtsev, 1976: 76. Not available. Nomen nudum.

**Korean records.** Shinohara, 1995b; Lee and Ryu, 1996a; Shinohara, 2002a; Shinohara et al., 2007; Shinohara and Taeger, 2007; Paek et al., 2010; Lyu et al., 2014.

**Host plants.** *Rosa acicularis* Lindl., *Salix caprea* L.

**Distribution.** Korea (South), Japan, Russia.

**60. *Pamphilius varius* (Serville, 1823)**

어리북방납작잎벌 (NK: 함수납작잎벌)

*Lyda varia* Serville, 1823: 90-91.

**Lyda varia** Lepetier, 1823: 9. Primary homonym of  
*Lyda varia* Serville, 1823.

*Lyda infida* Zaddach, 1866: 162-163.

*Pamphilius flavifrons* W.F. Kirby, 1882: 341-342.

*Lyda Konowi* [sic!] Jakowlew, 1891: 9-10.

*Anoployda engelhardtii* Dovnar-Zapolskij, 1930: 93-94.

**Korean records.** Doi, 1938; Kim, 1963; Zool. Soc. Kor., 1968; Kim, 1970; Shinohara, 1991b; Kim et al., 1994; Lee and Ryu, 1996a; Shinohara, 2002a; Shinohara and Vasilenko, 2005; Choi and Ko, 2006; Paek et al., 2010; Ahn et al., 2013; Lyu et al., 2014.

**Host plants.** *Alnus incana* (L.) Moench, *Betula ermanii* Cham., *Betula pendula* Roth, *Betula platyphylla* Sukaczev, *Betula* sp.

**Distribution.** Korea (South, North), Austria, Belgium, Czech Republic, Denmark, Estonia, Finland, France, Germany, Great Britain, Hungary, Ireland, Italy, Japan, Latvia, Netherlands, Norway, Poland, Romania, Russia, Sweden, Switzerland.

**61. *Pamphilius virescens* Malaise, 1931**

초록빛납작잎벌

*Pamphilius virescens* Malaise, 1931a: 62-63.

**Korean records.** Shinohara, 1995b; Lee and Ryu, 1996a; Shinohara, 2002a; Paek et al., 2010; Lyu et al., 2014.

**Host plant.** *Salix* sp.

**Distribution.** Korea (South), Japan, Russia.

**62. *Pamphilius volatilis* (F. Smith, 1874)**

보광사납작잎벌

*Lyda volatilis* F. Smith, 1874: 384.

**Korean records.** Shinohara, 1985a; Lee and Ryu, 1996a; Shinohara, 2002a; Shinohara, 2002c; Shinohara and Yamada, 2005a; Shinohara et al., 2007; Shinohara, 2013; Paek et al., 2010; Lyu et al., 2014.

**Host plants.** *Alnus* sp., *Cerasus jamasakura* var. *jamasakura*, *Crataegus chlorosarca* Maxim., *Prunus maximowiczii* Rupr., *Prunus nipponica* Matsum., *Prunus sargentii* Rehder, *Prunus* sp., *Prunus × yedoensis* Matsum.

**Distribution.** Korea (South), Japan, Russia.

**63. *Pamphilius zhelochovtsevi zhelochovtsevi* Beneš, 1974** 북대사납작잎벌

*Pamphilius zhelochovtsevi* Beneš, 1974: 306-307.

**Korean records.** Shinohara, 1993; Lee and Ryu, 1996a; Shinohara and Lee, 1997; Shinohara, 2002a; Shinohara and Vasilenko, 2005; Paek et al., 2010; Lyu et al., 2014.

**Host plant.** Unknown.

**Distribution.** Korea (South), Russia.

#### 64. *Pamphilius zinovjevi* Shinohara, 1988

검은가슴납작잎벌

*Pamphilius zinovjevi* Shinohara, 1988b: 315-316.

**Korean records.** Shinohara, 2001; Shinohara, 2002a; Paek et al., 2010; Lyu et al., 2014.

**Host plant.** Unknown.

**Distribution.** Korea (South), Russia.

Superfamily Siricoidea Billberg, 1820 송곳벌상과

Family Siricidae Billberg, 1820 송곳벌과

(NK: 나무벌과)

Subfamily Siricinae Billberg, 1820 송곳벌아과

#### Genus *Sirex* Linné, 1760 송곳벌속

*Sirex* Linné, 1760: 396. Type species: *Sirex juvencus* (Linné, 1758).

*Neuropachys* Heer, 1858: 118. Not available. Nomen nudum. Type species: no type species selected.

*Urocerites* Heer, 1867: 36-38. Type species: *Urocerites spectabilis* Heer, 1867.

*Sirex* (*Paururus*) Konow, 1896b: 41, 43-45. Type species: *Sirex juvencus* (Linné, 1758).

#### 65. *Sirex juvencus juvencus* (Linné, 1758)

참송곳벌(루리송곳벌)

*Ichneumon Juvencus* [sic!] Linné, 1758: 560.

*Urocerus coeruleoescens* Latreille, 1804: 522. Name for *Ichneumon juvencus* Linné, 1758.

*Urocerus feisthamelii* Brullé, 1832: 387.

*Sirex australis* W.F. Kirby, 1882: 383.

*Sirex dubia* W.F. Kirby, 1882: 375. Name for *Sirex nigricornis* sensu Acerbi, 1802.

*Sirex neglectus* W.F. Kirby, 1882: 374.

*Sirex Léséléuci* [sic!] Tournier, 1890: 220-222.

*Paururus juvencus* var. *virago* Enslin, 1918: 712.

*Paururus juvencus* ab. *maculata* Hellén, 1935: 26. Not available. Infrasubspecific name.

*Paururus sucineiceps* Koornneef, 1935: 19-20.

*Sirex juvencus* ab. *pallescens* Stroganova, 1973: 74. Not available. Infrasubspecific name.

*Sirex juvencus* ab. *ermakianum* Stroganova, 1973: 74. Not available. Infrasubspecific name.

*Sirex juvencus* ab. *noctiliolum* Stroganova, 1973: 74. Not available. Infrasubspecific name.

*Sirex juvencus* forma *tipica* Stroganova, 1973: 74. Not available. Infrasubspecific name.

**Korean records.** Kim, 1963; Zool. Soc. Kor., 1968; Kim, 1970; Togashi, 1973; Kim et al., 1994; Lee and Ryu,

1996a; Paek et al., 2010; Lyu et al., 2014.

**Host plants.** *Abies alba* Mill., *Abies balsamea* (L.) Mill., *Abies lasiocarpa* (Hook.) Nutt., *Abies pindrow* (Royle ex D. Don) Royle, *Abies sachalinensis* (F. Schmidt) Mast., *Abies* sp., *Chamaecyparis lawsoniana* (A. Murray bis) Parl., *Larix* sp., *Picea abies* (L.) H. Karst., *Picea jezoensis* (Siebold and Zucc.) Carrière, *Picea omorika* (Pancic) Purk., *Picea sitchensis* (Bong.) Carrière, *Picea smithiana* (Wall.) Boiss., *Picea* sp., *Pinus banksiana* Lamb., *Pinus contorta* Douglas ex Loudon, *Pinus muricata* D. Don, *Pinus radiata* D. Don, *Pinus rigida* Mill., *Pinus roxburghii* Sarg., *Pinus* sp., *Pinus strobus* L., *Pinus sylvestris* L., *Pinus thunbergii* Parl.; *Pseudotsuga menziesii* (Mirb.) Franco, *Pseudotsuga menziesii* var. *glaucua* (Beissn.) Franco.

**Distribution.** Korea (South), Canada, China, Germany, Hungary, India, Japan, Russia, USA.

#### 66. *Sirex nitobei* Matsumura, 1912 니토배송곳벌

(NK: 나무벌)

*Sirex nitobei* Matsumura, 1912: 17-18.

**Korean records.** Takeuchi, 1938; Kim, 1963; Zool. Soc. Kor., 1968; Chu, 1969; Kim, 1970; Xiao and Wu, 1983; Xiao et al., 1992; Kim et al., 1994; Lee and Ryu, 1996a; Paek et al., 2010; Ahn et al., 2013; Lyu et al., 2014.

**Host plants.** *Larix kaempferi* (Lamb.) Carrière, *Pinus armandii* Franch., *Pinus densiflora* Siebold and Zucc., *Pinus* sp., *Pinus thunbergii* Parl.

**Distribution.** Korea (South, North), China, Japan.

#### Genus *Urocerus* Geoffroy, 1762 왕송곳벌속

*Urocerus* Geoffroy, 1762: 264-265. Type species: *Ichneumon gigas* Linné, 1758.

*Xanthosirex* Semenov, 1921: 86. Type species: *Xanthosirex phantasma* Semenov.

*Eosirex* Piton, 1940: 229. Original paper not seen, cited in Abe and Smith (1991): 30. Type species: *Eosirex ligniticus* Piton, 1940.

#### 67. *Urocerus antennatus* (Marlatt, 1898) 수염송곳벌

*Sirex antennatus* Marlatt, 1898: 500.

*Sirex ogumae* Matsumura, 1911: 85.

*Sirex antennatus* var. *immaculatus* Zirngiebl, 1937a: 350.

**Korean records.** Kim, 1963; Zool. Soc. Kor., 1968; Kim, 1970; Kim, 1980; Xiao and Wu, 1983; Kim et al., 1994; Lee and Ryu, 1996a; Paek et al., 2010; Lyu et al., 2014.

**Host plants.** *Abies firma* Siebold and Zucc., *Abies homolepis* Siebold and Zucc., *Abies mariesii* Mast., *Abies sachalinensis* (F. Schmidt) Mast., *Cryptomeria japonica* (Thunb. ex L.f.) D. Don, *Picea jezoensis* (Siebold and Zucc.) Carrière.

**Distribution.** Korea (South), China, Japan, Russia.

**68. *Urocerus gigas gigas* (Linné, 1758) 잣나무송곳벌  
(NK: 큰나무벌)**

*Ichneumon gigas* Linné, 1758: 560.

*Sirex marisca* Linné, 1760: 397.

*Sirex hungaricus* Christ, 1791: 414-415.

*Sirex psyllius* Fabricius, 1793: 124-125.

*Urocerus Lefebvre* [sic!] Guérin, 1833: 1-2.

*Sirex faustus* Costa, 1894: 258.

*Urocerus gigas taiganus* Benson, 1943: 39-41.

*Urocerus gigas* var. *luteogaster* Berland, 1947: 77.

*Sirex gigas* var. *montana* Ermolenko, 1957: 85.

*Sirex gigas* var. *montanus* Ermolenko, 1957: 6. Not available. Nomen nudum.

**Korean records.** Takeuchi, 1938; Kim, 1963; Zool. Soc. Kor., 1968; Chu, 1969; Kim, 1970; Togashi, 1973; Kim, 1980; Kim et al., 1994; Lee and Ryu, 1996a; Choi and Ko, 2006; Paek et al., 2010; Ahn et al., 2013; Lyu et al., 2014.

**Host plants.** *Abies alba* Mill., *Abies grandis* (Douglas ex D. Don) Lindl., *Abies procera* Rehder, *Abies sibirica* Ledeb., *Cedrus deodara* (Roxb. ex D. Don) G. Don, *Cedrus libani* A. Rich., *Chamaecyparis lawsoniana* (A. Murray bis) Parl., *Fraxinus* sp., *Larix decidua* Mill., *Larix sibirica* Ledeb., *Larix* sp., *Picea abies* (L.) H. Karst., *Picea excelsa septentrionalis*, *Picea obovata* Ledeb., *Picea omorika* (Pancic) Purk., *Picea pungens* Engelm., *Picea sitchensis* (Bong.) Carrière, *Pinus banksiana* Lamb., *Pinus cembra* L., *Pinus nigra* J.F. Arnold, *Pinus sibirica* Du Tour, *Pinus* sp., *Pinus sylvestris* L., *Pseudotsuga menziesii* (Mirb.) Franco, *Salix* sp.

**Distribution.** Korea (North), Austria, Cyprus, Germany, Greece, Italy, Japan, Kyrgyzstan, Russia, Slovenia.

**69. *Urocerus gigas orientalis* Maa, 1949, 동양왕송곳벌  
*Urocerus gigas orientalis* Maa, 1949c: 95-100, 107-108.**

**Korean records.** Lee and Ryu, 1996a; Paek et al., 2010; Lyu et al., 2014.

**Host plants.** *Abies sachalinensis* (F. Schmidt) Mast., *Larix kaempferi* (Lamb.) Carrière, *Larix* sp., *Picea jezoensis* (Siebold and Zucc.) Carrière, *Pinus densiflora* Siebold and Zucc.

**Distribution.** Korea (locality unknown), China, Russia.

**70. *Urocerus japonicus* (F. Smith, 1874) 어리송곳벌  
(왜송곳벌)**

*Sirex japonicus* F. Smith, 1874: 386-387.

*Sirex sinuatus* Matsumura, 1912: 18-19.

**Korean records.** Kim, 1963; Zool. Soc. Kor., 1968; Kim, 1970; Togashi, 1973; Kim, 1980; Kim et al., 1994; Lee

and Ryu, 1996a; Paek et al., 2010; Lyu et al., 2014.

**Host plants.** *Abies* sp., *Chamaecyparis obtusa* (Siebold and Zucc.) Endl., *Cryptomeria japonica* (Thunb. ex L.f.) D. Don, *Larix kaempferi* (Lamb.) Carrière, *Pinus densiflora* Siebold and Zucc., *Pinus* sp.

**Distribution.** Korea (South), Japan.

**71. *Urocerus yasushii* (Yano, 1917) 야스시송곳벌**

*Sirex Yasushii* [sic!] Yano, 1917: 117-118.

*Sirex umbra* Semenov, 1921: 84-85.

*Urocerus sachalinensis* Conde, 1935: 68-70.

**Korean records.** Takeuchi, 1938; Kim, 1963; Zool. Soc. Kor., 1968; Kim, 1970; Togashi, 1973; Xiao and Wu, 1983; Kim et al., 1994; Lee and Ryu, 1996a; Paek et al., 2010; Lyu et al., 2014.

**Host plants.** *Abies firma* Siebold and Zucc., *Abies sachalinensis* (F. Schmidt) Mast., *Picea* sp.

**Distribution.** Korea (North), China, Japan, Russia.

**Genus *Xeris* Costa, 1894 긴송곳벌속**

*Sirex (Xeris)* Costa, 1894: 259. Type species: *Ichneumon spectrum* Linné, 1758.

**72. *Xeris spectrum* (Linné, 1758) 긴송곳벌**

*Ichneumon Spectrum* [sic!] Linné, 1758: 560.

*Sirex nanus* O.F. Müller, 1776: 151.

*Sirex emarginatus* Fabricius, 1793: 128.

*Urocerus caudatus* Cresson, 1865: 247-248.

*Sirex melancholicus* Westwood, 1874: 116, pl. 21 fig 8.

**Korean records.** Kim, 1963; Zool. Soc. Kor., 1968; Kim, 1970; Togashi, 1973; Kim et al., 1994; Lee and Ryu, 1996a; Paek et al., 2010; Lyu et al., 2014.

**Host plants.** *Abies alba* Mill., *Abies balsamea* (L.) Mill., *Abies firma* Siebold and Zucc., *Abies lasiocarpa* (Hook.) Nutt., *Abies nephrolepis* (Trautv. ex Maxim.) Maxim., *Abies pinsapo* subsp. *marocana* (Trab.) Emb. and Maire, *Abies sachalinensis* (F. Schmidt) Mast., *Abies sibirica* Ledeb., *Chamaecyparis obtusa* (Siebold and Zucc.) Endl., *Larix occidentalis* Nutt., *Larix sibirica* Ledeb., *Picea abies* (L.) H. Karst., *Picea glehnii* (F. Schmidt) Mast., *Picea jezoensis* (Siebold and Zucc.) Carrière, *Picea pungens* Engelm., *Picea sitchensis* (Bong.) Carrière, *Picea uncinata*, *Pinus contorta* Douglas ex Loudon, *Pinus contorta* var. *murrayana* (Balf.) S. Watson, *Pinus sylvestris* L., *Pseudotsuga menziesii* (Mirb.) Franco.

**Distribution.** Korea (South), Austria, Canada, China, Germany, Japan, Kyrgyzstan, USA.

**Genus *Xoanon* Semenov, 1921 호랑무늬송곳벌속**

*Xoanon* Semenov, 1921: 87. Type species: *Xoanon mysta* Semenov, 1921.

**73. *Xoanon matsumurae* (Rohwer, 1910)**

호랑무늬송곳벌

*Sirex matsumurae* Rohwer, 1910a: 102.

*Xoanon mysta* Semenov, 1921: 88-90.

**Korean records.** Kim, 1963; Zool. Soc. Kor., 1968; Kim, 1970; Togashi, 1973; Kim et al., 1994; Lee and Ryu, 1996a; Paek et al., 2010; Lyu et al., 2014.

**Host plants.** *Abies firma* Siebold and Zucc., *Abies sachalinensis* (F. Schmidt) Mast., *Abies* sp., *Larix kaempferi* (Lamb.) Carrière, *Larix* sp., *Picea jezoensis* (Siebold and Zucc.) Carrière, *Picea* sp., *Pinus koraiensis* Siebold and Zucc., *Pinus* sp.

**Distribution.** Korea (South), China, Japan, Russia.

Subfamily Tremicinae Ashmead, 1828 참송곳벌아과

**Genus *Tremex* Jurine, 1807 참송곳벌속**

*Tremex* Jurine, 1807: 80. Type species: *Sirex fuscicornis* Fabricius, 1787.

*Sirex* (*Xyloterus*) Hartig, 1837: 385-386. Homonym of *Xyloterus* Erichson, 1836 [Coleoptera]. Type species: *Sirex fuscicornis* Fabricius, 1787.

*Xyloecematum* Heyden, 1868: 227. Name for *Sirex* (*Xyloterus*) Hartig, 1837.

**74. *Tremex apicalis* Matsumura, 1912 호도송곳벌**

*Tremex apicalis* Matsumura, 1912: 23-24.

*Tremex propheta* Semenov, 1921: 93-94.

**Korean records.** Kim, 1971; Kim, 1980; Xiao and Wu, 1983; Kim et al., 1994; Lee and Ryu, 1996a; Lee et al., 1998; Paek et al., 2010; Lyu et al., 2014.

**Host plants.** *Abies sachalinensis* (F. Schmidt) Mast., *Acer palmatum* Thunb., *A. pictum* Thunb., *A.* sp., *Juglans regia* L., *Populus* sp., *Prunus* sp., *P. × yedoensis* Matsum., *Quercus myrsinifolia* Blume.

**Distribution.** Korea (South), China, Japan.

**75. *Tremex contractus* Maa, 1949 좁은가슴참송곳벌**

*Tremex contractus* Maa, 1949c: 161-163.

**Korean records.** Lee et al., 1998; Paek et al., 2010; Lyu et al., 2014.

**Host plant.** Unknown.

**Distribution.** Korea (South), China, Japan.

**76. *Tremex fuscicornis* (Fabricius, 1787) 열룩송곳벌  
(NK: 갈색뿔나무벌)**

*Sirex fuscicornis* Fabricius, 1787: 257.

*Sirex Struthiocamelus* [sic!] Villers, 1789: 132-133.

*Sirex Camelogigas* [sic!] Christ, 1791: 411.

**Korean records.** Takeuchi, 1938; Cho, 1961; Kim, 1963;

Zool. Soc. Kor., 1968; Chu, 1969; Kim, 1970; Togashi, 1973; Kim, 1980; Xiao and Wu, 1983; Kim et al., 1994; Lee and Ryu, 1996a; Lee et al., 1998; Paek et al., 2010; Ahn et al., 2013; Lyu et al., 2014.

**Host plants.** *Acer negundo* L., *Acer platanoides* L., *Acer saccharinum* L., *Alnus japonica* (Thunb.) Steud., *Alnus* sp., *Betula* sp., *Carpinus betulus* L., *Celtis sinensis* Pers., *Cerasus jamasakura* (Siebold ex Koidz.) H. Ohba, *Fagus* sp., *Fagus sylvatica* L., *Juglans regia* L., *Populus nigra* L., *Populus nigra* var. *italicica* Münchh., *Populus* sp., *Populus tremula* L., *Prunus* sp., *P. × yedoensis* Matsum., *Pterocarya stenoptera* C. DC., *Quercus* sp., *Robinia pseudoacacia* L., *Salix* sp., *Ulmus davidiana* var. *japonica* (Rehder) Nakai, *Ulmus minor* Mill., *Ulmus* sp.; *Zelkova serrata* Makino, *Zelkova* sp.

**Distribution.** Korea (South, North), Austria, Bulgaria, Chile, China, Croatia, Czech Republic, Denmark, Estonia, Finland, France, Germany, Hungary, Italy, Japan, Latvia, Moldova, Netherlands, Norway, Poland, Romania, Russia, Slovakia, Spain, Sweden, Switzerland, Taiwan, Ukraine.

**77. *Tremex longicollis* Konow, 1896 넓적다리송곳벌**

*Tremex longicollis* Konow, 1896b: 45.

*Tremex similis* Marlatt, 1898: 499.

**Korean records.** Kim, 1963; Zool. Soc. Kor., 1968; Kim, 1970; Xiao and Wu, 1983; Kim et al., 1994; Lee and Ryu, 1996a; Lee et al., 1998; Paek et al., 2010; Lyu et al., 2014.

**Host plants.** *Celtis sinensis* Pers., *Celtis* sp.

**Distribution.** Korea (South), China, Japan, Taiwan.

**78. *Tremex nigrocephalus* Lee, Ryu and Chung, 1998**

검은머리참송곳벌

*Tremex nigrocephalus* Lee, Ryu and Chung, 1998: 298, 300-301.

**Korean records.** Lee et al., 1998; Paek et al., 2010; Lyu et al., 2014.

**Host plant.** Unknown.

**Distribution.** Korea (South).

Superfamily Tenthredinoidea Latreille, 1803 잎벌상과

Family Argidae Konow, 1890 등에잎벌과

(NK: 세마디잎벌과)

Subfamily Arginae Konow, 1890 등에잎벌아과

**Genus *Arge* Schrank, 1802 등에잎벌속**

*Cryptus* Jurine in Panzer, 1801a: 163. Not available.

Suppressed. Type species: *Cryptus segmentarius* Panzer, 1803.

*Arge* Schrank, 1802: 226-230. Type species: *Tenthredo*

*enodis* Linné, 1767.  
*Hylotoma* Latreille, 1803: 302. Type species: *Tenthredo ochropus* Gmelin, 1790.  
*Corynia* Labram and Imhoff, 1836: 1, 23. Type species: *Corynia rosarum* (Klug, 1814).  
*Acanthoptenos* Ashmead, 1898a: 212. Type species: *Acanthoptenos weithii* Ashmead, 1898.  
*Bathyblepta* Konow, 1906a: 123. Type species: *Bathyblepta procer* Konow, 1906.  
*Didocha* Konow, 1907a: 306. Type species: *Didocha braunsi* Konow, 1907.  
*Miocephala* Konow, 1907b: 162-163. Type species: *Miocephala chalybea* Konow, 1907.  
*Alloscenia* Enderlein, 1919: 115. Type species: *Alloscenia maculitarsis* Enderlein, 1919.  
*Rhopalospiria* Enderlein, 1919: 116. Type species: *Tenthredo rubiginosa* Palisot de Beauvois, 1809.  
*Arge (Frivaldszkyiformis)* Ermolenko, 1975: 14, 21, 375.  
Type species: *Arge frivaldszkyi* (Tischbein, 1852).  
*Arge (Ochropusiformis)* Ermolenko, 1975: 14, 23, 375.  
Type species: no type species selected. Not available.  
*Arge (Paganiformis)* Ermolenko, 1975: 14, 33, 375. Type species: no type species selected. Not available.  
*Arge (Melanochroiformis)* Ermolenko, 1975: 14, 38, 375. Type species: no type species selected. Not available.  
*Arge (Pleuriticiformis)* Ermolenko, 1975: 14, 48, 375.  
Type species: no type species selected. Not available.  
*Arge (Ustulatiformis)* Ermolenko, 1975: 14, 51, 375.  
Type species: no type species selected. Not available.  
*Arge (Rusticiformis)* Ermolenko, 1975: 14, 76, 375. Type species: *Arge rustica* (Linné, 1758).  
*Arge (Berberidisformis)* Ermolenko, 1975: 14, 80, 375.  
Type species: *Arge berberidis* Schrank, 1802.

**79. *Arge altaica* Gussakovskij, 1935** 끝노랑등에잎벌  
*Arge altaica* Gussakovskij, 1935: 244, 410.

**Korean record.** Lee et al., 2015b.

**Host plant.** Unknown.

**Distribution.** Korea (South), China, Russia.

**80. *Arge captiva* (F. Smith, 1874)** 흥가슴루리등에잎벌  
(NK: 붉은가슴꽃잎벌, 붉은가슴사과잎벌)  
*Hylotoma captiva* F. Smith, 1874: 376.  
*Hylotoma flavidollis* Cameron, 1876: 460.  
*Arge sanguinolenta* Mocsáry, 1909: 4.  
*Arge kolthoffi* Forsius, 1927: 3-5.  
*Arge captiva rufoscutellata* Takeuchi, 1927a: 381.  
*Arge captiva* var. *watanabei* Takeuchi, 1932: 30, 35. Not available. Infrasubspecific name.

**Korean records.** Takeuchi, 1927a; Doi, 1938; Takeuchi, 1939; Cho, 1955; Kim, 1963; Zool. Soc. Kor., 1968;

Chu, 1969; Kim, 1970; Zombori, 1974; Kim et al., 1994; Lee et al., 1995a; Lee et al., 1996; Lee and Ryu, 1996a; Shinohara et al., 2009; Paek et al., 2010; Ahn et al., 2013; Lyu et al., 2014; Lee et al., 2015b.

**Host plants.** *Alnus* sp., *Ulmus americana* L., *Ulmus davidiana* var. *japonica* (Rehder) Nakai, *Ulmus laciniata* (Trautv.) Mayr, *Ulmus parvifolia* Jacq., *Ulmus pumila* L., *Ulmus* sp., *Zelkova* sp.

**Distribution.** Korea (South, North), China, India, Japan, Kazakhstan, Mongolia, Russia, Taiwan, Thailand.

**81. *Arge clavicornis* (Fabricius, 1781)** 자모산등에잎벌  
*Tenthredo clauicornis* Fabricius, 1781: 408.

*Hylotoma virescens* Klug, 1814: 296.

*Hylotoma analis* Leach, 1817: 123. Primary homonym of *Hylotoma analis* Fabricius, 1804.

**Korean record.** Lee et al., 2015b.

**Host plants.** *Alnus* sp., *Betula* sp., *Prunus* sp., *Salix* sp.

**Distribution.** Korea (locality unknown), USA.

**82. *Arge cyanocrocea* (Forster, 1771)** 청람등에잎벌

*Tenthredo cyano-crocea* [sic!] Forster, 1771: 78.

*Tenthredo coeruleoescens* Fabricius, 1775: 321.

*Tenthredo bicolor* Schrank, 1776: 84.

*Hylotoma Syriaca* [sic!] Mocsáry, 1880: 267.

*Hylotoma cyanocrocea* var. *Messanensis* [sic!] De Stefani, 1885: 185.

*Hylotoma syriaca* var. *damascena* Magretti, 1890: 525.

*Arge cyanocrocea* forma *afasciata* Ermolenko, 1975: 43. Not available. Infrasubspecific name.

**Korean records.** Takeuchi, 1939; Kim, 1970; Togashi, 1973; Kim, 1980; Kim et al., 1994; Lee and Ryu, 1996a; Paek et al., 2010; Lyu et al., 2014; Lee et al., 2015b.

**Host plants.** *Rubus* sp., *Sanguisorba officinalis* L.

**Distribution.** Korea (South), Albania, Andorra, Austria, Belgium, Bosnia and Herzegovina, Bulgaria, Croatia, Cyprus, Czech Republic, Denmark, Estonia, Finland, France, Germany, Great Britain, Greece, Hungary, Ireland, Italy, Latvia, Luxembourg, Macedonia, Montenegro, Netherlands, Poland, Portugal, Republic of Serbia, Romania, Russia, Slovakia, Slovenia, Spain, Switzerland, Turkey, Ukraine.

**83. *Arge dimidiata* (Fallén, 1808)** 쌍등에잎벌

*Hylotoma dimidiata* Fallén, 1808a: 42.

*Hylotoma rufescens* Drapiez, 1819: 49-50, pl. XVI fig. 8.

*Hylotoma fasciata* Lepeletier, 1823: 43. Primary homonym of *Hylotoma fasciata* Serville, 1823.

*Hylotoma fasciata* Serville, 1823: 12.

*Hylotoma mediata* Fallén, 1829: 22.

*Hylotoma aenescens* Förster, 1854a: 275.

*Hylotoma confusa* Dietrich, 1868: 353-354.

- Arge kongauensis* Rohwer, 1925b: 3.  
*Arge dimidiata* var. *aeneoviridescens* Bischoff, 1925: 335.  
*Arge pravei* Dovnar-Zapolskij, 1926: 17-18.  
*Arge dimidiata* ab. *unicolor* Gussakovskij, 1935: 254, 415. Not available. Infrasubspecific name.  
*Arge dimidiata* forma *nigrinervis* Ermolenko, 1975: 46. Not available. Infrasubspecific name.

**Korean records.** Takeuchi, 1939; Kim, 1963; Zool. Soc. Kor., 1968; Kim, 1970; Togashi, 1973; Kim et al., 1994; Lee and Ryu, 1996a; Paek et al., 2010; Lyu et al., 2014; Lee et al., 2015b.

**Host plants.** *Betula humilis* Schrank, *Betula pendula* Roth, *Betula pubescens* Ehrh., *Betula* sp.

**Distribution.** Korea (South), Austria, Belgium, Bulgaria, China, Czech Republic, Denmark, Estonia, Finland, France, Germany, Greece, Latvia, Lithuania, Macedonia, Montenegro, Netherlands, Norway, Poland, Republic of Serbia, Romania, Russia, Slovakia, Spain, Sweden, Switzerland, Ukraine.

#### 84. *Arge enodis* (Linné, 1767) 큰루리등에잎벌

- Tenthredo enodis* Linné, 1767: 922.  
*Tenthredo violacea* Fabricius, 1779: 64.  
*Tenthredo coeruleipennis* Retzius, 1783: 72.  
*Hylotoma atrata* Klug, 1814: 286-287.  
*Hylotoma amethystina* Klug, 1814: 301.  
*Hylotoma vulgaris* Klug, 1834: 230.

**Korean records.** Takeuchi, 1939; Kim, 1963; Zool. Soc. Kor., 1968; Kim, 1970; Kim and Lee, 1991; Kim et al., 1994; Lee and Ryu, 1996a; Paek et al., 2010; Lyu et al., 2014; Lee et al., 2015b.

**Host plants.** *Rosa* sp., *Salix alba* L., *Salix babylonica* L., *Salix × fragilis* L., *Salix gilgiana* Seemen, *Salix purpurea* L., *Salix* sp., *Salix vulpina* Andersson, *Salix yoshinoi* Koidz.

**Distribution.** Korea (South), Andorra, Austria, Belgium, Bulgaria, China, Croatia, Czech Republic, Denmark, Estonia, Finland, France, Germany, Great Britain, Greece, Hungary, Italy, Japan, Latvia, Luxembourg, Macedonia, Montenegro, Netherlands, Poland, Republic of Serbia, Romania, Russia, Slovakia, Spain, Sweden, Switzerland, Ukraine.

#### 85. *Arge expansa* (Klug, 1834) 흰다리먹등에잎벌

- Hylotoma expansa* Klug, 1834: 232.

**Korean records.** Zombori, 1978; Kim et al., 1994; Lee and Ryu, 1996a; Paek et al., 2010; Lyu et al., 2014.

**Host plants.** *Betula pendula* Roth, *Betula* sp., *Salix* sp.

**Distribution.** Korea (South, North), Austria, Belgium, China, Croatia, Finland, Germany, Great Britain, Hungary, Ireland, Italy, Latvia, Mongolia, Norway, Russia,

Sweden.

#### 86. *Arge flavomixta* (André, 1881) 백암등에잎벌

- Hylotoma Flavomixta* [sic!] André, 1881a: 574.

**Korean records.** Takeuchi, 1939; Kim, 1963; Zool. Soc. Kor., 1968; Kim, 1970; Lee and Ryu, 1996a; Paek et al., 2010; Lyu et al., 2014; Lee et al., 2015b; Lee et al., 2016b.

**Host plant.** Unknown.

**Distribution.** Korea (South), Russia.

#### 87. *Arge fuscipes fuscipes* (Fallén, 1808) 먹등에잎벌

- Hylotoma fuscipes* Fallén, 1808a: 43.

*Hylotoma violacea* Klug, 1814: 289.

*Hylotoma atro-coerulea* [sic!] Lepeletier, 1823: 44. Primary homonym of *Hylotoma atrocoerulea* Serville, 1823.

*Hylotoma atrocoerulea* Serville, 1823: 13.

*Arge fuscinervis* Lindqvist, 1974: 17.

**Korean records.** Takeuchi, 1939; Kim, 1963; Zool. Soc. Kor., 1968; Togashi, 1973; Kim et al., 1994; Lee and Ryu, 1996a; Paek et al., 2010; Lyu et al., 2014; Lee et al., 2015b.

**Host plants.** *Betula pendula* Roth, *Betula pubescens* var. *pumila* (L.) Govaerts, *Betula* sp., *Salix aurita* L., *Salix caprea* L., *Salix* sp.

**Distribution.** Korea (South), Austria, China, Germany.

#### 88. *Arge gracilicornis* (Klug, 1814) 작은루리등에잎벌

- Tenthredo coeruleascens* Geoffroy in Fourcroy, 1785: 373. Primary homonym of *Tenthredo coeruleascens* Fabricius, 1775.

*Tenthredo incolorata* Christ, 1791: 451. Nomen oblitum. *Hylotoma gracilicornis* Klug, 1814: 287-288. Nomen protectum.

*Hylotoma pilicornis* Leach, 1817: 121-122.

*Hylotoma cyanella* Klug, 1834: 231-232.

*Hylotoma crassa* Konow, 1884a: 308, 310-311.

**Korean records.** Takeuchi, 1939; Kim, 1963; Zool. Soc. Kor., 1968; Chu, 1969; Kim, 1970; Zombori, 1978; Lee and Ryu, 1996a; Paek et al., 2010; Lyu et al., 2014; Lee et al., 2015b.

**Host plants.** *Rosa canina* L., *Rosa* sp., *Rubus caesius* L., *Rubus fruticosus* L., *Rubus idaeus* L., *Rubus nessensis* Hall, *Rubus plicatus* Weihe and Nees, *Rubus* sp.

**Distribution.** Korea (South, North), Albania, Austria, Belgium, Bosnia and Herzegovina, China, Croatia, Czech Republic, Denmark, Estonia, Finland, France, Germany, Great Britain, Hungary, Ireland, Italy, Latvia, Luxembourg, Netherlands, Norway, Poland, Romania, Russia, Slovakia, Slovenia, Spain, Switzerland, Ukraine.

**89. *Arge hasegawae* Takeuchi, 1927** 하세가와등에잎벌  
*Arge hasegakae* [sic!] Takeuchi, 1927a: 381.

**Korean records.** Takeuchi, 1927a; Takeuchi, 1932; Takeuchi, 1939; Kim, 1963; Zool. Soc. Kor., 1968; Kim, 1970; Kim et al., 1994; Lee and Ryu, 1996a; Paek et al., 2010; Shinohara et al., 2011; Lyu et al., 2014; Lee et al., 2015b.

**Host plant.** *Rubus crataegifolius* Bunge.

**Distribution.** Korea (South).

**90. *Arge jonasi* (W.F. Kirby, 1882)** 청등에잎벌  
*Hylotoma nigritarsis* F. Smith, 1874: 374. Primary homonym of *Hylotoma nigritarsis* Klug, 1834.  
*Hylotoma jonasi* W.F. Kirby, 1882: 61. Name for *Hylotoma nigritarsis* F. Smith, 1874.  
*Hylotoma japonica* Marlatt, 1898: 504.

**Korean records.** Doi, 1938; Kim, 1963; Zool. Soc. Kor., 1968; Kim, 1970; Togashi, 1973; Kim, 1980; Kim et al., 1994; Lee et al., 1995a; Lee et al., 1996; Lee and Ryu, 1996a; Paek et al., 2010; Lyu et al., 2014; Lee et al., 2015b.

**Host plant.** *Photinia villosa* (Thunb.) DC.

**Distribution.** Korea (South), China, Japan.

**91. *Arge koreana* Wei and Lee, 2016** 벅청등에잎벌  
*Arge koreana* Wei and Lee in Choi et al., 2016: 186.

**Korean records.** Choi et al., 2016; Lee et al., 2016b.

**Host plant.** Unknown.

**Distribution.** Korea (South).

**Remark.** Lee et al. (2015) firstly recorded *Arge lingulopygia* Wei and Nie, 1998 from South Korea. However, Choi et al. (2016) had determined that this was a misidentification of *A. koreana*, based on an examination of all voucher specimens.

**92. *Arge longicornis* Kuznetzov-Ugamskij, 1927**  
 제주등에잎벌

*Arge longicornis* Kuznetzov-Ugamskij, 1927: 236-237.  
*Arge ciliaris* var. *pacifica* Malaise, 1931b: 152. Not available. Infrasubspecific name.

**Korean records.** Shinohara et al., 2012; Lee et al., 2015b; Lee et al., 2016b.

**Host plants.** *Berberis amurensis* Rupr., *Berberis thunbergii* DC.

**Distribution.** Korea (South), China, Japan, Russia.

**93. *Arge macrops* Shinohara, Hara and Kim, 2009**  
 왕눈이홍가슴등에잎벌

*Arge macrops* Shinohara, Hara and Kim, 2009: 252-258.

**Korean records.** Shinohara et al., 2009; Lee et al., 2015b; Lee et al., 2016b.

**Host plant.** Unknown.

**Distribution.** Korea (South), China, Russia.

**94. *Arge mali* (Uchiyama, 1906)** 사과등에잎벌  
 (NK: 사과꽃잎벌, 사과잎벌)

*Hylotoma mali* Uchiyama, 1906: 53-55, pl. 5.

*Arge xanthocera* Mocsáry, 1909: 4-5.

*Hylotoma* (*Arga*) *mali* Matsumura, 1912: 35-36. Primary homonym of *Hylotoma mali* Uchiyama, 1906.

**Korean records.** Takeuchi, 1939; Cho, 1961; Kim, 1963; Zool. Soc. Kor., 1968; Chu, 1969; Kim, 1970; Togashi, 1973; Zombori, 1978; Kim, 1980; Togashi, 1992a; Kim et al., 1994; Lee and Ryu, 1996a; Paek et al., 2010; Ahn et al., 2013; Lyu et al., 2014; Lee et al., 2015b.

**Host plants.** *Malus* sp., *Malus sylvestris* (L.) Mill., *Pyrus* sp.

**Distribution.** Korea (South, North), China.

**95. *Arge nigripes alpina* (Konow, 1884)** 검정등에잎벌  
 (NK: 검은꽃잎벌)

*Hylotoma alpina* Konow, 1884b: 277.

**Korean records.** Zombori, 1978; Kim et al., 1994; Lee and Ryu, 1996a; Choi and Ko, 2006; Paek et al., 2010; Ahn et al., 2013; Lyu et al., 2014; Lee et al., 2015b.

**Host plant.** Unknown.

**Distribution.** Korea (North), France, Switzerland.

**96. *Arge nigrovaginata* Malaise, 1931** 끝검정등에잎벌  
*Arge pagana* var. *nigrovaginata* Malaise, 1931b: 152.

**Korean records.** Zombori, 1974; Togashi, 1990a; Kim et al., 1994; Lee et al., 1996a; Lee and Ryu, 1996a; Paek et al., 2010; Lyu et al., 2014; Lee et al., 2015b.

**Host plant.** Unknown.

**Distribution.** Korea (South, North), China, Russia.

**97. *Arge nippensis* Rohwer, 1910** 왜장미등에잎벌  
 (NK: 들꽃잎벌)

*Arge nippensis* Rohwer, 1910a: 102-103.

**Korean records.** Takeuchi, 1927a; Takeuchi, 1932; Takeuchi, 1939; Kim, 1963; Zool. Soc. Kor., 1968; Chu, 1969; Kim, 1970; Togashi, 1973; Zombori, 1978; Kim, 1980; Kim et al., 1994; Lee et al., 1995a; Lee et al., 1995b; Lee et al., 1995c; Lee et al., 1996; Lee and Ryu, 1996a; Paek et al., 2010; Ahn et al., 2013; Lyu et al., 2014; Lee et al., 2015b.

**Host plants.** *Rosa multiflora* Thunb., *Rosa* sp.

**Distribution.** Korea (South, North), China, Japan.

- 98. *Arge pagana pagana* (Panzer, 1797)** 장미등에잎벌  
(NK: 장미꽃잎벌)  
*Tenthredo pagana* Panzer, 1797: 16. Nomen protectum  
(See Blank *et al.*, 2009).  
*Tenthredo tricolor* Gmelin, 1790: 2657. Nomen oblitum.  
*Tenthredo nigripennis* Panzer, 1804: 168.  
*Hylotoma flaviventris* Fallén, 1807: 202.  
*Hylotoma assimilis* Radoszkowski, 1889: 232. Primary homonym of *Hylotoma assimilis* Fallén, 1807.

**Korean records.** Radoszkowski, 1889; Takeuchi, 1927a; Takeuchi, 1932; Doi, 1938; Takeuchi, 1939; Kim, 1963; Zool. Soc. Kor., 1968; Chu, 1969; Kim, 1970; Zombori, 1978; Kim, 1980; Kim *et al.*, 1994; Lee *et al.*, 1996; Lee and Ryu, 1996a; Paek *et al.*, 2010; Ahn *et al.*, 2013; Lyu *et al.*, 2014; Lee *et al.*, 2015b.

**Host plants.** *Rosa canina* L., *Rosa hybrida* Hort., *Rosa majalis* Herrm., *Rosa multiflora* Thunb., *Rosa* sp.

**Distribution.** Korea (South, North), China, Germany, Greece, India, Japan.

- 99. *Arge parasimilis* Wei, 2003** 어리극동등에잎벌  
*Arge parasimilis* Wei in Wei and Nie, 2003: 178-179, 211-212.

**Korean record.** Lee *et al.*, 2015b.

**Host plant.** Unknown.

**Distribution.** Korea (South), China.

- 100. *Arge pilopenis* Wei, 2002** 흰다리등에잎벌  
*Arge pilopenis* Wei in Wen and Wei, 2002: 59-62.

**Korean records.** Lee *et al.*, 2015b; Lee *et al.*, 2016b.

**Host plant.** Unknown.

**Distribution.** Korea (South), China.

- 101. *Arge potanini* Jakowlew, 1891** 떠등에잎벌  
*Arge Potanini* [sic!] Jakowlew, 1891: 18-19.  
*Hylotoma zonalis* Matsumura, 1911: 87.

**Korean records.** Takeuchi, 1927a; Kim, 1963; Zool. Soc. Kor., 1968; Kim *et al.*, 1994; Lee and Ryu, 1996a; Paek *et al.*, 2010; Lee *et al.*, 2015b.

**Host plant.** Unknown.

**Distribution.** Korea (South), China.

- 102. *Arge pseudorejecta* Wei and Lee, 2016**  
어리홍가슴등에잎벌  
*Arge pseudorejecta* Wei and Lee in Choi *et al.*, 2016: 187-189.

**Korean record.** Choi *et al.*, 2016.

**Host plant.** Unknown.

**Distribution.** Korea (South), China.

**Remark.** Lee *et al.* (2015) firstly recorded *Arge pseudosiluncula* Wei and Nie, 1998 from South Korea and China. However, Choi *et al.* (2016) had determined that this was a misidentification of *A. pseudorejecta*, based on an examination of all voucher specimens.

- 103. *Arge pullata* (Zaddach, 1859)** 검정날개등에잎벌  
*Hylotoma pullata* Zaddach, 1859: 5-6.  
*Hylotoma ventriosa* Zaddach, 1864: 93-94.  
*Arge nyemitawa* Rohwer, 1925b: 3-4.

**Korean records.** Lee *et al.*, 2015b; Lee *et al.*, 2016b.

**Host plants.** *Betula albosinensis* Burkill, *Betula pendula* Roth, *Betula platyphylla* Sukaczev, *Betula pubescens* Ehrh., *Betula* sp.

**Distribution.** Korea (South), Austria, Belarus, China, Croatia, Czech Republic, Denmark, Estonia, Finland, France, Germany, Italy, Macedonia, Montenegro, Netherlands, Poland, Republic of Serbia, Romania, Russia, Slovakia, Switzerland, Ukraine.

- 104. *Arge reversinervis* Wei, 2008** 긴더듬이등에잎벌  
*Arge reversinervis* Wei, 2008: 520-522.

**Korean records.** Lee *et al.*, 2015b; Lee *et al.*, 2016b.

**Host plant.** Unknown.

**Distribution.** Korea (South), China.

- 105. *Arge shengi* Wei and Lee, 2016** 어리검정등에잎벌  
*Arge shengi* Wei and Lee in Choi *et al.*, 2016: 189-192.

**Korean record.** Choi *et al.*, 2016.

**Host plant.** Unknown.

**Distribution.** Korea (South), China.

**Remark.** Lee *et al.* (2015) firstly recorded *Arge siluncula* Konow, 1906 from South Korea and China. However, Choi *et al.* (2016) had determined that this was a misidentification of *A. shengi*, based on an examination of all voucher specimens.

- 106. *Arge similis* (Snellen van Vollenhoven, 1860)**  
극동등에잎벌  
*Hylotoma similis* Snellen van Vollenhoven, 1860: 128.  
*Hylotoma imperator* F. Smith, 1874: 374.

**Korean records.** Kim, 1963; Zool. Soc. Kor., 1968; Kim, 1970; Togashi and Tano, 1987; Kim *et al.*, 1994; Lee *et al.*, 1995a; Lee *et al.*, 1996; Lee and Ryu, 1996a; Paek *et al.*, 2010; Lyu *et al.*, 2014; Lee *et al.*, 2015b.

**Host plant.** *Rhododendron* sp.

**Distribution.** Korea (South), China, India, Japan, Nepal.

- 107. *Arge simillima* (F. Smith, 1874)** 집게검정등에잎벌  
*Hylotoma simillima* F. Smith, 1874: 375.

*Arge forficula* Jakowlew, 1891: 17-18.

*Arge coriacea* Jakowlew, 1891: 21.

*Arge simillima* var. *asahi* Takeuchi, 1932: 34.

**Korean records.** Paek et al., 2010; Lyu et al., 2014; Lee et al., 2015b.

**Host plant.** Unknown.

**Distribution.** Korea (South), China.

### 108. *Arge suspicax* Konow, 1908 속녀등에잎벌 (NK: 큰꽃잎벌)

*Arge suspicax* Konow, 1908a: 82-83.

*Arge punctifrons* Kuznetzov-Ugamskij, 1927: 233-234.

*Arge masudai* Takeuchi, 1932: 38-39.

**Korean records.** Doi, 1938; Kim, 1963; Zool. Soc. Kor., 1968; Chu, 1969; Kim, 1970; Zombori, 1978; Kim et al., 1994; Lee and Ryu, 1996a; Shinohara et al., 2008; Paek et al., 2010; Ahn et al., 2013; Lyu et al., 2014; Lee et al., 2015b.

**Host plant.** *Sanguisorba officinalis* L.

**Distribution.** Korea (South, North), China, Mongolia.

### 109. *Arge ustulata* (Linné, 1758) 북방등에잎벌

*Tenthredo ustulata* Linné, 1758: 556.

*Tenthredo flavipes* Retzius, 1783: 71. Primary homonym of *Tenthredo flavipes* O.F. Müller, 1776.

*Tenthredo ochroptera* Geoffroy in Fourcroy, 1785: 365.

*Tenthredo crocipennis* Christ, 1791: 450.

*Tenthredo pilicornis* Preyssler in Preyssler, Lindacker and Hoser, 1793: 231-232.

*Hylotoma claripennis* Rudow, 1871: 382-383.

*Hylotoma distinguenda* Konow, 1884b: 278.

*Arge monostega* Konow, 1886a: 73-74.

*Hylotoma anceps* Radoszkowski, 1889: 232.

*Arge ustulata* var. *stigmatica* Pic, 1927: 2.

*Arge ustulata* forma *ruficornis* Ermolenko, 1975: 53.  
Not available. Infrasubspecific name.

**Korean records.** Radoszkowski, 1890; Takeuchi, 1939; Kim, 1963; Zool. Soc. Kor., 1968; Kim, 1970; Kim et al., 1994; Lee and Ryu, 1996a; Paek et al., 2010; Lyu et al., 2014; Lee et al., 2015b.

**Host plants.** *Betula pendula* Roth, *Betula pubescens* Ehrh., *Betula* sp., *Crataegus* sp., *Rosa* sp., *Salix alba* L., *Salix alba* var. *vitellina* (L.) Stokes, *Salix aurita* L., *Salix caprea* L., *Salix cinerea* L., *Salix* × *fragilis* L., *Salix* sp., *Vaccinium uliginosum* L.

**Distribution.** Korea (South), Andorra, Austria, Belarus, Belgium, Bulgaria, Croatia, Czech Republic, Denmark, Estonia, Finland, France, Germany, Great Britain, Greece, Hungary, Ireland, Italy, Latvia, Lithuania, Luxembourg, Mongolia, Montenegro, Netherlands, Norway, Poland, Portugal, Republic of Serbia, Romania, Russia, Slovakia,

Spain, Sweden, Switzerland, Ukraine.

### Genus *Spinarge* Wei, 1998 배뿔등에잎벌속

*Spinarge* Wei, 1997: 296-297. Not available.

*Spinarge* Wei, 1998a: 219-220. Type species: *Spinarge sichuanensis* Wei, 1998.

### 110. *Spinarge fulvicornis* (Mocsáry, 1909)

뿔청등에잎벌

*Arge fulvicornis* Mocsáry, 1909: 5.

**Korean records.** Kim, 1970; Kim, 1980; Kim et al., 1994; Lee and Ryu, 1996a; Hara and Shinohara, 2006; Paek et al., 2010; Lyu et al., 2014; Lee et al., 2015b.

**Host plants.** *Malus toringo* (Siebold) Siebold ex de Vriese, *Photinia villosa* (Thunb.) DC., *Sorbus alnifolia* (Siebold and Zucc.) K. Koch, *Sorbus commixta* Hedl.

**Distribution.** Korea (South), China, Japan.

### 111. *Spinarge metallica* (Klug, 1834) 금빛등에잎벌

(NK: 금속빛꽃잎벌)

*Hylotoma metallica* Klug, 1834: 232-233.

**Korean records.** Takeuchi, 1939; Kim, 1963; Zool. Soc. Kor., 1968; Chu, 1969; Kim, 1970; Kim et al., 1994; Lee and Ryu, 1996a; Choi and Ko, 2006; Hara and Shinohara, 2006; Paek et al., 2010; Ahn et al., 2013; Lyu et al., 2014; Lee et al., 2015b.

**Host plants.** *Betula pendula* Roth, *Betula* sp.

**Distribution.** Korea (South, North), Austria, Belarus, Belgium, China, Czech Republic, Denmark, Estonia, Finland, France, Germany, Great Britain, Ireland, Latvia, Mongolia, Netherlands, Poland, Romania, Russia, Slovakia, Switzerland, Ukraine.

### 112. *Spinarge prunivora* Hara and Shinohara, 2006

검은머리배뿔등에잎벌

*Spinarge prunivora* Hara and Shinohara, 2006: 82-84.

**Korean records.** Hara and Shinohara, 2006; Paek et al., 2010; Shinohara and Hara, 2013; Lyu et al., 2014; Hara et al., 2018.

**Host plants.** *Cerasus yedoensis* (Matsum.) A.N. Vassiljeva, *Prunus sargentii* Rehder, *Prunus* × *yedoensis* Matsum.

**Distribution.** Korea (South), Japan.

Subfamily Sterictiphorinae Konow, 1890

두갈래등에잎벌아과

### Genus *Aproceros* Malaise, 1931 느릅나무등에잎벌속

*Aproceros* Malaise, 1931b: 152. Type species: *Aproceros umbricola* Malaise, 1931.

**113. *Aproceros pallidicornis* (Mocsáry 1909)**

속리느릅나무등에잎벌

*Aprosthemma pallidicornis* Mocsáry, 1909: 9.

*Aproceros umbricola* Malaise, 1931b: 153.

**Korean records.** Choi *et al.*, 2015; Lee *et al.*, 2015b; Lee *et al.*, 2016b.

**Host plant.** Unknown.

**Distribution.** Korea (South), Russia.

2017: 68-69.

**Korean records.** Lee *et al.*, 2017; Wei *et al.*, 2017.

**Host plant.** Unknown.

**Distribution.** Korea (South).

**Remark.** Lee *et al.* (2015) firstly recorded *Sterictiphora pedicella* Wei, 1998 from South Korea. However, Wei *et al.* (2017) had determined that this was a misidentification of *S. rugosa*, based on an examination of all voucher specimens.

**117. *Sterictiphora tanoi* Togashi, 1997**

타노이두갈래등에잎벌

*Sterictiphora tanoi* Togashi, 1997: 29-31.

**Korean records.** Togashi, 1997; Paek *et al.*, 2010; Lyu *et al.*, 2014; Lee *et al.*, 2015b; Wei *et al.*, 2017.

**Host plant.** Unknown.

**Distribution.** Korea (South).

**Remark.** Lee *et al.* (2015) firstly recorded *Sterictiphora elevata* Wei, 1998 from South Korea. However, Wei *et al.* (2017) had determined that this was a misidentification of *S. tanoi*, based on an examination of all voucher specimens.

**Genus *Yasumatsua* Togashi, 1970** 넓적발톱등에잎벌속

*Yasumatsua* Togashi, 1970: 49. Type species: *Yasumatsua nigra* Togashi, 1970.

**118. *Yasumatsua koreana* Lee and Lee, 2015**

넓적발톱등에잎벌

*Yasumatsua koreana* Lee and Lee in Choi *et al.*, 2015: 324-325.

**Korean records.** Choi *et al.*, 2015; Lee *et al.*, 2015b; Lee *et al.*, 2016b.

**Host plant.** Unknown.

**Distribution.** Korea (South).

Family Blasticotomidae Thomson, 1871

고사리줄기잎벌과

**Genus *Blasticotoma* Klug, 1834** 고사리줄기잎벌속

*Blasticotoma* Klug, 1834: 251. Type species: *Blasticotoma filiceti* Klug, 1834.

**119. *Blasticotoma filiceti pacifica* Malaise, 1931**

고사리줄기잎벌

*Blasticotoma filiceti* var. *pacificus* Malaise, 1931c: 212.

**Korean records.** Kim *et al.*, 1997; Paek *et al.*, 2010; Lyu *et al.*, 2014.

**Host plants.** *Allantodia squamigera* (Mett.) Ching, *Matteuccia struthiopteris* (L.) Tod., *Osmundastrum cinn-*

**115. *Sterictiphora notensis* Togashi, 1968**

갑장두갈래등에잎벌

*Sterictiphora notensis* Togashi, 1968: 286, 288-289.

**Korean records.** Lee *et al.*, 2015b; Lee *et al.*, 2016b; Wei *et al.*, 2017.

**Host plant.** *Rosa luciae* Franch. and Rochebr.

**Distribution.** Korea (South), Japan.

**116. *Sterictiphora rugosa* Lee J-W and Wei, 2017**

가슴주름두갈래등에잎벌

*Sterictiphora rugosa* Lee J-W and Wei in Wei *et al.*,

*amomeum* (L.) C. Presl.

**Distribution.** Korea (South), China, Japan, Russia.

Family Cimbicidae W. Kirby, 1837 수종다리잎벌과

Subfamily Abiinae Thomson, 1871

구리수종다리잎벌아과

**Genus *Abia* Leach, 1817** 구리수종다리잎벌속

*Abia* Leach, 1817: 102, 113. Type species: *Tenthredo sericea* Linneé, 1767.

*Zaraea* Leach, 1817: 113. Type species: *Tenthredo fasciata* Linneé, 1758.

*Abia (Parabia)* Semenov, 1891: 174. Type species: *Abia jakowlewi* Semenov, 1891.

*Zaraea (Auroabia)* Kangas, 1946: 89. Type species: *Zaraea (Auroabia) aurulenta* (Sichel, 1856).

*Abia (Aenoabia)* Kangas, 1946: 88. Type species: *Abia mutica* Thomson, 1871.

*Procimbex* Hong, 1984: 7-8. Type species: *Procimbex shanwangensis* Hong, 1984.

**120. *Abia aurata* (Takeuchi, 1931)**

꼬마금빛수종다리잎벌

*Zaraea aurata* Takeuchi, 1931: 26.

**Korean records.** Lee and Jung, 1999; Paek et al., 2010; Lyu et al., 2014.

**Host plant.** Unknown.

**Distribution.** Korea (South), Japan.

**121. *Abia berezowskii* Semenov, 1896**

북방수종다리잎벌 (NK: 북방수풀잎벌)

*Abia berezowskii* Semenov, 1896a: 171-172.

**Korean records.** Doi, 1938; Takeuchi, 1939; Chu, 1969; Togashi, 1973; Kim et al., 1994; Ahn et al., 2013.

**Host plant.** Unknown.

**Distribution.** Korea (South, North), China, Mongolia.

**122. *Abia fasciata* (Linneé, 1758)**

삼각금빛수종다리잎벌

*Tenthredo fasciata* Linneé, 1758: 555.

**Korean records.** Lee and Jung, 1999; Paek et al., 2010; Lyu et al., 2014.

**Host plants.** *Betula* sp., *Leycesteria* sp., *Linnaea borealis* L., *Lonicera caerulea* L., *Lonicera periclymenum* L., *Lonicera* sp., *Lonicera tatarica* L., *Lonicera venulosa* subsp. *edulis* (Turcz. ex Freyn) Vorosch., *Lonicera xylosteum* L., *Salix* sp., *Symporicarpos albus* (L.) S.F. Blake, *Symporicarpos orbiculatus* Moench, *Symporicarpos* sp.

**Distribution.** Korea (South), Austria, Belgium, Bosnia and Herzegovina, Canada, China, Croatia, Czech

Republic, Denmark, Estonia, Finland, France, Germany, Great Britain, Hungary, Ireland, Italy, Latvia, Netherlands, Norway, Poland, Romania, Russia, Slovakia, Slovenia, Spain, Sweden, Switzerland, Ukraine.

**123. *Abia formosa* Takeuchi, 1927** 구리수종다리잎벌  
*Abia formosa* Takeuchi, 1927b: 201-202.

**Korean records.** Kim, 1963; Zool. Soc. Kor., 1968; Kim, 1970; Shinohara, 1990; Kim et al., 1994; Lee and Ryu, 1996a; Lee and Jung, 1999; Paek et al., 2010; Lyu et al., 2014.

**Host plant.** Unknown.

**Distribution.** Korea (South), China, Japan, Taiwan.

**124. *Abia marginata* Mocsáry, 1909**

태두리금빛수종다리잎벌

*Abia marginata* Mocsáry, 1909: 2.

**Korean records.** Togashi, 1973; Lee and Ryu, 1996a; Paek et al., 2010; Lyu et al., 2014.

**Host plant.** Unknown.

**Distribution.** Korea (South).

**125. *Abia metallica* Mocsáry, 1909** 금빛수종다리잎벌

(NK: 빛잎벌)

*Abia metallica* Mocsáry, 1909: 1-2.

**Korean records.** Doi, 1938; Takeuchi, 1939; Kim, 1963; Zool. Soc. Kor., 1968; Chu, 1969; Kim, 1970; Kim et al., 1994; Lee and Ryu, 1996a; Lee and Jung, 1999; Paek et al., 2010; Ahn et al., 2013; Lyu et al., 2014; Hara and Shinohara, 2017.

**Host plant.** *Lonicera japonica* Thunb.

**Distribution.** Korea (South, North), China, Japan, Russia.

**126. *Abia semenoviana* Gussakovskij, 1947**

청동수종다리잎벌

*Abia semenoviana* Gussakovskij, 1947: 103, 111-112.

**Korean records.** Shinohara, 1990; Kim et al., 1994; Lee and Ryu, 1996a; Lee and Jung, 1999; Paek et al., 2010; Lyu et al., 2014.

**Host plant.** Unknown.

**Distribution.** Korea (South), China, Russia.

**Genus *Orientabia* Malaise, 1934** 번데기잎벌속

*Orientabia* Malaise, 1934b: 36. Type species: *Abia egeriae* Kuznetzov-Ugamskij, 1927.

*Hemibia* Semenov in Semenov-Tian-Shanskij and Gussakovskij, 1937: 1. Type species: no type species selected.

**127. *Orientabia coreana* (Takeuchi, 1927) 번데기잎벌**  
*Abia coreana* Takeuchi, 1927a: 382.  
*Orientabia pacifica* Semenov and Gussakovskij, 1937: 3.

**Korean records.** Takeuchi, 1927a; Takeuchi, 1931; Takeuchi, 1939; Kim, 1963; Kim, 1970; Togashi, 1973; Kim et al., 1994; Lee et al., 1995b; Lee et al., 1995c; Lee et al., 1996; Lee and Ryu, 1996a; Lee and Jung, 1999; Paek et al., 2010; Lyu et al., 2014.

**Host plant.** Unknown.

**Distribution.** Korea (South, North), Russia.

### 128. *Orientabia japonica* (Cameron, 1887)

루리번데기잎벌  
*Abia japonica* Cameron, 1887: 499.  
*Abia pilosa* Konow, 1896b: 48.  
*Abia relativa* Rohwer, 1910a: 105.  
*Abia bantaizana* Matsumura, 1912: 34.  
*Orientabia finitima* Semenov and Gussakovskij, 1937: 2.

**Korean records.** Doi, 1938; Takeuchi, 1939; Kim, 1963; Kim, 1970; Togashi, 1973; Kim et al., 1994; Lee and Ryu, 1996a; Lee and Jung, 1999; Paek et al., 2010; Lyu et al., 2014.

**Host plants.** *Weigela coraeensis* Thunb., *Weigela* sp.

**Distribution.** Korea (South, North), Japan, Russia.

Subfamily Cimbicinae Curtis, 1825 수종다리잎벌아과

**Genus *Agenocimbex* Rohwer, 1910**  
 무늬수종다리잎벌속

*Agenocimbex* Rohwer, 1910a: 104-105. Type species: *Cimbex maculata* Marlatt, 1898.

### 129. *Agenocimbex eous* Semenov, 1935

흑무늬수종다리잎벌  
*Agenocimbex eoa* [sic!] Semenov, 1935: 9-11.

**Korean records.** Lee and Jung, 1999; Paek et al., 2010; Lyu et al., 2014.

**Host plant.** Unknown.

**Distribution.** Korea (South), Japan.

### 130. *Agenocimbex maculatus* (Marlatt, 1898)

무늬수종다리잎벌  
*Cimbex jucunda* [sic!] Mocsáry, 1896: 1. Primary homonym of *Cimbex jucunda* Klug, 1834.  
*Cimbex maculata* [sic!] Marlatt, 1898: 498-499.

**Korean records.** Kim, 1963; Zool. Soc. Kor., 1968; Kim, 1970; Togashi, 1973; Kim, 1980; Kim et al., 1994; Lee and Ryu, 1996a; Lee and Jung, 1999; Paek et al., 2010;

Lyu et al., 2014.

**Host plants.** *Celtis julianae* C.K. Schneid., *Celtis sinensis* Pers.

**Distribution.** Korea (South), China, Japan.

### Genus *Cimbex* Olivier, 1791 수종다리잎벌속

*Crabro* Geoffroy, 1762: 261-262. Type species: *Crabro humeralis* Geoffroy, 1785.

*Clavellarius* Olivier, 1789: 22. Type species: *Tenthredo lutea* Linné, 1758.

*Cimbex* Olivier, 1791: 760. Type species: *Tenthredo lutea* Linné, 1758.

*Clavellaria* Lamarck, 1801: 264. Name for *Clavellarius* Olivier, 1789.

*Palaeocimbex* Semenov, 1935: 8-9. Type species: *Cimbex carinulata* Konow, 1897.

*Palaeocimbex* (*Deuterocimbex*) Semenov, 1935: 9. Type species: *Cimbex quadrimaculata* (O.F. Müller, 1766).

*Neocimbex* Malaise, 1937a: 134. Type species: *Tenthredo lutea* Linné, 1758.

*Allocimbex* Zirngiebl, 1953: 234-235. Type species: *Allocimbex obscura* Zirngiebl, 1953.

### 131. *Cimbex carinulatus* Konow, 1897 배수종다리잎벌 (NK: 오목잎술잎벌)

*Cimbex carinulata* [sic!] Konow, 1897b: 104, 106-107.

*Cimbex nomurae* Marlatt, 1898: 496-497.

*Cimbex suzukii* Matsumura, 1912: 27-28.

**Korean records.** Uchida, 1927; Takeuchi, 1931; Doi, 1938; Takeuchi, 1939; Cho, 1955; Kim, 1963; Zool. Soc. Kor., 1968; Chu, 1969; Kim, 1970; Togashi, 1973; Kim, 1980; Kim et al., 1994; Lee and Ryu, 1996a; Lee and Jung, 1999; Choi and Ko, 2006; Paek et al., 2010; Ahn et al., 2013; Lyu et al., 2014.

**Host plants.** *Amelanchier asiatica* (Siebold and Zucc.) Endl. ex Walp., *Cydonia* sp., *Prunus* sp., *Pyrus* sp.

**Distribution.** Korea (South, North), Japan.

### 132. *Cimbex connatus taukushi* Marlatt, 1898

타우쿠시수종다리잎벌  
*Cimbex taukushi* Marlatt, 1898: 497.

*Cimbex taucushiensis* Konow, 1905: 152. Name for *Cimbex taukushi* Marlatt, 1898.

*Cimbex castanea* Matsumura and Uchida in Uchida, 1927: 160-161.

*Neocimbex taukushi* var. *carbonaria* [sic!] Malaise, 1939: 12.

**Korean records.** Kim, 1963; Zool. Soc. Kor., 1968; Kim, 1970; Kim, 1980; Kim et al., 1994; Lee and Ryu, 1996a; Lee and Jung, 1999; Paek et al., 2010; Lyu et al., 2014.

**Host plants.** *Alnus japonica* (Thunb.) Steud., *Alnus* sp.

**Distribution.** Korea (South), China, Japan, Mongolia.

**133. *Cimbex connatus tricolor* Hara and Shinohara, 2000** 삼색수중다리잎벌(신칭)

*Cimbex connatus tricolor* Hara and Shinohara, 2000: 211-214.

**Korean records.** Hara and Shinohara, 2000; Paek et al., 2010; Lyu et al., 2014.

**Host plant.** Unknown.

**Distribution.** Korea (South).

**134. *Cimbex femoratus* (Linné, 1758) 수중다리잎벌  
(NK: 넓적다리벼들잎벌)**

*Tenthredo femorata* Linné, 1758: 555.

*Tenthredo tristis* Fabricius, 1779: 334.

*Crabro lunulatus* Geoffroy in Fourcroy, 1785: 362.

*Crabro annulatus* Geoffroy in Fourcroy, 1785: 362.

*Tenthredo sylvarum* Fabricius, 1793: 105-106.

*Cimbex Europaea* [sic!] Leach, 1817: 104.

*Cimbex varians* Leach, 1817: 105.

*Cimbex variabilis* Klug, 1820: 72.

*Tenthredo russa* Klug, 1820: 79.

*Cimbex schaefferi* Lepeletier, 1823: 26. Primary homonym of *Cimbex schaefferi* Serville, 1823.

*Cimbex pallens* Lepeletier, 1823: 28-30. Primary homonym of *Cimbex pallens* Serville, 1823.

*Cimbex Schaefferi* [sic!] Serville, 1823: 3.

*Cimbex pallens* Serville, 1823: 5.

*Cimbex pallidus* Stephens, 1829: 324. Not available.  
Nomen nudum.

*Cimbex venusta* [sic!] Perty, 1833: 129.

*Cimbex Biguetina* [sic!] Lepeletier, 1834: 455.

*Cimbex pallida* [sic!] Stephens, 1835: 7.

*Cimbex betulae* Zaddach, 1863: 249.

*Cimbex betulae* var. *pulla* [sic!] Zaddach, 1863: 250.

*Cimbex betulae* var. *feminae flavo-maculata* [sic!] Zaddach, 1863: 250. Not available.

*Cimbex betulae* var. *feminae lutescens* [sic!] Zaddach, 1863: 251. Not available.

*Cimbex betulae* var. *lutescens* Zaddach, 1863: 251. Not available. Infrasubspecific name.

*Cimbex betulae* var. *nigra* Zaddach, 1863: 250. Not available. Infrasubspecific name.

*Cimbex tonnaitchana* [sic!] Matsumura, 1911: 86, pl. II, fig. 3.

*Cimbex femorata* var. *unicolor* Enslin, 1917: 569.

*Cimbex femorata* var. *abdominalis* Enslin, 1917: 569.

*Cimbex femorata* var. *ornata* [sic!] Uchida, 1927: 159.  
Primary homonym of *Cimbex ornata* Serville, 1823.

*Cimbex quadrimaculata* var. *sachalinensis* Uchida, 1927: 161.

*Crabro uchidai* Takeuchi, 1931: 19. Name for *Cimbex femorata* var. *ornata* Uchida, 1927.

*Cimbex femorata* forma *coeruleomicans* Kapuściński, 1963: 237. Not available. Infrasubspecific name.

*Cimbex femorata* forma *mongolica* Kapuściński, 1963: 239. Not available. Infrasubspecific name.

*Cimbex femorata* forma *rubicollis* Kapuściński, 1963: 244. Not available. Infrasubspecific name.

*Cimbex femorata* forma *apicenotata* Kapuściński, 1963: 244. Not available. Infrasubspecific name.

*Cimbex femorata* forma *rubromaculata* Kapuściński, 1963: 246. Not available. Infrasubspecific name.

*Cimbex femorata* forma *bazyluki* Kapuściński, 1963: 247. Not available. Infrasubspecific name.

*Cimbex femorata* forma *silvicola* Kapuściński, 1963: 248. Not available. Infrasubspecific name.

*Cimbex femorata* forma *subabdominalis* Kapuściński, 1963: 251. Not available. Infrasubspecific name.

*Cimbex femorata* forma *nowakowskii* Kapuściński, 1963: 252. Not available. Infrasubspecific name.

*Cimbex femorata* ab. *flavitegula* Stroganova, 1973: 76-78. Not available. Infrasubspecific name.

*Cimbex femorata* ab. *nigroscutellum* Stroganova, 1973: 78. Not available. Infrasubspecific name.

*Cimbex femorata* ab. *fuscescens* Stroganova, 1973: 79. Not available. Infrasubspecific name.

*Cimbex femorata* ab. *lucidus* Stroganova, 1973: 79. Not available. Infrasubspecific name.

**Korean records.** Doi, 1938; Kim, 1963; Zool. Soc. Kor., 1968; Chu, 1969; Kim, 1970; Togashi, 1973; Kim, 1980; Kim et al., 1994; Lee and Ryu, 1996a; Lee and Jung, 1999; Hara and Shinohara, 2000; Paek et al., 2010; Ahn et al., 2013; Lyu et al., 2014.

**Host plants.** *Betula alba* L., *Betula costata* Trautv., *Betula dahurica* Pall., *Betula ermanii* Cham., *Betula pendula* Roth, *Betula platyphylla* Sukaczew, *Betula pubescens* Ehrh., *Betula* sp., *Quercus* sp., *Salix aurita* L.

**Distribution.** Korea (South, North), Austria, Belgium, Bulgaria, China, Croatia, Czech Republic, Denmark, Estonia, Finland, France, Germany, Great Britain, Hungary, Ireland, Italy, Japan, Latvia, Luxembourg, Macedonia, Netherlands, Poland, Romania, Russia, Slovakia, Slovenia, Spain, Sweden, Switzerland, Ukraine.

**135. *Cimbex luteus* (Linné, 1758) 노랑수중다리잎벌**

(NK: 노랑벼들잎벌)

*Tenthredo lutea* Linné, 1758: 555.

*Cimbex Griffinii* [sic!] Leach, 1817: 107.

*Cimbex saliceti* Zaddach, 1863: 251-252.

*Cimbex saliceti* var.  $\beta$  *testacea* [sic!] Zaddach, 1863: 251-252, 278. Not available.

*Cimbex variabilis* *salicis capreae* [sic!] Zaddach, 1863: 239-240. Not available. Infrasubspecific name.

*Cimbex variabilis* *salicis* [sic!] Zaddach, 1863: 238-240. Not available. Infrasubspecific

- Cimbex brevispina* Thomson, 1871: 21.  
*Cimbex lutea* var. *testacea* Konow, 1890a: 243. Not available.  
*Cimbex saliceti* var. *testacea* [sic!] Dalla Torre, 1894: 377.  
*Cimbex capreae* Konow, 1897b: 105, 108-109.  
*Cimbex femorata* var. *coreana* [sic!] Uchida, 1927: 160.

**Korean records.** Uchida, 1927; Takeuchi, 1931; Takeuchi, 1936; Doi, 1938; Takeuchi, 1939; Kim, 1963; Zool. Soc. Kor., 1968; Chu, 1969; Kim, 1970; Togashi, 1973; Kim, 1980; Lee and Ryu, 1996a; Lee and Jung, 1999; Hara and Shinohara, 2000; Choi and Ko, 2006; Paek *et al.*, 2010; Ahn *et al.*, 2013; Lyu *et al.*, 2014.

**Host plants.** *Populus × berolinensis* K. Koch, *Populus × canadensis* Moench, *Populus cathayana* Rehder, *Populus* sp., *Populus tremula* L., *Salix alba* L., *Salix babylonica* L., *Salix bakko* Kimura, *Salix caprea* L., *Salix cardiophylla* Trautv. and C.A. Mey., *Salix cinerea* L., *Salix × fragilis* L., *Salix gordejevii* Y.L. Chang and Skvortsov, *Salix* sp.

**Distribution.** Korea (South, North), Albania, Austria, Belgium, China, Croatia, Czech Republic, Denmark, Estonia, Finland, France, Germany, Great Britain, Hungary, Italy, Japan, Kazakhstan, Latvia, Netherlands, Poland, Romania, Russia, Slovakia, Sweden, Switzerland, Ukraine.

#### Genus *Leptocimbex* Semenov, 1896

- 황줄박이수종다리잎벌속  
*Leptocimbex* Semenov, 1896b: 95-97. Type species: *Leptocimbex potanini* Semenov, 1896.  
*Euclavellaria* Enslin, 1911a: 93. Type species: *Clavelaria formosana* Enslin, 1911.  
*Cimbicisoma* Rohwer, 1915: 215. Type species: *Cimbicisoma dendrobii* Rohwer, 1915.  
*Okamotonius* Sato, 1928: 188-189. Type species: *Okamotonius kurisuei* Sato, 1928.

#### 136. *Leptocimbex allantiformis* (Mocsáry, 1909)

- 황줄박이수종다리잎벌 (NK: 남작잎벌)  
*Clavellaria allantiformis* Mocsáry, 1909: 1.  
*Leptocimbex petri-magni* [sic!] Malaise, 1931b: 155-156.

**Korean records.** Doi, 1938; Takeuchi, 1939; Kim, 1963; Zool. Soc. Kor., 1968; Chu, 1969; Kim, 1970; Kim *et al.*, 1994; Lee and Ryu, 1996a; Lee and Jung, 1999; Paek *et al.*, 2010; Ahn *et al.*, 2013; Lyu *et al.*, 2014.

**Host plant.** Unknown.  
**Distribution.** Korea (South, North), China, Russia.

#### 137. *Leptocimbex gracilentus* (Mocsáry, 1904)

호리수종다리잎벌

- Clavellaria gracilenta* Mocsáry, 1904: 351-352.  
*Okomotonius* [sic!] *kurisuei* Sato, 1928: 189.

**Korean records.** Sato, 1928; Takeuchi, 1931; Takeuchi, 1939; Kim, 1963; Zool. Soc. Kor., 1968; Kim, 1970; Shinohara and Smith, 1979; Kim *et al.*, 1994; Lee and Ryu, 1996a; Lee and Jung, 1999; Paek *et al.*, 2010; Lyu *et al.*, 2014.

**Host plant.** *Acer japonicum* Thunb.

**Distribution.** Korea (South, North), China, Russia.

#### Genus *Praia* Wankowicz, 1880 우수리수종다리잎벌속

- Praia* Wankowicz, 1880: [unpag.]. Type species: *Praia taczanowskii* Wankowicz, 1880.

#### 138. *Praia ussuriensis* Malaise, 1939

- 우수리수종다리잎벌  
*Praia ussuriensis* Malaise, 1939: 18-19.

**Korean records.** Kim and Shinohara, 1997; Lee and Jung, 1999; Paek *et al.*, 2010; Lyu *et al.*, 2014.

**Host plant.** Unknown.

**Distribution.** Korea (South), Japan, Russia.

#### Genus *Pseudoclavellaria* Schulz, 1906 벼들수종다리잎벌속

- Pseudoclavellaria* Schulz, 1906: 85-87. Type species: *Tenthredo amerinae* Linné, 1758.

#### 139. *Pseudoclavellaria amerinae* (Linné, 1758)

- 벼들수종다리잎벌 (NK: 흰털잎벌)  
*Tenthredo Amerinae* [sic!] Linné, 1758: 555.  
*Tenthredo marginata* Linné, 1767: 920.  
*Tenthredo 4-fasciata* [sic!] Degeer, 1773: 598.  
*Tenthredo rufa* Retzius, 1783: 71.  
*Cimbex saliceti* Sasaki, 1902: 178. Primary homonym of *Cimbex saliceti* Zaddach, 1863.  
*Clavellaria nitobei* Matsumura, 1912: 32-33.  
*Trichosoma* [sic!] *albopilosum* Matsumura, 1912: 31-32.  
*Clavellaria amerinae* var. *Delagrangei* [sic!] Pic, 1920: 9. Not available. Infrasubspecific name.  
*Clavellaria amerinae* var. *anatolica* Pic, 1920: 9. Not available. Infrasubspecific name.

**Korean records.** Radoszkowski, 1890; Doi, 1938; Takeuchi, 1939; Choi, 1961; Kim, 1963; Zool. Soc. Kor., 1968; Chu, 1969; Kim, 1970; Zombori, 1971; Togashi, 1973; Kim, 1980; Kim *et al.*, 1994; Lee and Ryu, 1996a; Lee and Jung, 1999; Paek *et al.*, 2010; Ahn *et al.*, 2013; Lyu *et al.*, 2014.

**Host plants.** *Betula* sp., *Populus nigra* L., *Populus* sp., *Salix caprea* L., *Salix × fragilis* L., *Salix* sp.

**Distribution.** Korea (South, North), Austria, Bulgaria, China, Croatia, Czech Republic, Estonia, Finland,

France, Germany, Greece, Hungary, Italy, Japan, Latvia, Macedonia, Mongolia, Montenegro, Netherlands, Poland, Portugal, Republic of Serbia, Romania, Russia, Slovakia, Spain, Sweden, Switzerland, Turkey, Ukraine.

#### **Genus *Trichiosoma* Leach, 1817**

호리배수중다리잎벌속

*Trichiosoma* Leach, 1817: 102, 108. Type species: *Tenthredo lucorum* Linné, 1758.

*Trichiosoma (Asitrichiosoma)* Malaise, 1939: 16. Type species: *Trichiosoma sikkimensis* Konow, 1897.

*Trichiosoma (Lucorumiformis)* Ermolenko, 1972: 124, 202. Not available. Type species: no type species selected.

*Trichiosoma (Vitelliniformis)* Ermolenko, 1972: 134, 202. Not available. Type species: no type species selected.

*Trichiosoma (Sericiformis)* Ermolenko, 1972: 141, 202. Type species: *Trichiosoma aenescens* Gussakovskij, 1947.

*Trichiosoma (Sorbiformis)* Ermolenko, 1972: 139, 202. Type species: *Trichiosoma sorbi* Hartig, 1840.

#### **140. *Trichiosoma opacum* Konow, 1906**

호리배수중다리잎벌

*Trichiosoma opaca* [sic!] Konow, 1906a: 122.

*Trichosoma jozankeanum* Matsumura, 1912: 30-31.

**Korean records.** Takeuchi, 1939; Kim, 1963; Zool. Soc. Kor., 1968; Kim, 1970; Kim et al., 1994; Lee and Ryu, 1996a; Lee and Jung, 1999; Paek et al., 2010; Lyu et al., 2014.

**Host plant.** *Salix* sp.

**Distribution.** Korea (North), Japan, Russia.

#### **141. *Trichiosoma sachalinense* Matsumura, 1911**

화태수중다리잎벌

*Trichiosoma sachalinensis* [sic!] Matsumura, 1911: 86-87.

*Trichiosoma bilineata* [sic!] Malaise, 1931a: 61-62.

**Korean records.** Takeuchi, 1939; Kim, 1963; Zool. Soc. Kor., 1968; Kim, 1970; Togashi, 1973; Kim et al., 1994; Lee et al., 1995b; Lee et al., 1995c; Lee and Ryu, 1996a; Lee and Jung, 1999; Paek et al., 2010; Lyu et al., 2014.

**Host plant.** *Salix* sp.

**Distribution.** Korea (South, North), Japan, Mongolia, Russia.

#### **142. *Trichiosoma vitellina* (Linné, 1760)**

가시수중다리잎벌

*Tenthredo Vitellina* [sic!] Linné, 1760: 389.

*Cynips Betulae* [sic!] Strøm, 1762: 169-171.

*Trichiosoma marginale* Leach, 1817: 109-110.

*Cimbex trichiosoma* Lepeletier, 1823: 34.

*Trichiosoma boreale* Gussakovskij, 1947: 56-57, 196-197.

**Korean records.** Kim, 1970; Kim, 1980; Kim et al., 1994; Lee and Ryu, 1996a; Lee and Jung, 1999; Paek et al., 2010; Lyu et al., 2014.

**Host plants.** *Alnus* sp., *Betula pendula* Roth, *Betula* sp., *Salix aurita* L., *Salix caprea* L., *Salix* sp., *Salix viminalis* L.

**Distribution.** Korea (South), Austria, Belgium, Bulgaria, Czech Republic, Denmark, Estonia, Finland, France, Germany, Great Britain, Hungary, Italy, Japan, Latvia, Netherlands, Poland, Romania, Russia, Slovakia, Sweden, Switzerland, Ukraine.

Family Diprionidae Rohwer, 1910 솔잎벌과

Subfamily Diprioninae Konow, 1890 솔잎벌아과

#### **Genus *Diprion* Schrank, 1802 잣나무솔잎벌속**

*Pteronus* Jurine in Panzer, 1801a: 163. Suppressed. Type species: no type species selected.

*Diprion* Schrank, 1802: 252-253. Type species: *Tenthredo pini* Linné, 1758.

*Lophyrus* Latreille, 1803: 302. Homonym of *Lophyrus* Poli, 1791 [Mollusca]. Type species: *Tenthredo pini* Linné, 1758.

*Pteronus* Panzer, 1806: 46. Type species: *Tenthredo pini* Linné, 1758.

*Anachoreta* Gistel, 1848: ix. Name for *Lophyrus* Latreille, 1803.

*Cristiger* Gistel, 1848: 144. Type species: *Tenthredo pini* Linné, 1758.

#### **143. *Diprion hani* D.R. Smith and Cho, 2008**

잣나무솔잎벌

*Diprion hani* D.R. Smith and Cho in Smith et al., 2008: 796-799.

**Korean records.** Smith et al., 2008; Lee et al., 2010.

**Host plants.** *Pinus koraiensis* Siebold and Zucc., *Pinus strobus* L.

**Distribution.** Korea (South).

#### **144. *Diprion koreanus* Takagi, 1931 이깔나무솔잎벌**

*Diprion koreana* [sic!] Takagi, 1931: 12-14, 33-35.

**Korean records.** Takagi, 1931; Kim, 1963; Zool. Soc. Kor., 1968; Kim, 1970; Kim et al., 1994; Lee and Ryu, 1996a; Paek et al., 2010; Lyu et al., 2014.

**Host plants.** *Larix gmelinii* var. *olgensis* (A. Henry) Ostenf. and Syrach, *Larix kaempferi* (Lamb.) Carrière, *Larix* sp.

**Distribution.** Korea (North), Japan, Russia.

**Genus Gilpinia Benson, 1939** 북방솔잎벌속(개칭)  
*Gilpinia* Benson, 1939b: 341. Type species: *Lophyrus polytomus* Hartig, 1834.

**145. *Gilpinia hakonensis* (Matsumura, 1912)**

하코네솔잎벌

*Lophyrus hakonensis* Matsumura, 1912: 215-216.  
*Gilpinia hakonensis* var. *laticincta* Takeuchi, 1940a: 195.

**Korean records.** Kim, 1963; Zool. Soc. Kor., 1968; Kim, 1970; Kim et al., 1994; Lee and Ryu, 1996a; Paek et al., 2010; Lyu et al., 2014.

**Host plant.** Unknown.

**Distribution.** Korea (locality unknown), Japan.

**146. *Gilpinia hercyniae* (Hartig, 1837)**

큰북방솔잎벌(신칭)

*Lophyrus (Lophyrus) hercyniae* Hartig, 1837: 123-124.

**Korean record.** Hara and Shinohara, 2017.

**Host plants.** *Abies alba* Mill., *Picea abies* (L.) H. Karst., *Picea glauca* (Moench) Voss, *Picea jezoensis* subsp. *hondoensis* (Mayr) P.A. Schmidt (Hara and Shinohara, 2017), *Picea mariana* (Mill.) Britton, Sterns and Poggenb., *Picea obovata* Ledeb., *Picea pungens* Engelm., *Picea rubens* Sarg., *Picea sitchensis* (Bong.) Carrière, *Picea* sp.

**Distribution.** Korea (locality unknown), Austria, Belgium, Canada, Czech Republic, Denmark, Estonia, Finland, France, Germany, Great Britain, Hungary, Italy, Japan, Mongolia, Netherlands, Norway, Poland, Romania, Russia, Slovakia, Sweden, Switzerland, Ukraine, USA.

**147. *Gilpinia polytoma* (Hartig, 1834)** 북방솔잎벌

*Lophyrus polytomus* Hartig in Hartig and Hartig, 1834: 990-991.

*Diprion polytomum* var. *pseudopallidum* [sic!] Enslin, 1916a: 7-8.

**Korean records.** Takeuchi, 1940a; Kim, 1963; Zool. Soc. Kor., 1968; Kim, 1970; Kim et al., 1994; Lee and Ryu, 1996a; Paek et al., 2010; Lyu et al., 2014.

**Host plants.** *Picea abies* (L.) H. Karst., *Picea obovata* Ledeb., *Picea pungens* Engelm., *Picea smithiana* (Wall.) Boiss., *Picea* sp.

**Distribution.** Korea (South), Austria, Belgium, Croatia, Czech Republic, Denmark, Estonia, Finland, France, Germany, Hungary, India, Italy, Japan, Latvia, Montenegro, Netherlands, Pakistan, Poland, Republic of Serbia, Romania, Russia, Slovakia, Spain, Sweden, Switzerland, Ukraine.

**Genus *Neodiprion* Rohwer, 1918** 솔잎벌속

*Neodiprion* Rohwer, 1918: 83. Type species: *Lophyrus lecontei* Fitch, 1858.

**148. *Neodiprion sertifer* (Geoffroy, 1785)** 누런솔잎벌  
 (NK: 소나무누런잎벌)

*Tenthredo pectinata rufa* [sic!] Retzius, 1783: 74. Not available.

*Tenthredo sertifera* Geoffroy in Fourcroy, 1785: 378.

*Tenthredo pini-rufa* [sic!] Villers, 1789: 88.

*Hylotoma rufa* Fallén, 1807: 199. Name for *Tenthredo pectinata rufa* Retzius, 1783.

*Lophyrus piceae* Lepeletier, 1823: 56. Primary homonym of *Lophyrus piceae* Serville, 1823.

*Lophyrus piceae* Serville, 1823: 84.

*Lophyrus basalis* Matsumura, 1915: 288.

**Korean records.** Doi, 1938; Cho, 1955; Cho, 1961; Kim, 1963; Zool. Soc. Kor., 1968; Chu, 1969; Kim, 1970; Kim et al., 1994; Lee and Ryu, 1996a; Choi and Ko, 2006; Paek et al., 2010; Ahn et al., 2013; Lyu et al., 2014.

**Host plants.** *Larix* sp., *Picea sitchensis* (Bong.) Carrière, *Picea* sp., *Pinus banksiana* Lamb., *Pinus brutia* var. *pityusa* (Steven) Silba, *Pinus cembra* L., *Pinus contorta* Douglas ex Loudon, *Pinus densiflora* Siebold and Zucc., *Pinus echinata* Mill., *Pinus mugo* Turra, *Pinus nigra* J.F. Arnold, *Pinus pinaster* Aiton, *Pinus ponderosa* Douglas ex C. Lawson, *Pinus pumila* (Pall.) Regel, *Pinus resinosa* Aiton, *Pinus sibirica* Du Tour, *Pinus* sp., *Pinus strobus* L., *Pinus sylvestris* L., *Pinus thunbergii* Parl.

**Distribution.** Korea (South, North), Austria, Belarus, Belgium, Bosnia and Herzegovina, Bulgaria, Canada, Croatia, Czech Republic, Denmark, Estonia, Finland, France, Germany, Great Britain, Greece, Hungary, Ireland, Italy, Japan, Kazakhstan, Latvia, Luxembourg, Netherlands, Norway, Poland, Romania, Russia, Slovakia, Spain, Sweden, Switzerland, Turkey, Ukraine, USA.

**Genus *Nesodiprion* Rohwer, 1910** 금강솔잎벌속

*Nesodiprion* Rohwer, 1910a: 104. Type species: *Lophyrus japonicus* Marlatt, 1898.

**149. *Nesodiprion biremis* (Konow, 1899)** 금강솔잎벌

*Lophyrus biremis* Konow, 1899c: 43.

**Korean records.** Zombori, 1978; Kim et al., 1994; Lee and Ryu, 1996a; Paek et al., 2010; Hara and Smith, 2012; Lyu et al., 2014.

**Host plants.** *Pinus caribaea* Morelet, *Pinus kesiya* Royle ex Gordon, *Pinus kesiya* var. *langbianensis* (A. Chev.) Gaussen ex Bui, *Pinus merkusii* Jungh. and de Vriese, *Pinus* sp.

**Distribution.** Korea (North), China.

**150. *Nesodiprion japonicus* (Marlatt, 1898) 솔잎벌**  
*Lophyrus japonicus* Marlatt, 1898: 506.

**Korean records.** Kim, 1963; Zool. Soc. Kor., 1968; Kim, 1970; Kim et al., 1994; Lee and Ryu, 1996a; Paek et al., 2010; Hara and Smith, 2012; Lyu et al., 2014.

**Host plants.** *Cedrus deodara* (Roxb. ex D. Don) G. Don, *Cedrus* sp., *Larix kaempferi* (Lamb.) Carrière, *Larix* sp., *Pinus caribaea* Morelet, *Pinus densiflora* Siebold and Zucc., *Pinus koraiensis* Siebold and Zucc., *Pinus leiophylla* Schiede ex Schltdl. and Cham., *Pinus luchuensis* Mayr, *Pinus massoniana* Lamb., *Pinus palustris* Mill., *Pinus radiata* D. Don, *Pinus* sp., *Pinus strobus* L., *Pinus taeda* L., *Pinus thunbergii* Parl., *Pinus wallichiana* A.B. Jacks.

**Distribution.** Korea (South), China, Japan, Taiwan, USA.

Family Tenthredinidae Latreille, 1803 잎벌과  
Subfamily Allantinae Newman, 1834 검정날개잎벌아과

**Genus *Allantus* Panzer, 1801** 검정날개잎벌속

*Allantus* Panzer, 1801b: 12. Type species: *Tenthredo togata* Panzer, 1801.

*Tenthredo (Emphytus)* Klug, 1815: 124. Type species: *Tenthredo cincta* Linné, 1758.

*Anemphytus* Dovnar-Zapolskij, 1931b: 48. Name for *Allantus* Panzer, 1801.

*Emphytus (Synemphytus)* Malaise, 1945: 93. Type species: *Emphytus togatus* (Panzer, 1801).

**151. *Allantus (Allantus) luctifer* (F. Smith, 1874)**

검정날개잎벌 (NK: 검정날개잎벌)  
*Macrophya luctifera* F. Smith, 1874: 380-381.

**Korean records.** Kim, 1963; Zool. Soc. Kor., 1968; Chu, 1969; Kim, 1970; Togashi and Tano, 1987; Kim et al., 1994; Lee and Ryu, 1996a; Lee et al., 2000; Choi and Ko, 2006; Paek et al., 2010; Ahn et al., 2013; Lyu et al., 2014.

**Host plants.** *Persicaria perfoliata* (L.) H. Gross, *Reynoutria forbesii* (Hance) T. Yamaz., *Reynoutria japonica* Houtt., *Rumex acetosa* L., *Rumex crispus* L., *Rumex japonicus* Houtt., *Rumex longifolius* DC., *Rumex* sp., *Spinacia oleracea* L.

**Distribution.** Korea (South, North), China, Japan, Russia, Taiwan.

**152. *Allantus (Emphytus) basalis* (Klug, 1818)**

제동검정날개잎벌 (NK: 량강잎벌)  
*Tenthredo (Emphytus) basalis* Klug, 1818: 282.

**Korean records.** Zombori, 1978; Lee and Ryu, 1996a; Lee et al., 2000; Choi and Ko, 2006; Paek et al., 2010; Ahn et al., 2013; Lyu et al., 2014.

**Host plants.** *Betula* sp., *Dasiphora fruticosa* (L.) Rydb., *Rosa majalis* Herrm., *Rosa* sp.

**Distribution.** Korea (North), Austria, Belgium, Canada, China, Croatia, Czech Republic, Estonia, Finland, France, Germany, Great Britain, Hungary, Italy, Japan, Luxembourg, Macedonia, Mongolia, Netherlands, North Korea, Norway, Romania, Russia, Slovakia, Spain, Switzerland, Turkey, Ukraine, USA.

**153. *Allantus (Emphytus) cinctus* (Linné, 1758)**

줄검정날개잎벌

*Tenthredo cincta* Linné, 1758: 557.

*Tenthredo cordigera* Geoffroy in Fourcroy, 1785: 374-375.

*Dolerus cinctus* Jurine, 1807: pl. 6, fig. 6.

*Dolerus (Emphytus) varipes* Lepeletier, 1823: 119. Primary homonym of *Dolerus varipes* Serville, 1823.

*Dolerus cingulatus* Serville, 1823: 54-55. Secondary homonym of *Tenthredo cingulata* Scopoli, 1763.

*Dolerus varipes* Serville, 1823: 56.

*Emphytus neglectus* Zaddach, 1859: 27.

*Emphytus cinctipes* Norton, 1867: 229.

*Emphytus infasciatus* Pic, 1948a: 11.

**Korean records.** Togashi, 1973; Lee and Ryu, 1996a; Lee et al., 2000; Paek et al., 2010; Lyu et al., 2014.

**Host plants.** *Fragaria* sp., *Fragaria vesca* L., *Lunaria* sp., *Rosa canina* L., *Rosa* × *damascena* Mill., *Rosa* sp., *Rosa spinosissima* L., *Rubus idaeus* L., *Rubus* sp.

**Distribution.** Korea (North), Albania, Austria, Belgium, Bulgaria, Canada, China, Croatia, Czech Republic, Denmark, Estonia, Finland, France, Germany, Great Britain, Greece, Hungary, Ireland, Italy, Latvia, Lithuania, Luxembourg, Mongolia, Montenegro, Netherlands, Norway, Poland, Republic of Serbia, Romania, Russia, Slovakia, Slovenia, Spain, Sweden, Switzerland, Ukraine, USA.

**154. *Allantus (Emphytus) nigritibialis* Rohwer, 1911**

종아리검정날개잎벌

*Allantus cinctus nigritibialis* Rohwer, 1911a: 407.

**Korean records.** Kim, 1970; Lee and Ryu, 1996a; Lee et al., 2000; Paek et al., 2010; Lyu et al., 2014.

**Host plant.** *Rosa* sp.

**Distribution.** Korea (South), China, USA.

**155. *Allantus (Emphytus) nigrocaeruleus***

(F. Smith, 1874) 밤색날개밀잎벌  
(NK: 밤색날개밀잎벌)

*Dolerus fuscipennis* F. Smith, 1874: 383.

*Dolerus nigro-caeruleus* [sic!] F. Smith, 1874: 384.

*Athlophorus leucocoxa* Rohwer, 1916: 86.

**Korean records.** Chu, 1969; Ahn et al., 2013.

**Host plants.** *Polygonum perfoliatum* L., *Polygonum* sp., *Polygonum thunbergii* Siebold and Zucc.

**Distribution.** Korea (North), China, Japan.

**156. *Allantus exitus* Lee and Ryu, 1996**

넉점박이검정날개잎벌

*Allantus exitus* Lee and Ryu, 1996b: 22.

**Korean records.** Lee and Ryu, 1996b; Lee et al., 2000; Paek et al., 2010; Lyu et al., 2014.

**Host plant.** Unknown.

**Distribution.** Korea (South).

**Genus *Ametastegia* Costa, 1882** 신라잎벌속

*Ametastegia* Costa, 1882: 198. Type species: *Ametastegia fulvipes* Costa, 1882.

*Aomodyctium* Ashmead, 1898b: 309. Type species: *Strongylogaster abnormis* Provancher, 1885.

*Protomphytus* Rohwer, 1909a: 92. Type species: *Emphytus coloradensis* Weldon, 1907.

*Ametastegia* (*Emphytina*) Rohwer, 1911a: 399-400. Type species: *Emphytina pulchella* Rohwer, 1911.

*Simplemphytus* MacGillivray, 1914a: 363. Type species: *Simplemphytus pacificus* MacGillivray, 1914.

*Unitaxonous* MacGillivray, 1921b: 32. Type species: *Unitaxonous repentinus* MacGillivray, 1921.

*Ocla* Malaise, 1957: 13. Type species: *Ocla albiniigripes* Malaise, 1957.

**157. *Ametastegia* (*Protomphytus*) *coreana***

(Takeuchi, 1927) 신라잎벌

*Emphytina coreana* Takeuchi, 1927a: 387.

**Korean records.** Takeuchi, 1927a; Kim, 1963; Zool. Soc. Kor., 1968; Kim, 1970; Kim et al., 1994; Lee and Ryu, 1996a; Lee et al., 2000; Paek et al., 2010; Lyu et al., 2014.

**Host plant.** Unknown.

**Distribution.** Korea (South), China.

**158. *Ametastegia polygoni* Takeuchi, 1929** 백두잎벌

(NK: 백두잎벌)

*Ametastegia polygoni* Takeuchi, 1929a: 510.

**Korean records.** Choi and Ko, 2006; Ahn et al., 2013.

**Host plant.** *Reynoutria japonica* Houtt.

**Distribution.** Korea (North), China, Japan.

**Genus *Apethymus* Benson, 1939** 영장잎벌속

*Apethymus* Benson, 1939a: 112-113. Type species: *Doleras* (*Emphytus*) *abdominalis* Lepeletier, 1823.

*Kjellia* Malaise, 1947: 3. Type species: *Allantus kolthoffi* (Forsius, 1927).

**159. *Apethymus proceratis* Lee and Ryu, 1996**

두눈점박이영장잎벌

*Apethymus proceratis* Lee and Ryu, 1996b: 23-24.

**Korean records.** Lee and Ryu, 1996b; Lee et al., 2000; Paek et al., 2010; Lyu et al., 2014.

**Host plant.** Unknown.

**Distribution.** Korea (South).

**Genus *Asiemphytus* Malaise, 1947** 아시아별꽃잎벌속

*Asiemphytus* Malaise, 1947: 30-31. Type species: *Macremphytus deutziae* Takeuchi, 1929.

**160. *Asiemphytus deutziae* (Takeuchi, 1929)** 별꽃잎벌

(NK: 말발도리잎벌)

*Macremphytus deutziae* Takeuchi, 1929a: 498-499.

**Korean records.** Doi, 1938; Kim, 1963; Zool. Soc. Kor., 1968; Chu, 1969; Kim, 1970; Kim et al., 1994; Lee and Ryu, 1996a; Lee et al., 2000; Paek et al., 2010; Ahn et al., 2013; Lyu et al., 2014.

**Host plants.** *Deutzia crenata* Siebold and Zucc., *Deutzia* sp.

**Distribution.** Korea (South, North), Japan.

**161. *Asiemphytus esakii* (Takeuchi, 1933)** 긴배잎벌

(NK: 검은말발도리잎벌)

*Macremphytus esakii* Takeuchi, 1933b: 68, 74-75.

**Korean records.** Doi, 1938; Kim, 1963; Zool. Soc. Kor., 1968; Chu, 1969; Kim, 1970; Kim et al., 1994; Lee et al., 2000; Paek et al., 2010; Ahn et al., 2013; Lyu et al., 2014.

**Host plant.** Unknown.

**Distribution.** Korea (South, North), China, Taiwan.

**Genus *Beleses* Cameron, 1877** 광대발톱잎벌속

*Anisoneura* Cameron, 1876: 463. Homonym of *Anisoneura* Guenée, 1852 [Lepidoptera]. Type species: *Anisoneura stigmatica* Cameron, 1876.

*Beleses* Cameron, 1877a: 88. Name for *Anisoneura* Cameron, 1876.

*Belesidea* Rohwer, 1916: 97. Type species: *Belesidea multipicta* Rohwer, 1916.

**162. *Beleses satonis* (Takeuchi, 1929)** 광대발톱잎벌

*Abeleses satonis* Takeuchi, 1929a: 512-513.

**Korean records.** Lee and Ryu, 1995; Lee et al., 1996; Lee and Ryu, 1996a; Lee et al., 2000; Paek et al., 2010; Lyu et al., 2014.

**Host plant.** *Actinidia arguta* (Siebold and Zucc.) Planch. ex Miq. (Hara et al., 2015).

**Distribution.** Korea (South), Japan.

**Genus *Dinax* Konow, 1897** 뾰족입술검정날개잎벌속  
*Dinax* Konow, 1897c: 182. Type species: *Dinax jakowleffi* Konow, 1897.  
*Adamas* Malaise, 1945: 97. Unnecessary new name for  
*Dinax* Konow, 1897.

**163. *Dinax ermak* (Zhelochovtsev, 1968)**  
 뾰족입술검정날개잎벌  
*Adamas ermak* Zhelochovtsev, 1968: 55.

**Korean record.** Park et al., 2018.

**Host plant.** *Spiraea salicifolia* L.

**Distribution.** Korea (South), Czech Republic, Russia.

**164. *Dinax jakowleffi* Konow, 1897**  
 황뾰족입술검정날개잎벌

*Dinax Jakowleffi* [sic!] Konow, 1897c: 182-183.

**Korean record.** Park et al., 2018.

**Host plant.** *Spiraea* sp.

**Distribution.** Korea (South), China, Japan, Russia.

**Genus *Empria* Lepeletier and Serville, 1828**

머리방패잎벌속

*Empria* Lepeletier and Serville, 1828: 571. Type species:  
*Dolerus pallimacula* Lepeletier, 1823.

*Tenthredo (Poecilostoma)* Dahlbom, 1835b: 5, 13. Type  
 species: *Tenthredo guttata* Fallén, 1808.

*Prosecris* Gistel, 1848: x. Name for *Tenthredo (Poecilostoma)* Dahlbom, 1835.

*Poecilosoma* Thomson, 1870: 265, 287. Name for *Tenthredo (Poecilostoma)* Dahlbom, 1835. Homonym of  
*Poecilosoma* Hübner, 1816 [Lepidoptera].

*Poecilostomidea* Ashmead, 1898c: 256. Type species:  
*Empria maculata* (Norton, 1861).

*Tetratneura* Ashmead, 1898c: 256. Type species: *Selandria ignota* Norton, 1867.

*Parataxonous* MacGillivray, 1908a: 367. Type species:  
*Taxonous multicolor* (Norton, 1862).

*Leucempria* Enslin, 1913: 187. Type species: *Tenthredo candidata* Fallén, 1808.

*Empria (Triempria)* Enslin, 1914a: 213. Type species:  
*Empria tridens* (Konow, 1896).

**165. *Empria candidata* (Fallén, 1808)**

어리머리방패잎벌(신칭)

*Tenthredo candidata* Fallén, 1808b: 105-106.

*Tenthredo (Allantus) repanda* Klug, 1816: 77-78.

**Korean records.** Prous et al., 2011; Lyu et al., 2014.

**Host plants.** *Betula pendula* Roth, *Betula* sp.

**Distribution.** Korea (South), China, Estonia, Finland,  
 Japan, Russia, Sweden, Switzerland, United Kingdom,  
 USA.

**166. *Empria tridentis* Lee and Ryu, 1996**

배흰점박이머리방패잎벌

*Empria tridentis* Lee and Ryu, 1996b: 23.

**Korean records.** Lee and Ryu, 1996b; Lee et al., 2000;  
 Paek et al., 2010; Lyu et al., 2014.

**Host plants.** *Geum japonicum*, *Filipendula camtschatica* (Pall.) Maxim. (Shinohara et al., 2015).

**Distribution.** Korea (South), Japan, Russia.

**Genus *Eriocampa* Hartig, 1837** 현무잎벌속

*Tenthredo (Eriocampa)* Hartig, 1837: 279. Type species:  
*Selandria ovata* (Linné, 1760).

*Eriocampa (Brachycampa)* Zirngiebl, 1956: 323-325.  
 Type species: *Eriocampa dorpatica* Konow, 1887.

**167. *Eriocampa albipes* Matsumura, 1912** 현무잎벌

*Eriocampa albipes* Matsumura, 1912: 64-65.

**Korean records.** Lee and Ryu, 1995; Lee and Ryu, 1996a; Lee et al., 2000; Paek et al., 2010; Lyu et al., 2014.

**Host plants.** *Alnus japonica* (Thunb.) Steud., *Alnus alnobetula* subsp. *suaveolens* (Req.) Lambinon and Kerguélen.

**Distribution.** Korea (South), Japan, Russia.

**Genus *Eriocampopsis* Takeuchi, 1952** 민동잎벌속

*Eriocampopsis* Takeuchi, 1952a: 27, 31. Type species:  
*Eriocampopsis subtruncata* Takeuchi, 1952.

**168. *Eriocampopsis subtruncata* Takeuchi, 1952**

민동잎벌

*Eriocampopsis subtruncata* Takeuchi, 1952a: 31-32.

**Korean records.** Lee and Ryu, 1995; Lee and Ryu, 1996a; Lee et al., 2000; Paek et al., 2010; Lyu et al., 2014.

**Host plants.** *Actaea simplex* (DC.) Wormsk. ex Prantl, *Astilbe thunbergii* (Siebold and Zucc.) Miq.

**Distribution.** Korea (South), Japan, Russia.

**Genus *Harpiphorus* Hartig, 1837** 애기검정날개잎벌속

*Emphytus (Harpiphorus)* Hartig, 1837: 253. Type species:  
*Tenthredo (Emphytus) lepidus* Klug, 1818.

*Asticta* Newman, 1838: 486. Homonym of *Asticta* Hübner, 1823 [Lepidoptera]. Type species: *Fenusia ianthe* Newman, 1837.

*Harpophorus* Agassiz, 1848: 499. Name for *Emphytus (Harpiphorus)* Hartig, 1837.

**169. *Harpiphorus lepidus* (Klug, 1818)**

애기검정날개잎벌

*Tenthredo (Emphytus) lepida* Klug, 1818: 277-278.  
*Fenusia Ianthe* [sic!] Newman, 1837: 261.

**Korean record.** Park and Lee, 2018.

**Host plants.** *Quercus trojana* Webb, *Quercus robur* L., *Quercus* sp.

**Distribution.** Korea (South), Austria, Belgium, Czech Republic, Denmark, Estonia, Finland, France, Germany, Greece, Hungary, Ireland, Italy, Morocco, Netherlands, Norway, Poland, Romania, Russia, Slovakia, Sweden, Switzerland, Turkey, Ukraine, United Kingdom.

#### Genus *Hemibeleses* Takeuchi, 1929 무늬잎벌속

*Hemibeleses* Takeuchi, 1929a: 513-514. Type species: *Hemibeleses nigriceps* Takeuchi, 1929.

#### 170. *Hemibeleses nigriceps* Takeuchi, 1929

검정머리무늬잎벌

*Hemibeleses nigriceps* Takeuchi, 1929a: 514-515.

**Korean records.** Lee and Ryu, 1995; Lee and Ryu, 1996a; Lee et al., 2000; Paek et al., 2010; Lyu et al., 2014.

**Host plants.** *Rubia cordifolia* L., *Rubia manjith* Roxb. ex Fleming.

**Distribution.** Korea (South), China, Japan.

#### 171. *Hemibeleses ventralis* Takeuchi, 1952

큰등무늬잎벌

*Hemibeleses ventralis* Takeuchi, 1952b: 48.

**Korean records.** Zombori, 1974; Kim et al., 1994; Lee and Ryu, 1996a; Lee et al., 2000; Paek et al., 2010; Lyu et al., 2014.

**Host plant.** Unknown.

**Distribution.** Korea (North), Japan, Russia.

#### Genus *Monsoma* MacGillivray, 1908

배흰줄잎벌속(신칭)

*Monsoma* MacGillivray, 1908a: 368. Type species: *Poecilostoma inferentia* Norton, 1868.

*Monosoma* Viereck, 1910: 583. Name for *Monsoma* MacGillivray, 1908.

#### 172. *Monsoma pallipes* (Matsumura, 1912)

노랑머리배흰줄잎벌(신칭)

*Poecilosoma pallipes* Matsumura, 1912: 61-62.

**Korean record.** Hara et al., 2018.

**Host plant.** *Alnus* sp.

**Distribution.** Korea (South), Japan, Russia.

#### Genus *Nesotaxonus* Rohwer, 1910 황갈무리잎벌속

*Taxonus* (*Nesotaxonus*) Rohwer, 1910a: 111-112. Type species: *Phyllotoma flavescentia* Marlatt, 1898.

#### 173. *Nesotaxonus fulvus* (Cameron, 1877)

#### 황갈무리잎벌

*Beleses fulvus* Cameron, 1877a: 88.

*Phyllotoma flavescentia* Marlatt, 1898: 494.

*Poecilosoma unicolor* Matsumura, 1912: 62-63.

**Korean records.** Togashi, 1990a; Lee and Ryu, 1996a; Lee et al., 2000; Paek et al., 2010; Lyu et al., 2014.

**Host plant.** *Paederia foetida* L.

**Distribution.** Korea (South), China, Japan.

#### Genus *Stenemphytus* Wei and Nie, 1999

벗나무검은잎벌속

*Stenemphytus* Wei and Nie, 1999: 15-16. Type species:

*Stenemphytus superbus* Wei and Nie, 1999.

#### 174. *Stenemphytus nakabusensis* (Takeuchi, 1929)

벗나무검은잎벌 (NK: 벗나무검은잎벌)

*Allantus* (*Emphytus*) *nakabusensis* Takeuchi, 1929a: 500-501.

**Korean records.** Choi and Ko, 2006; Ahn et al., 2013.

**Host plants.** *Prunus* sp., *Prunus* × *yedoensis* Matsum.

**Distribution.** Korea (North), Japan.

#### Genus *Taxonus* Hartig, 1837 먹잎벌속

*Tenthredo* (*Taxonus*) Hartig, 1837: 297-298. Type species: *Tenthredo* (*Allantus*) *nitida* Klug, 1817.

*Ermilia* Costa, 1859: 106. Type species: *Ermilia pulchella* Costa, 1859.

*Parasiobla* Ashmead, 1898b: 308. Type species: *Allantus rufocinctus* Norton, 1860.

*Strongylogastroidea* Ashmead, 1898b: 308. Type species: *Strongylogaster apicalis* (Say, 1836).

*Hypotaxonus* Ashmead, 1898b: 311. Type species: *Allantus pallipes* Say, 1823.

#### 175. *Taxonus abdominalis* Lee and Ryu, 1996

배검은먹잎벌

*Taxonus abdominalis* Lee and Ryu, 1996b: 24-25.

**Korean records.** Lee and Ryu, 1996b; Lee and Ryu, 1996a; Lee et al., 2000; Paek et al., 2010; Lyu et al., 2014.

**Host plant.** Unknown.

**Distribution.** Korea (South).

#### 176. *Taxonus carbonarius* Takeuchi, 1929 먹잎벌

*Taxonus carbonarius* Takeuchi, 1929a: 503-504.

**Korean records.** Kim, 1963; Zool. Soc. Kor., 1968; Kim, 1970; Kim et al., 1994; Lee and Ryu, 1996a; Lee et al., 2000; Paek et al., 2010; Lyu et al., 2014.

**Host plant.** Unknown.

**Distribution.** Korea (South, North), Japan, Russia.

**177. *Taxonus delumbis* Konow, 1900 허리먹잎벌  
(NK: 흰잎술잎벌)**

*Taxonus delumbis* Konow, 1900: 123.

*Taxonus kamtchaticus* Malaise, 1931a: 24-25.

**Korean records.** Zombori, 1978; Lee and Ryu, 1996a; Lee et al., 2000; Choi and Ko, 2006; Paek et al., 2010; Ahn et al., 2013; Lyu et al., 2014.

**Host plant.** Unknown.

**Distribution.** Korea (North), China, Japan, Russia.

**178. *Taxonus fluvicornis* Matsumura, 1912 뿔잎벌**

*Taxonus fluvicornis* Matsumura, 1912: 65-66.

*Conaspidea bergrothi* Forsius, 1925a: 109-111.

**Korean records.** Kim, 1963; Zool. Soc. Kor., 1968; Kim, 1970; Kim et al., 1994; Lee and Ryu, 1996a; Lee et al., 2000; Paek et al., 2010; Lyu et al., 2014.

**Host plant.** *Reynoutria japonica* Houtt.

**Distribution.** Korea (locality unknown), Japan, Russia.

Subfamily Athaliinae Rowher, 1911 무잎벌아과

**Genus *Athalia* Leach, 1817 무잎벌속**

*Athalia* Leach, 1817: 126. Type species: *Tenthredo spinarum* Fabricius, 1793.

*Athalia* (*Dentathalia*) Benson, 1931: 111. Type species: *Athalia scutellariae* Cameron, 1880.

**179. *Athalia circularis melanoptera* Benson, 1962**

벤슨잎벌

*Athalia circularis melanoptera* Benson, 1962: 365.

**Korean records.** Zombori, 1974; Kim et al., 1994; Lee and Ryu, 1996a; Lee et al., 2000; Paek et al., 2010; Lyu et al., 2014.

**Host plant.** Unknown.

**Distribution.** Korea (North), China, Iran, Japan, Mongolia, Russia.

**180. *Athalia infumata* (Marlatt, 1898) 연무잎벌**

*Phyllotoma infumata* Marlatt, 1898: 494.

*Athalia nigrinotum* Matsumura, 1912: 69.

**Korean records.** Lee et al., 1995b; Lee and Ryu, 1996a; Lee et al., 2000; Paek et al., 2010; Lyu et al., 2014; Park et al., 2017.

**Host plants.** *Brassica rapa* L., *Brassica* sp., *Cardamine flexuosa* With., *Eutrema japonicum* (Miq.) Koidz., *Nasturtium officinale* R. Br., *Raphanus raphanistrum* subsp. *sativus* (L.) Domin, *Rorippa indica* (L.) Hiern, *Rorippa* sp., *Sinapis alba* L., *Sinapis arvensis* L., *Turritis glabra* L.

**Distribution.** Korea (South), China, India, Japan, Russia.

**181. *Athalia japonica* (Klug, 1815) 왜무잎벌  
(NK: 일본숯무우잎벌)**

*Tenthredo (Allantus) japonica* Klug, 1815: 131.

*Athalia novittola* Kokujev, 1927: 64-65.

**Korean records.** Doi, 1938; Cho, 1961; Kim, 1963; Zool. Soc. Kor., 1968; Chu, 1969; Kim, 1970; Kim, 1980; Kim et al., 1994; Lee et al., 1995a; Lee et al., 1995b; Lee et al., 1995c; Lee et al., 1996; Lee and Ryu, 1996a; Lee et al., 2000; Choi and Ko, 2006; Paek et al., 2010; Ahn et al., 2013; Lyu et al., 2014; Park et al., 2017.

**Host plants.** *Arabis hirsuta* (L.) Scop., *Arabis* sp., *Barearea* sp., *Brassica juncea* (L.) Czern., *Brassica napus* L., *Brassica nigra* (L.) K. Koch, *Brassica rapa* L., *Brassica* sp., *Cardamine appendiculata* Franch. and Sav., *Cardamine flexuosa* With., *Cardamine impatiens* L., *Cardamine leucantha* (Tausch) O.E. Schulz, *Cardamine scutata* Thunb., *Cardamine* sp., *Cardamine yezoensis* Maxim., *Epteris* sp., *Eutrema japonicum* (Miq.) Koidz., *Eutrema* sp., *Nasturtium officinale* R. Br., *Raphanus raphanistrum* L., *Raphanus raphanistrum* subsp. *sativus* (L.) Domin, *Raphanus sativus* var. *sativus*, *Raphanus* sp., *Rorippa indica* (L.) Hiern, *Rorippa* sp., *Sinapis alba* L., *Sinapis arvensis* L., *Turritis glabra* L.

**Distribution.** Korea (South, North), China, India, Japan, Russia.

**182. *Athalia kashmirensis* Benson, 1932 흰입술무잎벌**

*Athalia* (*Athalia*) *cordata* *kashmirensis* Benson, 1932: 187.

*Athalia veronicae* Takeuchi, 1949: 49. Not available.  
Nomen nudum.

**Korean records.** Lee and Ryu, 1995; Lee and Ryu, 1996a; Lee et al., 2000; Paek et al., 2010; Lyu et al., 2014; Park et al., 2017.

**Host plants.** *Veronica arvensis* L., *Veronica persica* Poir., *Veronica polita* Fr., *Veronica* sp.

**Distribution.** Korea (South), China, India, Japan.

**183. *Athalia proxima* (Klug, 1815) 두색무잎벌**

(NK: 삼지연잎벌)

*Tenthredo (Allantus) proxima* Klug, 1815: 130-131.

*Athalia tibialis* Cameron, 1876: 460.

*Athalia spinarum* var. *Orientalis* [sic!] Cameron, 1877a: 90.

*Athalia proxima* var. *funebris* Forsius, 1925c: 91-92.

*Athalia colibri* var. *kuroiwae* Matsumura and Uchida, 1926: 70.

*Athalia lugens* var. *camtschatica* Forsius, 1928b: 46.

*Athalia lugens* var. *tristis* Forsius, 1934: 106.

**Korean records.** Takeuchi, 1927a; Doi, 1938; Kim, 1963; Zool. Soc. Kor., 1968; Kim, 1970; Zombori, 1974; Kim,

1980; Kim *et al.*, 1994; Lee *et al.*, 1995b; Lee *et al.*, 1995c; Lee *et al.*, 1996; Lee and Ryu, 1996a; Lee *et al.*, 2000; Choi and Ko, 2006; Paek *et al.*, 2010; Ahn *et al.*, 2013; Lyu *et al.*, 2014; Park *et al.*, 2017.

**Host plants.** *Brassica juncea* (L.) Czern., *Brassica napus* L., *Brassica nigra* (L.) K. Koch, *Brassica rapa* L., *Eutrema japonicum* (Miq.) Koidz., *Lepidium sativum* L., *Nasturtium officinale* R. Br., *Raphanus raphanistrum* L., *Raphanus raphanistrum* subsp. *sativus* (L.) Domin.

**Distribution.** Korea (South, North), China, India, Indonesia, Japan, Myanmar, Russia, Taiwan.

#### 184. *Athalia rosae rosae* (Linné, 1758) 가시무잎벌 (NK: 수무우잎벌, 무우잎벌)

*Tenthredo Rosae* [sic!] Linné, 1758: 557.

*Tenthredo Colibri* [sic!] Christ, 1791: 434.

*Tenthredo spinarum* Fabricius, 1793: 110.

*Tenthredo Centifoliae* [sic!] Panzer, 1797: 18.

**Korean records.** Takeuchi, 1927a; Doi, 1938; Chu, 1969; Lee and Ryu, 1996a; Lee *et al.*, 2000; Choi and Ko, 2006; Paek *et al.*, 2010; Ahn *et al.*, 2013; Lyu *et al.*, 2014.

**Host plants.** *Armoracia rusticana* P. Gaertn., B. Mey. and Scherb., *Barbarea* sp., *Brassica juncea* (L.) Czern., *Brassica napus* L., *Brassica nigra* (L.) K. Koch, *Brassica oleracea* L., *Brassica rapa* L., *Brassica* sp., *Raphanus raphanistrum* L., *Raphanus* sp., *Rorippa amphibia* (L.) Besser, *Rorippa* sp., *Sinapis alba* L., *Sinapis arvensis* L., *Sinapis* sp., *Sisymbrium officinale* (L.) Scop., *Sisymbrium* sp., *Tropaeolum majus* L.

**Distribution.** Korea (South, North), Albania, Austria, Belarus, Belgium, Bosnia and Herzegovina, Bulgaria, Croatia, Czech Republic, Denmark, Estonia, Finland, France, Germany, Great Britain, Greece, Hungary, Italy, Latvia, Luxembourg, Macedonia, Moldova, Montenegro, Netherlands, Norway, Poland, Portugal, Republic of Serbia, Romania, Russia, Slovakia, Slovenia, Spain, Sweden, Switzerland, Ukraine.

#### 185. *Athalia rosae ruficornis* Jakowlew, 1888 무잎벌 (NK: 붉은뿔잎벌)

*Athalia spinarum* var. *ruficornis* Jakowlew, 1888: 373.

*Athalia leucostoma* Cameron, 1904: 108.

*Athalia spinarum* *japanensis* Rohwer, 1910a: 109-110.

**Korean records.** Kim, 1957; Cho, 1963; Kim, 1963; Zool. Soc. Kor., 1968; Chu, 1969; Kim, 1970; Zombori, 1974; Kim, 1980; Togashi, 1990a; Kim *et al.*, 1994; Lee *et al.*, 1995b; Lee *et al.*, 1995c; Lee *et al.*, 1996; Lee and Ryu, 1996a; Lee *et al.*, 2000; Choi and Ko, 2006; Paek *et al.*, 2010; Ahn *et al.*, 2013; Lyu *et al.*, 2014; Park *et al.*, 2017.

**Host plants.** *Brassica rapa* L., *Brassica* sp., *Cardamine flexuosa* With., *Eutrema japonicum* (Miq.) Koidz.,

*Nasturtium officinale* R. Br., *Raphanus raphanistrum* subsp. *sativus* (L.) Domin, *Raphanus sativus* var. *sativus*, *Raphanus* sp., *Rorippa indica* (L.) Hiern.

**Distribution.** Korea (South, North), China, India, Japan, Nepal, Mongolia, Russia, Taiwan.

#### 186. *Athalia tanaoserrula* Chu and Wang, 1962

끌뾰족무잎벌

*Athalia tanaoserrula* Chu and Wang, 1962: 512.

*Athalia kwangsiensis* Chu and Wang, 1962: 512.

**Korean records.** Lee *et al.*, 2017; Park *et al.*, 2017.

**Host plant.** Unknown.

**Distribution.** Korea (South), China.

Subfamily Blennocampinae Konow, 1890

검정꼬마잎벌아과

#### Genus *Apareophora* Sato, 1928 고려잎벌속

*Apareophora* Sato, 1928: 185. Type species: *Apareophora forsythiae* Sato, 1928.

#### 187. *Apareophora coreana* Sato, 1928 고려잎벌

*Apareophora coreana* Sato, 1928: 187-188.

**Korean records.** Sato, 1928; Kim, 1963; Zool. Soc. Kor., 1968; Kim, 1970; Shinohara and Smith, 1979; Kim *et al.*, 1994; Lee *et al.*, 1995b; Lee *et al.*, 1995c; Lee and Ryu, 1996a; Lee *et al.*, 2000; Paek *et al.*, 2010; Lyu *et al.*, 2014.

**Host plant.** Unknown.

**Distribution.** Korea (South), China.

#### 188. *Apareophora forsythiae* Sato, 1928 개나리잎벌

*Apareophora forsythiae* Sato, 1928: 185-187.

**Korean records.** Sato, 1928; Cho, 1955; Kim, 1963; Zool. Soc. Kor., 1968; Kim, 1970; Shinohara and Smith, 1979; Kim *et al.*, 1994; Lee and Ryu, 1996a; Lee *et al.*, 2000; Paek *et al.*, 2010; Lyu *et al.*, 2014.

**Host plants.** *Forsythia koreana* (Rehder) Nakai, *Forsythia ovata* Nakai, *Forsythia saxatilis* (Nakai) Nakai, *Forsythia suspensa* (Thunb.) Vahl.

**Distribution.** Korea (South).

#### 189. *Apareophora nigrotegula* Lee and Ryu, 1998

검정어깨고려잎벌

*Apareophora nigrotegula* Lee and Ryu, 1998: 114.

**Korean records.** Lee and Ryu, 1998; Lee *et al.*, 2000; Paek *et al.*, 2010; Lyu *et al.*, 2014.

**Host plant.** Unknown.

**Distribution.** Korea (South).

**Genus *Aphytacera* Sato, 1928** 참수염잎벌속  
*Aphytacera* Sato, 1928: 182. Type species: *Aphytacera coreana* Sato, 1928.

**190. *Aphytacera coreana* Sato, 1928** 참수염잎벌  
*Aphytacera coreana* Sato, 1928: 182-183.

**Korean records.** Sato, 1928; Kim, 1963; Zool. Soc. Kor., 1968; Kim, 1970; Shinohara and Smith, 1979; Kim et al., 1994; Lee and Ryu, 1996a; Lee et al., 2000; Paek et al., 2010; Lyu et al., 2014.

**Host plant.** Unknown.

**Distribution.** Korea (South), China.

**Genus *Cladardis* Benson, 1952** 줄고려노랑잎벌속  
*Cladardis* Benson, 1952: 99. Type species: *Tenthredo elongatula* Klug, 1817.

**191. *Cladardis hartigi* Liston, 1995**

작은줄고려노랑잎벌

*Tenthredo semicincta* Hartig, 1837: 272-273. Primary homonym of *Tenthredo semicincta* Schrank, 1781.

*Cladardis hartigi* Liston, 1995: 75. Name for *Tenthredo semicincta* Hartig, 1837.

**Korean records.** Lee et al., 1995b; Lee and Ryu, 1996a; Lee et al., 2000; Paek et al., 2010; Lyu et al., 2014.

**Host plant.** *Corydalis incisa* (Thunb.) Pers.

**Distribution.** Korea (South), Austria, Czech Republic, Estonia, Germany, Hungary, Japan, Netherlands, Poland, Romania, Russia, Slovakia, Sweden, Ukraine.

**Genus *Eutomostethus* Enslin, 1914** 금치레잎벌속  
*Tomostethus* (*Eutomostethus*) Enslin, 1914b: 167. Type species: *Tomostethus luteiventris* (Klug, 1816).  
*Tomostethus* (*Atomostethus*) Enslin, 1914b: 167. Type species: *Tomostethus ephippium* (Panzer, 1798).  
*Tomostethopsis* Sato, 1928: 178-179. Type species: *Tomostethopsis metallicus* Sato, 1928.  
*Forsia* Malaise, 1931a: 29-30. Type species: *Forsia tomostethi* Malaise, 1931.

**192. *Eutomostethus metallicus* (Sato, 1928)** 금치레잎벌  
*Tomostethopsis metallicus* Sato, 1928: 179.

**Korean records.** Sato, 1928; Kim, 1963; Zool. Soc. Kor., 1968; Kim, 1970; Shinohara and Smith, 1979; Kim et al., 1994; Lee and Ryu, 1996a; Lee et al., 2000; Paek et al., 2010; Lyu et al., 2014.

**Host plant.** Unknown.

**Distribution.** Korea (South), China, Vietnam.

**193. *Eutomostethus tricolor* (Malaise, 1934)** 수정잎벌  
*Tomostethus* (*Eutomostethus*) *tricolor* Malaise, 1934b:

31-32.  
*Eutomostethus hyalinus* Takeuchi, 1936a: 99-100.

**Korean records.** Lee et al., 1995b; Lee and Ryu, 1996a; Lee et al., 2000; Paek et al., 2010; Lyu et al., 2014.

**Host plant.** Unknown.

**Distribution.** Korea (South), China, Japan, Russia, Taiwan, Vietnam.

**Genus *Megatomostethus* Takeuchi, 1933** 곤봉잎벌속  
*Megatomostethus* Takeuchi, 1933a: 30. Type species: *Monophadnoides crassicornis* Rohwer, 1910.

**194. *Megatomostethus crassicornis* (Rohwer, 1910)**

곤봉잎벌

*Monophadnoides crassicornis* Rohwer, 1910a: 107.

**Korean records.** Togashi, 1990a; Lee and Ryu, 1996a; Lee et al., 2000; Paek et al., 2010; Lyu et al., 2014.

**Host plant.** *Clematis apiifolia* DC.

**Distribution.** Korea (South), China, Japan, Taiwan.

**Genus *Monophadnoides* Ashmead, 1898**

어리극동잎벌속

*Monophadnoides* Ashmead, 1898c: 253. Type species: *Monophadnoides rubi* (T.W. Harris, 1845).  
*Monophadnus* (*Pseudomonophadnus*) Malaise, 1935: 167. Type species: *Tenthredo* (*Monophadnus*) *geniculata* Hartig, 1837.

**195. *Monophadnoides nipponicus* (Rohwer, 1910)**

어리극동잎벌

*Monophadnus genticulatus* [sic!] *nipponica* [sic!] Rohwer, 1910a: 108.

**Korean records.** Lee et al., 2000; Paek et al., 2010; Lyu et al., 2014.

**Host plant.** Unknown.

**Distribution.** Korea (South), Japan.

**196. *Monophadnoides tuberculatus* Smith and Wei, 2015** 흑뿌리어리극동잎벌(신칭)

*Monophadnoides tuberculatus* Smith and Wei, 2015: 204-208.

**Korean record.** Smith and Wei, 2015.

**Host plant.** Unknown.

**Distribution.** Korea (South), China.

**Genus *Monophadnus* Hartig, 1837** 고려노랑잎벌속  
*Tenthredo* (*Monophadnus*) Hartig, 1837: 271. Type species: *Tenthredo albipes* Gmelin, 1790.

*Corporaalinus* Forsius, 1925c: 86. Type species: *Corporaalinus azureus* Forsius, 1925.

*Monophadnus (Doderia)* Malaise, 1935: 167. Type species: *Tenthredo (Allantus) spinolae* Klug, 1816.

### 197. *Monophadnus nigriceps* (F. Smith, 1874)

검정머리고려노랑잎벌 (NK: 노랑잎벌)

*Selandria nigriceps* F. Smith, 1874: 376.

*Monophadnus Japonicus* [sic!] Mocsáry, 1880: 268.

*Monophadnus lewisii* W.F. Kirby, 1882: 174.

**Korean records.** Kim, 1963; Zool. Soc. Kor., 1968; Chu, 1969; Kim, 1970; Kim, 1980; Kim et al., 1994; Lee and Ryu, 1995; Lee and Ryu, 1996a; Lee et al., 2000; Paek et al., 2010; Ahn et al., 2013; Lyu et al., 2014.

**Host plant.** *Clematis terniflora* DC.

**Distribution.** Korea (South, North), China, Japan.

### 198. *Monophadnus nigritarsis* Togashi, 1992

검정발고려노랑잎벌

*Monophadnus nigritarsis* Togashi, 1992b: 240-242.

**Korean records.** Lee and Ryu, 1995; Lee and Ryu, 1996a; Lee et al., 2000; Paek et al., 2010; Lyu et al., 2014.

**Host plant.** Unknown.

**Distribution.** Korea (South), Japan.

### Genus *Paracharactus* MacGillivray, 1908

일본극동잎벌속

*Paracharactus* MacGillivray, 1908b: 292. Type species: *Paracharactus obscuratus* MacGillivray, 1908.

*Dicrostema* Benson, 1952: 97-98, 101. Type species: *Selandria gracilicornis* Zaddach, 1859.

### 199. *Paracharactus japonicus* (Malaise, 1931)

일본극동잎벌

*Neotomostethus japonicus* Malaise, 1931c: 210.

**Korean records.** Lee and Ryu, 1995; Lee and Ryu, 1996a; Lee et al., 2000; Paek et al., 2010; Lyu et al., 2014.

**Host plant.** *Sambucus sieboldiana* (Miq.) Blume ex Schwer.

**Distribution.** Korea (South), Japan, Russia, Taiwan.

### Genus *Periclista* Konow, 1886 선녀잎벌속

*Periclista* Konow, 1886b: 184, 186. Type species: *Tenthredo (Allantus) lineolata* Klug, 1816.

*Mogerus* MacGillivray, 1895: 281. Name for *Periclista* Konow, 1886.

*Isodyctium* Ashmead in Dyar, 1898b: 127-128. Type species: *Mogerus caryicolus* Dyar, 1897.

*Aphanisus* MacGillivray, 1908b: 295. Type species: *Aphanisus lobatus* MacGillivray, 1908.

*Neocharactus* MacGillivray, 1908b: 293. Type species:

*Neocharactus bakeri* MacGillivray, 1908.

*Apericlista* Enslin, 1914a: 265, 278. Type species: *Tenthredo albipennis* (Zaddach, 1859).

*Neoclista* Malaise, 1964: 22. Type species: *Periclista andrei* Konow, 1906.

### 200. *Periclista patura* D.R. Smith, 1984 선녀잎벌

*Periclista patura* D.R. Smith, 1984: 2, 5.

**Korean records.** Smith, 1984; Lee and Ryu, 1996a; Lee et al., 2000; Paek et al., 2010; Lyu et al., 2014.

**Host plant.** Unknown.

**Distribution.** Korea (South).

### 201. *Periclista satoi* D.R. Smith, 1984 사토선녀잎벌

*Periclista satoi* D.R. Smith, 1984: 2-3.

**Korean records.** Smith, 1984; Lee and Ryu, 1996a; Lee et al., 2000; Paek et al., 2010; Lyu et al., 2014.

**Host plant.** *Quercus* sp.

**Distribution.** Korea (South).

### 202. *Periclista serratae* D.R. Smith, 1984 모난선녀잎벌

*Periclista serratae* D.R. Smith, 1984: 2, 4-5.

**Korean records.** Smith, 1984; Lee and Ryu, 1996a; Lee et al., 2000; Paek et al., 2010; Lyu et al., 2014.

**Host plant.** *Quercus serrata* Thunb.

**Distribution.** Korea (South).

### 203. *Periclista suweonensis* D.R. Smith, 1984

수원선녀잎벌

*Periclista suweonensis* D.R. Smith, 1984: 2-4.

**Korean records.** Smith, 1984; Lee and Ryu, 1996a; Lee et al., 2000; Paek et al., 2010; Lyu et al., 2014.

**Host plant.** *Quercus serrata* Thunb.

**Distribution.** Korea (South).

### Genus *Phymatocera* Dahlbom, 1835 등굴레잎벌속

*Tenthredo (Phymatocera)* Dahlbom, 1835b: 4, 11. Type species: *Tenthredo (Allantus) aterrima* Klug, 1816.

*Pectinia* Brullé, 1846: 664-665. Type species: *Tenthredo (Allantus) aterrima* Klug, 1816.

*Melanoselandria* Ashmead, 1900: 606. Not available. Nomen nudum.

*Phymatoceros* Konow, 1905: 77, 82. Name for *Tenthredo (Phymatocera)* Dahlbom, 1835.

*Hypargyricus* MacGillivray, 1908b: 290. Type species: *Hypargyricus infuscatus* MacGillivray, 1908.

*Melanoselandria* MacGillivray, 1909c: 404. Type species: *Melanoselandria zabriskiei* MacGillivray, 1909.

### 204. *Phymatocera aterrima* (Klug, 1816) 먹굵은뿔잎벌

(NK: 먹굵은뿔잎벌)

*Tenthredo (Allantus) aterrima* Klug, 1816: 81-82.  
*Tenthredo trichocera* Lepeletier, 1823: 81. Primary homonym of *Tenthredo trichocera* Serville, 1823.  
*Tenthredo trichocera* Serville, 1823: 25.  
*Selandria Robinsoni* [sic!] Curtis, 1850: 393-394.

**Korean records.** Doi, 1938; Chu, 1969; Ahn et al., 2013.

**Host plants.** *Convallaria majalis* L., *Paris quadrifolia* L., *Polygonatum × hybridum* Brügger, *Polygonatum multiflorum* (L.) All., *Polygonatum odoratum* (Mill.) Druce, *Polygonatum odoratum* var. *thunbergii* (C. Morren and Decne.) H. Hara, *Polygonatum* sp., *Polygonatum verticillatum* (L.) All., *Streptopus amplexifolius* (L.) DC.

**Distribution.** Korea (North), Armenia, Austria, Belgium, Bulgaria, China, Croatia, Czech Republic, Denmark, Estonia, Finland, France, Germany, Great Britain, Hungary, Italy, Kazakhstan, Latvia, Liechtenstein, Luxembourg, Macedonia, Moldova, Montenegro, Netherlands, Norway, Poland, Portugal, Republic of Serbia, Romania, Russia, Slovakia, Spain, Sweden, Switzerland, Ukraine.

**205. *Phymatocera nipponica* Togashi, 1958** 등글레잎벌  
*Phymatocera nipponica* Togashi, 1958: 161-162.

**Korean records.** Doi, 1938; Kim, 1963; Zool. Soc. Kor., 1968; Chu, 1969; Kim, 1970; Lee and Ryu, 1996a; Lee et al., 2000; Paek et al., 2010; Lyu et al., 2014.

**Host plants.** *Polygonatum falcatum* A. Gray, *Polygonatum odoratum* (Mill.) Druce.

**Distribution.** Korea (South), Japan.

**Genus *Phymatoceriola* Sato, 1928** 꼬마바수염잎벌속  
*Phymatoceriola* Sato, 1928: 183. Type species: *Phymatoceriola suigenensis* Sato, 1928.

**206. *Phymatoceriola suigenensis* Sato, 1928**

꼬마바수염잎벌

*Phymatoceriola suigenensis* Sato, 1928: 184.

**Korean records.** Sato, 1928; Kim, 1963; Zool. Soc. Kor., 1968; Kim, 1970; Shinohara and Smith, 1979; Kim et al., 1994; Lee and Ryu, 1996a; Lee et al., 2000; Paek et al., 2010; Lyu et al., 2014.

**Host plant.** Unknown.

**Distribution.** Korea (South), Russia.

**Genus *Senoclidea* Rohwer, 1912** 오색잎벌속

*Senoclidea* Rohwer, 1912: 228. Type species: *Senoclidea amala* Rohwer, 1912.

**207. *Senoclidea koreana* (Konow, 1898)** 고려노랑잎벌

*Monophadnus koreanus* Konow, 1898a: 234.

**Korean records.** Takeuchi, 1927a; Kim, 1963; Zool. Soc. Kor., 1968; Kim, 1970; Kim, 1980; Kim et al., 1994; Lee and Ryu, 1996a; Lee et al., 2000; Paek et al., 2010; Lyu et al., 2014.

**Host plant.** Unknown.

**Distribution.** Korea (South, North), China.

**208. *Senoclidea nozakae* Togashi, 1988** 오색잎벌

*Senoclidea nozakae* Togashi, 1988: 110-113.

**Korean records.** Togashi, 1988; Lee and Ryu, 1996a; Lee et al., 2000; Paek et al., 2010; Lyu et al., 2014.

**Host plant.** Unknown.

**Distribution.** Korea (South).

**209. *Senoclidea suwonensis* Togashi, 1988**

수원오색잎벌

*Senoclidea suwonense* Togashi, 1988: 110-113.

**Korean records.** Togashi, 1988; Lee and Ryu, 1996a; Lee et al., 2000; Paek et al., 2010; Lyu et al., 2014.

**Host plant.** Unknown.

**Distribution.** Korea (South).

**Genus *Stethomostus* Benson, 1939** 목도리잎벌속

*Stethomostus* Benson, 1939a: 111. Type species: *Tenthredo fuliginosa* Schrank, 1781.

**210. *Stethomostus flavicollaris* (Sato, 1928)**

노란목도리잎벌

*Atomostethus flavicollaris* Sato, 1928: 179-180.

**Korean records.** Sato, 1928; Kim, 1963; Zool. Soc. Kor., 1968; Kim, 1970; Shinohara and Smith, 1979; Kim et al., 1994; Lee and Ryu, 1996a; Lee et al., 2000; Paek et al., 2010; Lyu et al., 2014.

**Host plant.** Unknown.

**Distribution.** Korea (South), China, Russia.

**Genus *Tomostethus* Konow, 1886** 검정꼬마잎벌속

*Tomostethus* Konow, 1886c: 214. Type species: *Tenthredo nigrita* Fabricius, 1804.

**211. *Tomostethus juglans* Takeuchi, 1929**

호두나무잎벌(호도나무잎벌)

*Tomostethus juglans* Takeuchi, 1929b: 355-356.

**Korean records.** Takeuchi, 1929b; Kim, 1963; Zool. Soc. Kor., 1968; Kim, 1970; Kim et al., 1994; Lee and Ryu, 1996a; Lee et al., 2000; Paek et al., 2010; Lyu et al., 2014.

**Host plants.** *Juglans regia* L., *Juglans* sp.

**Distribution.** Korea (South).

**212. *Tomostethus nigritus* (Fabricius, 1804)**

검정꼬마잎벌 (NK: 검은잎벌)

*Tenthredo nigrita* Fabricius, 1804: 39.

*Tenthredo (Allantus) nigerrima* Klug, 1816: 65.

*Tenthredo (Allantus) brevicornis* Klug, 1816: 65.

*Tenthredo fraxini* Serville, 1823: 48.

*Tenthredo fraxini* Lepeletier, 1823: 106. Primary homonym of *Tenthredo fraxini* Serville, 1823.

*Monophadnus latus* Costa, 1894: 125.

**Korean records.** Doi, 1938; Cho, 1955; Kim, 1963; Zool. Soc. Kor., 1968; Chu, 1969; Kim, 1970; Kim et al., 1994; Lee and Ryu, 1996a; Lee et al., 2000; Paek et al., 2010; Ahn et al., 2013; Lyu et al., 2014.

**Host plants.** *Fraxinus americana* L., *Fraxinus angustifolia* Vahl, *Fraxinus chinensis* subsp. *rhynchophylla* (Hance) A.E. Murray, *Fraxinus excelsior* L., *Fraxinus mandshurica* Rupr., *Fraxinus* sp., *Petasites* sp.

**Distribution.** Korea (South, North), Austria, Belgium, Bulgaria, China, Croatia, Czech Republic, Denmark, Estonia, Finland, France, Germany, Great Britain, Hungary, Italy, Japan, Latvia, Luxembourg, Moldova, Netherlands, Norway, Poland, Portugal, Romania, Russia, Slovakia, Spain, Sweden, Switzerland, Ukraine.

**Genus *Zaphymatocera* Sato, 1928** 누런종아리잎벌속  
*Zaphymatocera* Sato, 1928: 180. Type species: *Zaphymatocera typica* Sato, 1928.

**213. *Zaphymatocera typica* Sato, 1928** 누런종아리잎벌  
*Zaphymatocera typica* Sato, 1928: 181-182.

**Korean records.** Sato, 1928; Kim, 1963; Zool. Soc. Kor., 1968; Kim, 1970; Shinohara and Smith, 1979; Kim et al., 1994; Lee and Ryu, 1996a; Lee et al., 2000; Paek et al., 2010; Lyu et al., 2014.

**Host plant.** Unknown.

**Distribution.** Korea (South), Russia.

Subfamily Heterarthrinae Ross, 1951 꼬마잎벌아과

**Genus *Caliroa* Costa, 1859** 서양배나무잎벌속

*Caliroa* Costa, 1859: 59. Type species: *Caliroa sebetia* Costa, 1859.

*Eriocampoides* Konow, 1890b: 233, 239. Type species: *Tenthredo limacina* Retzius, 1783.

*Periclistoptera* Ashmead, 1898c: 255. Type species: *Monostegia alba* (Norton, 1867).

**214. *Caliroa carinata* Zombori, 1978** 남포잎벌

*Caliroa carinata* Zombori, 1978: 255-257.

**Korean records.** Zombori, 1978; Kim et al., 1994; Lee and Ryu, 1996a; Lee et al., 2000; Paek et al., 2010; Lyu

et al., 2014.

**Host plant.** Unknown.

**Distribution.** Korea (South, North).

**215. *Caliroa matsumotonis* (Harukawa, 1919)**

복승아잎벌

*Eriocampoides matsumotonis* Harukawa, 1919: 48.

**Korean records.** Cho, 1955; Kim, 1963; Zool. Soc. Kor., 1968; Kim, 1970; Kim et al., 1994; Lee and Ryu, 1996a; Lee et al., 2000; Paek et al., 2010; Hara and Shinohara, 2013; Lyu et al., 2014.

**Host plants.** *Malus sieboldii* (Regel) Rehder, *Prunus armeniaca* var. *ansu* Maxim., *Prunus avium* (L.) L., *Prunus persica* (L.) Batsch, *Prunus salicina* Lindl., *Prunus serrulata* var. *spontanea* (Maxim.) E.H. Wilson, *Prunus* sp., *Prunus × yedoensis* Matsum., *Pyrus pyrifolia* var. *culta* (Makino) Nakai, *Pyrus* sp.

**Distribution.** Korea (South), China, Japan.

**216. *Caliroa nara* Hara, 2011** 나라서양배나무잎벌

(신칭)

*Caliroa nara* Hara, 2011: 370-378.

**Korean record.** Hara, 2011.

**Host plants.** *Quercus mongolica* Fisch. ex Ledeb., *Quercus mongolica* subsp. *crispula* (Blume) Menitsky.

**Distribution.** Korea (South), Japan.

**217. *Caliroa oishii* (Takeuchi, 1933)** 참나무잎벌

*Eriocampoides oishii* Takeuchi, 1933a: 30-31.

**Korean records.** Cho, 1955; Kim, 1963; Zool. Soc. Kor., 1968; Kim, 1970; Kim et al., 1994; Lee and Ryu, 1996a; Lee et al., 2000; Paek et al., 2010; Lyu et al., 2014.

**Host plants.** *Quercus acutissima* Carruth., *Quercus aliena* Blume, *Quercus mongolica* subsp. *crispula* (Blume) Menitsky, *Quercus serrata* Thunb., *Quercus* sp., *Quercus variabilis* Blume.

**Distribution.** Korea (South), China, Japan, Russia.

**Genus *Fenella* Westwood, 1839** 백두잎벌속

*Fenella* Westwood, 1839: 54. Type species: *Fenella nigrita* Westwood, 1839.

*Melinia* Costa, 1859: 41. Type species: *Melinia minutissima* Costa, 1859.

*Paraphyllotoma* Forsius, 1930: 103-104. Type species: *Paraphyllotoma judaica* Forsius, 1930.

**218. *Fenella continuata* Zombori, 1978** 영강잎벌

(NK: 누런수염검은머리잎벌)

*Fenella continuata* Zombori, 1978: 260-261.

**Korean records.** Zombori, 1978; Kim et al., 1994; Lee

and Ryu, 1996a; Lee et al., 2000; Choi and Ko, 2006; Paek et al., 2010; Ahn et al., 2013; Lyu et al., 2014.

**Host plant.** Unknown.

**Distribution.** Korea (North), Hungary.

### 219. *Fenella crenata* Zombori, 1978 크레나타잎벌

(NK: 검은머리잎벌)

*Fenella crenata* Zombori, 1978: 261.

**Korean records.** Zombori, 1978; Kim et al., 1994; Lee and Ryu, 1996a; Lee et al., 2000; Choi and Ko, 2006; Paek et al., 2010; Ahn et al., 2013; Lyu et al., 2014.

**Host plant.** Unknown.

**Distribution.** Korea (North).

### 220. *Fenella excavata* Zombori, 1978 공동잎벌

(NK: 자작나무검은잎벌)

*Fenella excavata* Zombori, 1978: 262.

**Korean records.** Zombori, 1978; Kim et al., 1994; Lee and Ryu, 1996a; Lee et al., 2000; Choi and Ko, 2006; Paek et al., 2010; Ahn et al., 2013; Lyu et al., 2014.

**Host plant.** Unknown.

**Distribution.** Korea (North).

### 221. *Fenella nigrita* Westwood, 1839 서양나무잎벌

(NK: 양지꽃검은잎벌)

*Fenella nigrita* Westwood, 1839: 54.

*Melinia minutissima* Costa, 1859: 41-42.

*Phyllobotoma Tormentillae* [sic!] Healy, 1868: 140-141.

*Fenella Agrimoniae* [sic!] Brischke, 1888: 8-9.

**Korean records.** Zombori, 1978; Kim et al., 1994; Lee and Ryu, 1996a; Lee et al., 2000; Choi and Ko, 2006; Paek et al., 2010; Ahn et al., 2013; Lyu et al., 2014.

**Host plants.** *Agrimonia eupatoria* L., *Agrimonia pilosa* Ledeb., *Agrimonia procera* Wallr., *Agrimonia repens* L., *Agrimonia* sp., *Agrimonia striata* Michx., *Artemisia agrimonoides* (L.) DC., *Filipendula rubra* (Hill) B.L. Rob., *Filipendula* sp., *Filipendula ulmaria* (L.) Maxim., *Fragaria orientalis* Losinsk., *Fragaria* sp., *Fragaria vesca* L., *Potentilla adscharica* Sommier and Levier, *Potentilla alpicola* De la Soie, *Potentilla anserina* L., *Potentilla approximata* Bunge, *Potentilla argentea* L., *Potentilla arguta* Pursh, *Potentilla argyrophylla* Wall. ex Lehm., *Potentilla atrosanguinea* G. Lodd. ex D. Don, *Potentilla aurea* L., *Potentilla buccana* Clementi, *Potentilla caulescens* L., *Potentilla chrysanthia* (Zoll. and Moritzi) Trevir., *Potentilla cinerea* Chaix ex Vill., *Potentilla clusiana* Jacq., *Potentilla crantzii* (Crantz) Beck ex Fritsch, *Potentilla crassinervia* Viv., *Potentilla delavayi* Franch., *Potentilla drummondii* Lehm., *Potentilla erecta* (L.) Raeusch., *Potentilla fragariformis* A. Gray, *Potentilla fragariformis* Willd. ex Schltl., *Potentilla fulgens* Wall. ex

Sims, *Potentilla gracilis* Douglas ex Hook., *Potentilla grandiflora* L., *Potentilla haynaldiana* Janka, *Potentilla inclinata* Vill., *Potentilla kotschyana* Fenzl, *Potentilla leuconota* D. Don, *Potentilla megalantha* Takeda, *Potentilla* × *menziesii* Paxton., *Potentilla montenegrina* Pant., *Potentilla nepalensis* Hook., *Potentilla nevadensis* Boiss., *Potentilla niponica* Th. Wolf, *Potentilla norvegica* L., *Comarum palustre* L., *Potentilla pensylvanica* var. *sanguisorbifolia* (Favre ex Zimmeter) Th. Wolf, *Potentilla pulcherrima* Lehm., *Potentilla pyrenaica* Ramond ex DC., *Potentilla recta* L., *Potentilla reptans* L., *Potentilla* sp., *Potentilla tanacetifolia* Willd. ex Schltl., *Potentilla tossiensis* Siegf., *Potentilla virgata* Lehm.

**Distribution.** Korea (North), Austria, Belgium, Bulgaria, Canada, Croatia, Czech Republic, Denmark, Estonia, Finland, France, Germany, Great Britain, Hungary, Ireland, Italy, Japan, Mongolia, Netherlands, Poland, Romania, Russia, Slovakia, Spain, Sweden, Switzerland, USA.

### Genus *Heterarthrus* Stephens, 1835 대두꼬마잎벌속

*Phyllotoma* Fallén, 1829: 5, 25-27. Homonym of *Phyllostoma* Leach, 1819 [Coleoptera]. Type species: *Phyllostoma vagans* (Fallén, 1808)

*Heterarthrus* Stephens, 1835: 94. Type species: *Tenthredo* (*Emphytus*) *ochropoda* Klug, 1818.

*Decatria* Stephens, 1835: 94. Type species: *Decatria fuscipennis* Stephens, 1835.

*Druida* Newman, 1838: 484. Type species: *Druida parviceps* (Newman, 1837).

*Phlebatophria* MacGillivray, 1909b: 345. Type species: *Phlebatophria mathesonii* MacGillivray, 1909.

### 222. *Heterarthrus microcephalus* (Klug, 1818)

대두꼬마잎벌

*Tenthredo* (*Emphytus*) *microcephala* Klug, 1818: 274-275.

**Korean records.** Radoszkowski, 1890; Lee and Ryu, 1996a; Lee et al., 2000; Paek et al., 2010; Lyu et al., 2014.

**Host plants.** *Salix alba* L., *Salix aurita* L., *Salix caprea* L., *Salix cinerea* L., *Salix daphnoides* Vill., *Salix* × *fragilis* L., *Salix myrsinifolia* Salisb., *Salix pentandra* L., *Salix phyllicifolia* L., *Salix purpurea* L., *Salix repens* L., *Salix* sp., *Salix starkeana* Willd., *Salix triandra* L., *Salix viminalis* L.

**Distribution.** Korea (South), Albania, Austria, Belgium, Bulgaria, Czech Republic, Denmark, Estonia, Finland, France, Germany, Great Britain, Hungary, Ireland, Italy, Latvia, Netherlands, Norway, Poland, Romania, Russia, Slovakia, Spain, Sweden, Switzerland, Turkey, Ukraine, United Kingdom.

**Genus Metallus Forbes, 1885** 광택꼬마잎벌속  
*Metallus* Forbes, 1885: 87. Type species: *Metallus rubi* Forbes, 1885.  
*Entodecta* Konow, 1886d: 243. Type species: *Tenthredo pumila* Klug, 1816.  
*Polybates* MacGillivray, 1909a: 261, 264. Type species: *Polybates slossonae* MacGillivray, 1909.

**223. *Metallus adamantis* Lee and Ryu, 1996**

광택꼬마잎벌  
*Metallus adamantis* Lee and Ryu, 1996b: 21.

**Korean records.** Lee and Ryu, 1996b; Lee et al., 2000; Paek et al., 2010; Lyu et al., 2014.

**Host plant.** Unknown.

**Distribution.** Korea (South).

**224. *Metallus satoi* D.R. Smith, 1981**

사토이광택꼬마잎벌  
*Metallus satoi* D.R. Smith, 1981: 767.

**Korean records.** Smith, 1981; Lyu et al., 2014.

**Host plant.** Unknown.

**Distribution.** Korea (North).

**Genus *Okutanius* D.R. Smith, 1981** 한국잎벌속

*Okutanius* D.R. Smith, 1981: 769. Type species: *Okutanius lobatus* D.R. Smith, 1981.

**225. *Okutanius lobatus* D.R. Smith, 1981** 한국잎벌

*Okutanius lobatus* D.R. Smith, 1981: 769-770.

**Korean records.** Smith, 1981; Lyu et al., 2014.

**Host plant.** Unknown.

**Distribution.** Korea (South).

**Genus *Parna* Benson, 1936** 꼬마잎벌속

*Parna* Benson, 1936: 621, 624. Type species: *Tenthredo (Allantus) tenella* Klug, 1816.

**226. *Parna parvitatis* Lee and Ryu, 1996** 꼬마잎벌

*Parna parvitatis* Lee and Ryu, 1996b: 19-20.

**Korean records.** Lee and Ryu, 1996b; Lee et al., 2000; Paek et al., 2010; Lyu et al., 2014.

**Host plant.** Unknown.

**Distribution.** Korea (South).

**Genus *Profenusua* MacGillivray, 1914**

참나무꼬마잎벌속

*Profenusua* MacGillivray, 1914a: 364. Type species: *Profenusua collaris* MacGillivray, 1914.  
*Gunnea* Malaise, 1964: 33. Type species: *Tenthredo (Allantus) pygmaea* Klug, 1816.

**227. *Profenusua castaneivora* Togashi, 1981**

참나무꼬마잎벌  
*Profenusua castaneivora* Togashi, 1981: 408, 412-413.

**Korean records.** Lee et al., 2000; Paek et al., 2010; Lyu et al., 2014.

**Host plant.** *Castanea sativa* Mill.

**Distribution.** Korea (South), Japan.

**228. *Profenusua kahwarii* Lee and Ryu, 1996**

가화리꼬마잎벌  
*Profenusua kahwarii* Lee and Ryu, 1996b: 20-21.

**Korean records.** Lee and Ryu, 1996b; Lee et al., 2000; Paek et al., 2010; Lyu et al., 2014.

**Host plant.** Unknown.

**Distribution.** Korea (South).

Subfamily Nematinae Thomson, 1871 수염잎벌아과

**Genus *Cladius* Illiger, 1807** 빗살수염잎벌속

*Cladius* Illiger, 1807: 190. Type species: *Tenthredo difformis* Panzer, 1799.

*Nematus (Priophorus)* Dahlbom, 1835b: 4, 7. Type species: *Tenthredo compressicornis* Fabricius, 1804.

*Cladius (Trichiocampus)* Hartig, 1837: 176. Type species: *Nematus grandis* Lepeletier, 1823.

*Stevenia* Brullé, 1846: 667. Type species: *Pristiphora varipes* Lepeletier, 1823.

*Eudryas* Gistel, 1848: 8. Name for *Cladius* Illiger, 1807. Homonym of *Eudryas* Boisduval, 1836 [Lepidoptera].

*Prionophorus* Agassiz, 1848: 888, 889. Name for *Nematus (Priophorus)* Dahlbom, 1835.

**229. *Cladius (Cladius) pectinicornis* (Geoffroy, 1785)**

빗살수염잎벌 (NK: 제당산잎벌)

*Tenthredo pectinicornis* Geoffroy in Fourcroy, 1785: 374.

*Tenthredo alces* Thunberg, 1789: [unpag.]

*Tenthredo difformis* Panzer, 1799: 10.

*Cladius Geoffroyi* [sic!] Lepeletier, 1823: 58. Primary homonym of *Cladius geoffroyi* Serville, 1823.

*Cladius Geoffroyi* [sic!] Serville, 1823: 77.

*Cladius morio* Lepeletier, 1823: 58-59. Primary homonym of *Cladius morio* Serville, 1823.

*Cladius morio* Serville, 1823: 1967: 78.

*Nematus crassicornis* Stephens, 1829: 328. Not available. Nomen nudum.

*Tenthredo (Cladius) isomera* T.W. Harris, 1835: 583. Not available. Nomen nudum.

*Nematus crassicornis* Stephens, 1835: 28.

*Cladius isomera* Norton, 1861a: 223.

*Cladius Ramicornis* [sic!] André, 1880a: 80.

*Cladius gracilicornis* Konow, 1884a: 314-316.

*Cladius crassicornis* Konow, 1884a: 314. Secondary

homonym of *Nematus crassicornis* Stephens, 1835.  
*Cladius Comari* [sic!] Stein, 1886: 35-37.  
*Cladius hyalinopterus* Konow, 1886a: 74-75.  
*Cladius palmicornis* Konow, 1892: 212.  
*Cladius major* Cobelli, 1892: 70.  
*Cladius Ordubadensis* [sic!] Konow, 1892: 211-212.  
*Cladius orientalis* Cameron, 1902: 448.  
*Cladius tibialatus* Konow, 1906b: 256.

**Korean records.** Zombori, 1978; Kim et al., 1994; Lee and Ryu, 1996; Lee et al., 2000; Choi and Ko, 2006; Paek et al., 2010; Ahn et al., 2013; Lyu et al., 2014.

**Host plants.** *Alchemilla vulgaris* agg., *Comarum palustre* L., *Filipendula* sp., *Filipendula ulmaria* (L.) Maxim., *Fragaria × ananassa* (Duchesne ex Weston) Duchesne ex Rozier, *Fragaria moschata* (Duchesne) Duchesne, *Fragaria* sp., *Fragaria vesca* L., *Lamiastrum* sp., *Lamium galeobdolon* (L.) L., *Poterium* sp., *Rosa acicularis* Lindl., *Rosa banksiae* R. Br., *Rosa canina* L., *Rosa × damascena* Mill., *Rosa gymnocarpa* Nutt. ex Torr. and A. Gray, *Rosa hybrida* Hort., *Rosa luciae* Franch. and Rochebr., *Rosa multiflora* Thunb., *Rosa onoei* Makino, *Rosa* sp., *Rosa spinosissima* L., *Sanguisorba minor* Scop., *Sanguisorba officinalis* L., *Sanguisorba* sp., *Sorbus aucuparia* L., *Spiraea* sp.

**Distribution.** Korea (South, North), Albania, Austria, Azerbaijan, Belgium, Bosnia and Herzegovina, Bulgaria, Canada, China, Croatia, Cyprus, Czech Republic, Denmark, Estonia, Finland, France, Germany, Great Britain, Greece, Hungary, India, Ireland, Italy, Japan, Latvia, Luxembourg, Moldova, Montenegro, Morocco, Netherlands, Norway, Poland, Portugal, Republic of Serbia, Romania, Russia, Slovakia, Spain, Switzerland, Turkey, Ukraine, USA.

**230. *Cladius (Priophorus) compressicornis* (Fabricius, 1804) 장다리수염잎벌**  
*Tenthredo compressicornis* Fabricius, 1804: 38-39.  
*Tenthredo albipes* Fallén, 1808b: 110. Primary homonym of *Tenthredo albipes* Geoffroy, 1785.  
*Cladius pallipes* Lepeletier, 1823: 59. Primary homonym of *Cladius pallipes* Serville, 1823.  
*Cladius pallipes* Serville, 1823: 78.  
*Cladius (Priophorus) albipes* Hartig, 1837: 178-179. Secondary homonym of *Tenthredo albipes* Fallén, 1808.  
*Cladius aequalis* Norton, 1872: 78-79.  
*Priophorus discors* Konow, 1894: 87-88.  
*Cladius solitaris* Dyar, 1895: 192-193.  
*Priophorus padi* var. *collaris* Enslin, 1915: 334.  
*Priophorus modestius* MacGillivray, 1921c: 49.  
*Priophorus munditus* MacGillivray, 1921c: 50.  
*Priophorus crataegi* Rohwer in Rohwer and Middleton, 1922: 26-27.

*Priophorus pruni* Rohwer in Rohwer and Middleton, 1922: 32-33.  
*Priophorus plesius* Rohwer in Rohwer and Middleton, 1922: 35-36.  
*Priophorus virginianus* Rohwer in Rohwer and Middleton, 1922: 34-35.  
*Priophorus padi* ab. *pallidistigma* Lindqvist, 1941: 65. Not available. Infrasubspecific name.

**Korean records.** Zombori, 1978; Kim et al., 1994; Lee and Ryu, 1996a; Lee et al., 2000; Paek et al., 2010; Lyu et al., 2014.

**Host plants.** *Betula papyrifera* Marshall, *Betula* sp., *Crataegus* sp., *Populus alba* L., *Populus balsamifera* L., *Populus × beijingensis* W.Y. Hsu, *Populus × candicans* Aiton, *Populus caspica* (Bornm.) Bornm., *Populus deltoides* Marshall, *Populus gileadensis* Rouleau, *Populus koreana* Rehder, *Populus nigra* L., *Populus nigra* subsp. *betulifolia* (Pursh) Wettst., *Populus sieboldii* Miq., *Populus* sp., *Populus suaveolens* Fisch. ex Loudon, *Populus tremula* L., *Prunus* sp., *Rosa* sp., *Rubus* sp., *Salix babylonica* L., *Salix purpurea* L., *Salix* sp., *Salix viminalis* L., *Salix vulpina* Andersson, *Sorbus* sp.

**Distribution.** Korea (South, North), Austria, Belgium, Bulgaria, Canada, China, Croatia, Czech Republic, Denmark, Estonia, Finland, France, Germany, Great Britain, Greece, Hungary, Ireland, Italy, Japan, Latvia, Luxembourg, Macedonia, Montenegro, Netherlands, Norway, Poland, Republic of Serbia, Romania, Russia, Slovakia, Spain, Sweden, Switzerland, USA.

**231. *Cladius (Trichiocampus) populi* (Okamoto, 1912)**  
포풀라잎벌 (NK: 포푸라잎벌)  
*Trichiocampus dopuli* [sic!] Okamoto, 1912: 119.

**Korean records.** Doi, 1938; Kim, 1963; Zool. Soc. Kor., 1968; Chu, 1969; Kim, 1970; Kim et al., 1994; Lee and Ryu, 1996a; Lee et al., 2000; Choi and Ko, 2006; Paek et al., 2010; Ahn et al., 2013; Lyu et al., 2014.

**Host plants.** *Populus × canadensis* Moench, *Populus deltoides* Marshall, *Populus grandidentata* Michx., *Populus glandulosa*, *Populus nigra* L., *Populus pyramidalis* Salisb., *Populus* sp., *Populus suaveolens* Fisch. ex Loudon, *Populus tremula* var. *davidiana* (Dode) C.K. Schneid.

**Distribution.** Korea (South, North), Japan.

**Genus *Craesus* Leach, 1817** 동양잎벌속  
*Craesus* Leach, 1817: 129. Type species: *Nematus septentrionalis* (Linné, 1758).

**232. *Craesus japonicus* Takeuchi, 1921** 넓적다리잎벌  
(NK: 넓적발잎벌)  
*Craesus* [sic!] *Japonicus* [sic!] Takeuchi, 1921: 398-399.

*Nematus nigromaculatus* Malaise, 1931a: 36-37.

**Korean records.** Doi, 1938; Cho, 1955; Kim, 1963; Zool. Soc. Kor., 1968; Chu, 1969; Kim, 1970; Kim et al., 1994; Lee and Ryu, 1996a; Lee et al., 2000; Paek et al., 2010; Ahn et al., 2013; Lyu et al., 2014.

**Host plants.** *Alnus firma* Siebold and Zucc., *Alnus hirsuta* (Spach) Rupr., *Alnus hirsuta* Turcz., *Alnus japonica* (Thunb.) Steud., *Alnus pendula* Matsum., *Alnus sibirica*, *Alnus* sp., *Betula ermanii* Cham., *Betula platyphylla* Sukaczev.

**Distribution.** Korea (North), Japan, Russia.

**233. *Craesus juglandis* Beneš, 1990** 호두나무동양잎벌  
*Craesus* [sic!] *juglandis* Beneš, 1990: 385-390.

**Korean records.** Beneš, 1990; Lyu et al., 2014.

**Host plant.** Unknown.

**Distribution.** Korea (South), China.

**234. *Craesus nigrodorsatus* (Malaise, 1931)**

검정이랑동양잎벌

*Nematus nigrodorsatus* Malaise, 1931a: 37-38.

**Korean records.** Haris, 2003; Lyu et al., 2014.

**Host plant.** *Betula* sp.

**Distribution.** Korea (North), Russia.

**Genus *Dineura* Dahlbom, 1835** 금강수염잎벌속

*Tenthredo* (*Dineura*) Dahlbom, 1835b: 5, 13. Type species: *Tenthredo De Geeri* Klug, 1817.

*Leachia* Brullé, 1846: 664.

*Dinevra* Agassiz, 1848: 358. Name for *Tenthredo* (*Dineura*) Dahlbom, 1835.

**235. *Dineura testaceipes* (Klug, 1816)** 금강수염잎벌

*Tenthredo* (*Allantus*) *testaceipes* Klug, 1816: 84.

*Dineura ventralis* Zaddach, 1859: 10.

*Dineura nigra* Zaddach in Brischke, 1883a: 235.

*Dineura testaceipes* var. *nigriventris* Enslin, 1915: 321.

**Korean records.** Zombori, 1974; Kim et al., 1994; Lee and Ryu, 1996a; Lee et al., 2000; Paek et al., 2010; Lyu et al., 2014.

**Host plants.** *Cotoneaster* sp., *Crataegus* sp., *Sorbus aucuparia* L., *Sorbus* sp.

**Distribution.** Korea (North), Austria, Czech Republic, Denmark, Estonia, Finland, France, Germany, Great Britain, Hungary, Ireland, Japan, Latvia, Norway, Poland, Romania, Russia, Slovakia, Switzerland, Ukraine.

**236. *Dineura virididorsata* (Retzius, 1783)**

큰점박이잎벌

*Tenthredo viridi-dorsata* [sic!] Retzius, 1783: 73.

*Tenthredo nigricans* Christ, 1791: 446-447.

*Tenthredo* (*Allantus*) *geeri* Klug, 1817b: 213-214.

*Nematus varius* Lepeletier, 1823: 69. Primary homonym of *Nematus varius* Serville, 1823.

*Nematus varius* Serville, 1823: 71-72.

*Dineura Hartigii* [sic!] Gimmerthal, 1844: 37-38.

*Dineura virididorsata* var. *dorsalis* Enslin, 1915: 319.

**Korean records.** Lee and Ryu, 1995; Lee and Ryu, 1996a; Lee et al., 2000; Paek et al., 2010; Lyu et al., 2014.

**Host plants.** *Betula pendula* Roth, *Betula pubescens* Ehrh., *Betula pubescens* var. *pumila* (L.) Govaerts, *Betula* sp.

**Distribution.** Korea (South), Austria, Belgium, China, Czech Republic, Denmark, Estonia, Finland, France, Germany, Great Britain, Ireland, Italy, Japan, Latvia, Netherlands, Norway, Poland, Romania, Russia, Sweden.

**Genus *Euura* Newman, 1837** 버들혹잎벌속

*Euura* Newman, 1837: 259-260. Type species: *Euura gallae* Newman, 1837.

*Nematus* (*Cryptocampus*) Hartig, 1837: 221-222. Type species: *Nematus* (*Cryptocampus*) *medullaris* Hartig, 1837.

*Evura* Agassiz, 1848: 439, 440. Name for *Euura* Newman, 1837.

*Euura* (*Gemmura*) E.L. Smith, 1968: 1401. Type species: *Cryptocampus mucronatus* (Hartig, 1837).

**237. *Euura* (*Gemmura*) *laeta* (Brischke, 1883)**

버들혹잎벌

*Cryptocampus laetus* Brischke, 1883a: 204-205.

*Euura* (*Gemmura*) *viminalis* Kopelke, 2001: 220-221.

**Korean records.** Lee and Ryu, 1996a; Lee et al., 2000; Paek et al., 2010; Lyu et al., 2014.

**Host plants.** *Salix babylonica* L., *Salix viminalis* L.

**Distribution.** Korea (South), Austria, Czech Republic, Denmark, Germany, Japan, Poland, Russia.

**Genus *Hemicrooa* Stephens, 1835** 노랑가슴잎벌속

*Hemicrooa* Stephens, 1835: 55. Type species: *Tenthredo australis* Serville, 1823.

*Dineura* (*Leptocerca*) Hartig, 1837: 228. Type species: *Tenthredo alni* Linné, 1767.

*Engages* Gistel, 1848: 9. Name for *Dineura* (*Leptocerca*) Hartig, 1837.

*Leptocercus* Thomson, 1871: 69, 70, 76. Name for *Dineura* (*Leptocerca*) Hartig, 1837.

*Hemicrooa* (*Varna*) Ross, 1937: 79. Type species: *Nematus militaris* Cresson, 1880.

**238. *Hemicrooa haematopygia* Zhelochovtsev, 1935**

노랑가슴잎벌 (NK: 붉은잎벌)  
*Himichroa* [sic!] *haematopygia* Zhelochovtsev, 1935:  
 153.

**Korean records.** Doi, 1938; Kim, 1963; Zool. Soc. Kor., 1968; Chu, 1969; Kim, 1970; Kim et al., 1994; Lee and Ryu, 1996a; Lee et al., 2000; Choi and Ko, 2006; Paek et al., 2010; Ahn et al., 2013; Lyu et al., 2014.

**Host plant.** Unknown.

**Distribution.** Korea (North), Russia.

### 239. *Hemichroa koreana* Togashi, 1990

수원노랑가슴잎벌  
*Hemichroa koreana* Togashi, 1990b: 112-114.

**Korean records.** Togashi, 1990b; Lee and Ryu, 1996a; Lee et al., 2000; Paek et al., 2010; Lyu et al., 2014.

**Host plant.** Unknown.

**Distribution.** Korea (South), Japan.

### Genus *Hoplocampa* Hartig, 1837 애배잎벌속

*Tenthredo* (*Hoplocampa*) Hartig, 1837: 276-277. Type species: *Tenthredo* (*Allantus*) *brevis* Klug, 1816.

*Macgillivraya* Ashmead, 1898c: 257. Homonym of *Macgillivraya* Forbes, 1852 [Mollusca]. Type species: *Macgillivraya oregonensis* Ashmead, 1898.  
*Macgillivrayella* Ashmead, 1900: 606. Name for *Macgillivraya* Ashmead, 1898.

### 240. *Hoplocampa coreana* Takeuchi, 1929 애배잎벌

*Hoplocampa coreana* Takeuchi, 1929b: 354-355.

**Korean records.** Takeuchi, 1929b; Kim, 1963; Zool. Soc. Kor., 1968; Kim, 1970; Kim et al., 1994; Lee and Ryu, 1996a; Lee et al., 2000; Paek et al., 2010; Lyu et al., 2014.

**Host plants.** *Pyrus pyrifolia* (Burm.f.) Nakai, *Pyrus* sp., *Pyrus ussuriensis* Maxim.

**Distribution.** Korea (South), China, Japan.

### Genus *Megadineura* Malaise, 1931 긴수염잎벌속

*Megadineura* Malaise, 1931b: 147-148. Type species: *Dineura grandis* André, 1882.

*Stenomesoneura* Wei, 1998b: 411. Not available. Nomen nudum. Type species: *Stenomesoneura apicalis* Wei, 1998.

### 241. *Megadineura grandis* (André, 1882) 긴수염잎벌

*Dineura grandis* André, 1882: 437-438.

*Stenomesoneura apicalis* Wei, 1998b: 411. Not available. Nomen nudum.

**Korean records.** Lee et al., 1995b; Lee and Ryu, 1996a; Lee et al., 2000; Paek et al., 2010; Lyu et al., 2014.

**Host plant.** Unknown.

**Distribution.** Korea (South), China, Japan, Russia.

### Genus *Mesoneura* Hartig, 1837 천마수염잎벌속

*Dineura* (*Mesoneura*) Hartig, 1837: 228-229. Type species: *Tenthredo opaca* Fabricius, 1775.

*Selandria* (*Pristis*) Brullé, 1846: 665. Type species: *Tenthredo punctigera* Lepeletier, 1823.

*Mesonevra* Agassiz, 1848: 667. Name for *Dineura* (*Mesoneura*) Hartig, 1837.

*Lisconeura* Rohwer, 1908a: 529. Type species: *Scoloneura vexabilis* Brues, 1908.

### 242. *Mesoneura koreana* Ryu, Kim and Lee, 1991

어깨두점박이잎벌

*Mesoneura koreana* Ryu, Kim and Lee, 1991: 222-224.

**Korean records.** Ryu et al., 1991; Lee and Ryu, 1996a; Lee et al., 2000; Paek et al., 2010; Lyu et al., 2014.

**Host plant.** Unknown.

**Distribution.** Korea (South).

### Genus *Nematus* Panzer, 1801 수염잎벌속

*Nematus* Panzer, 1801b: 10. Type species: *Tenthredo* (*Nematus*) *lucida* Panzer, 1801.

*Nematus* Jurine in Panzer, 1801a: 163. Type species: no type species selected.

*Nematus* Jurine, 1807: 59. Homonym of *Nematus* Panzer, 1801. Type species: no type species selected.

*Hypolaepus* W.F. Kirby, 1882: 324-325. Type species: *Hypolaepus abbotii* W.F. Kirby, 1882.

*Holcocneme* Konow, 1890b: 233, 238. Type species: *Nematus vicinus* Serville, 1823.

*Nematus* (*Holcocnema*) Schulz, 1906: 80. Name for *Holcocneme* Konow, 1890.

*Holcocnemis* Konow, 1907b: 331. Name for *Holcocneme* Konow, 1890.

*Pteronidea* Rohwer, 1911b: 98. Type species: *Nematus ventralis* Say, 1824.

*Ribinematus* Kontuniemi, 1975: 38. Not available. Type species: no type species selected.

*Nematus* (*Paranematus*) Zinovjev, 1978: 626-627. Type species: *Nematus wahlbergi* Thomson, 1871.

*Kontuniemiana* Lacourt, 1998b: 80-81. Type species: *Tenthredo ribesii* Scopoli, 1763.

*Lindqvistia* Lacourt, 1998b: 81. Type species: *Nematus reticulatus* Holmgren, 1883.

### 243. *Nematus* (*Nematus*) *vicinus* Serville, 1823

버들수염잎벌 (NK: 긴수염잎벌)

*Nematus vicinus* Serville, 1823: 68.

*Nematus vicinus* Lepeletier, 1823: 66. Primary homonym of *Nematus vicinus* Serville, 1823.

*Nematus longispinis* Kriechbaumer, 1885: 13.

*Holconeme flavipes* Matsumura, 1912: 218-219.

**Korean records.** Kim, 1963; Zool. Soc. Kor., 1968; Chu, 1969; Kim, 1970; Kim et al., 1994; Lee and Ryu, 1996a; Lee et al., 2000; Paek et al., 2010; Lyu et al., 2014.

**Host plants.** *Betula pendula* Roth, *Betula* sp., *Populus* sp., *Rumex acetosa* L., *Rumex crispus* L., *Rumex obtusifolius* L., *Rumex sanguineus* L., *Rumex* sp., *Salix* × *fragilis* L., *Salix gilgiana* Seemen, *Salix gracilistyla* Miq., *Salix pierotii* Miq., *Salix* sp., *Salix vulpina* Andersson.

**Distribution.** Korea (South, North), Austria, Belgium, Canada, Croatia, Czech Republic, Denmark, Estonia, Finland, France, Germany, Great Britain, Greece, Hungary, Ireland, Japan, Latvia, Luxembourg, Norway, Poland, Romania, Russia, Slovakia, Spain, Sweden, Switzerland.

#### 244. *Nematus (Pteronidea) incompletus* Förster, 1854

박연수염잎벌

*Nematus incompletus* Förster, 1854a: 297-298.

*Nematus smaragdinus* Stein, 1881: 60-62.

*Nematus pulchellus* Cameron, 1882: 537-538.

*Nematus chlorogaster* Zaddach in Brischke, 1884b: 149-150.

*Pteronidea segmentaria* var. *signata* Enslin, 1916b: 426.

*Pteronidea segmentaria* var. *tessinensis* Enslin, 1916b: 426.

**Korean records.** Zombori, 1974; Kim et al., 1994; Lee and Ryu, 1996a; Lee et al., 2000; Paek et al., 2010; Lyu et al., 2014.

**Host plants.** *Lathyrus pratensis* L., *Lathyrus vernus* (L.) Bernh., *Populus* sp., *Populus tremula* L., *Salix atrocinerea* Brot., *Salix babylonica* L., *Salix* sp.

**Distribution.** Korea (North), Austria, Belgium, Croatia, Czech Republic, Estonia, Finland, Germany, Great Britain, Hungary, Ireland, Italy, Latvia, Lithuania, Luxembourg, Moldova, Montenegro, Netherlands, Norway, Poland, Republic of Serbia, Romania, Russia, Slovakia, Sweden, Switzerland, Ukraine.

#### 245. *Nematus (Pteronidea) salicis* (Linné, 1758)

천지수염잎벌

*Tenthredo Salicis* [sic!] Linné, 1758: 557.

*Tenthredo Capreae* [sic!] Linné, 1758: 559.

*Tenthredo notata* O.F. Müller, 1776: 149.

*Cynips salicis capreae* [sic!] Christ, 1791: 481. Name for *Tenthredo capreae* Linné, 1758.

*Nematus Klugi* [sic!] Dahlbom, 1835a: 40.

*Nematus (Nematus) Klugii* [sic!] Dahlbom, 1835a: 8. Not available. Nomen nudum.

*Nematus immaculatus* Snellen van Vollenhoven, 1869: 95, 119.

*Nematus inflatus* Thomson, 1871: 139-140.

*Pteronidea salicis* var. *obscurior* Enslin, 1916b: 415.

**Korean records.** Zombori, 1978; Kim et al., 1994; Lee and Ryu, 1996a; Lee et al., 2000; Paek et al., 2010; Lyu et al., 2014.

**Host plants.** *Populus nigra* L., *Populus* sp., *Populus tremula* L., *Salix alba* L., *Salix alba* var. *vitellina* (L.) Stokes, *Salix alba* × *fragilis*, *Salix appendiculata* Vill., *Salix babylonica* L., *Salix* × *chrysocoma* Dode, *Salix* × *fragilis* L., *Salix myrsinifolia* Salisb., *Salix* sp., *Salix triandra* L., *Salix viminalis* L.

**Distribution.** Korea (North), Austria, Belarus, Belgium, Bulgaria, Croatia, Czech Republic, Denmark, Estonia, Finland, France, Germany, Great Britain, Hungary, Italy, Latvia, Netherlands, Norway, Poland, Romania, Russia, Slovakia, Sweden, Switzerland, Ukraine.

#### Genus *Pachynematus* Konow, 1890 이깔나무잎벌속

*Epitactus* Förster, 1854b: 435. Type species: *Epitactus praecox* Förster, 1854.

*Pachynematus* Konow, 1890b: 233, 238. Type species: *Nematus trisignatus* Förster, 1854.

*Eitelius* Kontuniemi, 1966: 44-47. Type species: *Pachynematus dentatus* Lindqvist, 1937.

*Nematus (Larinematus)* Zhelochovtsev in Zhelochovtsev and Zinovjev, 1988: 70, 169. Type species: *Nematus imperfectus* Zaddach, 1876.

*Nematus (Polynematus)* Zhelochovtsev in Zhelochovtsev and Zinovjev, 1988: 71, 137. Type species: *Nematus rumicis* Linné, 1758.

*Nematus (Bacconematus)* Zhelochovtsev in Zhelochovtsev and Zinovjev, 1988: 70, 128. Type species: *Nematus pumilio* (Konow, 1903).

*Epicenematus* Lacourt, 1998b: 82. Type species: *Nematus pallescens* Hartig, 1837.

#### 246. *Pachynematus (Larinematus) itoi* Okutani, 1955

낙엽송잎벌

*Pachynematus itoi* Okutani, 1955: 98-100.

**Korean records.** Park et al., 2007; Park and Park, 2010; Paek et al., 2010.

**Host plants.** *Larix decidua* Mill., *Larix gmelinii* (Rupr.) Kuzen., *Larix gmelinii* var. *olgensis* (A. Henry) Ostenf. and Syrach, *Larix kaempferi* (Lamb.) Carrière, *Larix* sp.

**Distribution.** Korea (South), Austria, China, Japan, Russia.

#### 247. *Pachynematus (Pachynematus) clitellatus*

(Serville, 1823) 삼지연이깔나무잎벌

(NK: 노랑머리잎벌)

*Nematus clitellatus* Serville, 1823: 64.

*Nematus clitellatus* Lepeletier, 1823: 62. Primary hom-

onym of *Nematus clitellatus* Serville, 1823.  
*Nematus Kirbyi* [sic!] Dahlbom, 1835a: 40.  
*Nematus (Nematus) seticornis* Dahlbom, 1835b: 7. Not available. Nomen nudum.  
*Nematus (Nematus) Kirbyi* [sic!] Dahlbom, 1835b: 8. Not available. Nomen nudum.  
*Nematus (Nematus) Nyblaei* [sic!] Dahlbom, 1835b: 8. Not available. Nomen nudum.  
*Nematus (Nematus) ventriculosus* Dahlbom, 1835b: 8. Not available. Nomen nudum.  
*Nematus leucocarpus* Hartig, 1840: 27.  
*Nematus Einersbergensis* [sic!] Hartig, 1840: 26.  
*Nematus flaviventris* Hartig, 1840: 24.  
*Nematus palliceps* Hartig, 1840: 25.  
*Nematus diaphanus* Eversmann, 1847: 19-20.  
*Nematus umbripennis* Eversmann, 1847: 20-21.  
*Nematus griseus* Eversmann, 1847: 18-19.  
*Epitactus praecox* Förster, 1854b: 435-436.  
*Nematus trisignatus* Förster, 1854a: 292-294.  
*Nematus microps* Förster, 1854b: 421-422.  
*Nematus pectoralis* Snellen van Vollenhoven, 1867: 223-224. Primary homonym of *Nematus pectoralis* Serville, 1823.  
*Nematus turgidus* Zaddach, 1876: 82-83.  
*Nematus Leucocarpus* [sic!] André, 1880b: 145. Primary homonym of *Nematus leucocarpus* Hartig, 1840.  
*Nematus valesiacus* W.F. Kirby, 1882: 394. Name for *Nematus leucocarpus* André, 1880.  
*Nematus tener* Zaddach in Brischke, 1884: 128.  
*Nematus pallidiceps* Dalla Torre, 1894: 247. Name for *Nematus palliceps* Hartig, 1840.  
*Pachynematus infumatus* Marlatt, 1896: 93, 107-108.  
*Pachynematus Zaddachi* [sic!] Konow, 1901: 110.  
*Pachynematus lentus* Konow, 1903b: 382.  
*Pachynematus glesipennis* Konow, 1903b: 377.  
*Pachynematus foveolatus* Konow, 1903b: 379.  
*Pachynematus clitellatus* var. *transigens* Enslin, 1916b: 479.  
*Pachynematus laevigatus* var. *flavissimus* Enslin, 1916b: 483.  
*Pachynematus refractorius* MacGillivray, 1921a: 31-32.  
*Pachynematus truncatus* Benson, 1948a: 60.

**Korean records.** Zombori, 1978; Kim et al., 1994; Lee and Ryu, 1996a; Lee et al., 2000; Choi and Ko, 2006; Paek et al., 2010; Ahn et al., 2013; Lyu et al., 2014.  
**Host plants.** *Agrostis gigantea* Roth, *Agrostis* sp., *Agrastis stolonifera* L., *Alopecurus pratensis* L., *Bromus inermis* Leyss, *Carex* sp., *Dactylis glomerata* L., *Dactylis* sp., *Festuca arundinacea* Schreb., *Festuca ovina* L., *Festuca rubra* L., *Holcus mollis* L., *Hordeum* sp., *Juncus* sp., *Lolium perenne* L., *Phalaris arundinacea* L., *Poa pratensis* L., *Populus tremula* L., *Salix cinerea* L., *Triticum aestivum* L., *Triticum* sp.

**Distribution.** Korea (North), Austria, Belgium, Canada, China, Croatia, Czech Republic, Denmark, Estonia, Finland, France, Germany, Great Britain, Greece, Hungary, Ireland, Italy, Latvia, Lithuania, Luxembourg, Netherlands, Norway, Poland, Romania, Russia, Slovakia, Slovenia, Spain, Sweden, Switzerland, Ukraine, USA.

**248. *Pachynematus (Polynematus) hirowatarii* Haris and Zsolnai, 2007** 북방이깔나무잎벌  
*Pachynematus hirowatarii* Haris, 2006a: 190. Not available. Nomen nudum.  
*Pachynematus (Polynematus) hirowatarii* Haris and Zsolnai, 2007: 138-139.

**Korean records.** Haris and Zsolnai, 2007; Paek et al., 2010; Lyu et al., 2014.

**Host plant.** Unknown.

**Distribution.** Korea (North).

**Genus *Phyllocolpa* Benson, 1960** 뿌족잎벌속  
*Phyllocolpa* Benson, 1960: 60. Type species: *Nematus leucapsis* Tischbein, 1846.

**249. *Phyllocolpa oblita* (Serville, 1823)** 뿌족잎벌

*Nematus oblitus* Serville, 1823: 72.  
*Nematus oblitus* Lepeletier, 1823: 69. Primary homonym of *Nematus oblitus* Serville, 1823.  
*Nematus pineti* Hartig, 1837: 208.  
*Nematus pleurostictus* Förster, 1854b: 432-433.  
*Nematus lepidus* Förster, 1854a: 345-355.  
*Nematus Puella* [sic!] Thomson, 1871: 160.  
*Nematus elegans* Zaddach in Brischke, 1884: 171.

**Korean records.** Lee and Ryu, 1995; Lee and Ryu, 1996a; Lee et al., 2000; Paek et al., 2010; Lyu et al., 2014.

**Host plants.** *Salix alba* L., *Salix aurita* L., *Salix babylonica* L., *Salix* × *fragilis* L., *Salix fragilis* × *pentandra*, *Salix* sp., *Salix triandra* L.

**Distribution.** Korea (South), Austria, Belarus, Belgium, Czech Republic, Denmark, Estonia, Finland, France, Germany, Great Britain, Italy, Latvia, Lithuania, Netherlands, Poland, Romania, Russia, Slovakia, Sweden, Switzerland, Ukraine.

**Genus *Pontania* Costa, 1852** 벼들긴수염잎벌속

*Pontania* Costa, 1852, Original paper not seen, cited in Costa (1854): 293. Type species: *Pontania gallicola* Costa, 1852.  
*Pontania (Eupontania)* Zinovjev, 1985: 4. Type species: *Nematus vesicator* Bremi-Wolf, 1849.

**250. *Pontania (Eupontania) vesicator***

**(Bremi-Wolf, 1849)** 벼들긴수염잎벌

## (NK: 벼들알락잎벌)

- Nematus Vesicator* [sic!] Bremi-Wolf, 1849: 93-94.  
*Nematus helicinus* Brischke, 1850: 409-410.  
*Nematus leptocerus* Förster, 1854a: 289-291.  
*Nematus lugdunensis* Snellen van Vollenhoven, 1871: 243-248.  
*Nematus vesicator* var. *minor* Brischke, 1883b: 173. Not available. Infrasubspecific name.  
*Pontania vesicator* ab. *borealis* Saarinen, 1945: 194-195. Not available. Infrasubspecific name.

**Korean records.** Kim, 1963; Zool. Soc. Kor., 1968; Chu, 1969; Kim, 1970; Lee and Ryu, 1996a; Lee et al., 2000; Paek et al., 2010; Ahn et al., 2013; Lyu et al., 2014.

**Host plants.** *Salix alba* L., *Salix alba* var. *vitellina* (L.) Stokes, *Salix arbuscula* L., *Salix daphnoides* Vill., *Salix helix* L., *Salix lapponum* L., *Salix laurina* Sm., *Salix purpurea* L., *Salix purpurea* × *viminalis*, *Salix retusa* L., *Salix* sp., *Salix waldsteiniana* Willd.

**Distribution.** Korea (North), Austria, Belgium, Bulgaria, Croatia, Czech Republic, Denmark, Finland, France, Germany, Great Britain, Hungary, Ireland, Italy, Lithuania, Luxembourg, Netherlands, Poland, Romania, Russia, Slovakia, Spain, Switzerland, Ukraine.

**Genus *Pristiphora* Latreille, 1810 터두리잎벌속**

- Pristiphora* Latreille, 1810: 294, 435. Type species: *Pteronotus testaceus* Jurine, 1807.  
*Nematus* (*Diphadnus*) Hartig, 1837: 225. Type species: *Nematus fuscicornis* Hartig, 1837.  
*Lygaeonematus* Konow, 1890b: 233, 238. Type species: *Nematus pini* (Retzius, 1783).  
*Micronematus* Konow, 1890b: 233, 239. Type species: *Nematus pullus* Förster, 1854.  
*Gymnonychus* Marlatt, 1896: 19, 122. Type species: *Gymnonychus californicus* Marlatt, 1896.  
*Neotomostethus* MacGillivray, 1908b: 290. Type species: *Neotomostethus hyalinus* MacGillivray, 1908.  
*Pristiphora* (*Sala*) Ross, 1937: 85. Type species: *Nematus chloreus* Norton, 1867.  
*Stauronema* Benson, 1948b: 22. Homonym of *Stauro-*  
*nema* Sollas, 1877 [Spongidae]. Type species: *Nematus platycerus* Hartig, 1840.  
*Lygaeonematus* (*Lygaeotus*) Lindqvist, 1952: 82. Not available. Type species: no type species selected.  
*Lygaeonematus* (*Lygaeophora*) Lindqvist, 1952: 82. Not available. Type species: no type species selected.  
*Stauronematus* Benson, 1953: 153. Name for *Stauro-*  
*nema* Benson, 1948.  
*Sharliphora* Wong, 1969: 332-334. Type species: *Tenthredo ambiguus* Fallén, 1808.  
*Lygaeophora* Hellén, 1975: 100. Not available. Type species: *Nematus lanificus* Zaddach, 1883.

*Lygaeotus* Hellén, 1975: 100. Not available. Type species: *Nematus coactulus* Ruthe, 1859.

*Pristiphora* (*Lygaeophora*) Liston, 1981: 181-184. Not available. Type species: no type species selected.

*Nematus* (*Oligonematus*) Zhelochovtsev in Zhelochovtsev and Zinovjev, 1988: 72, 162. Type species: *Nematus laricis* Hartig, 1837.

*Pristiphora* (*Lygaeotus*) Liston, 1993: 105. Type species: *Nematus coactulus* Ruthe, 1859.

*Pristiphora* (*Lygaeophora*) Liston, 1993: 104-105. Type species: *Lygaeonematus variipes* Lindqvist, 1952.

**251. *Pristiphora* (*Lygaeonematus*) *erichsonii***

## (Hartig, 1837) 낙엽송태두리잎벌

*Nematus Leachii* [sic!] Dahlbom, 1835a: 27-28. Suppressed.

*Nematus* (*Nematus*) *leachei* Dahlbom, 1835b: 10. Not available. Nomen nudum.

*Nematus erichsonii* Hartig, 1837: 187-188.

*Nematus notabilis* Cresson, 1880: 7.

**Korean records.** Kim, 1963; Zool. Soc. Kor., 1968; Kim et al., 1994; Lee and Ryu, 1996a; Lee et al., 2000; Paek et al., 2010; Lyu et al., 2014.

**Host plants.** *Larix decidua* Mill., *Larix* × *europaeus* A. Henry, *Larix gmelinii* (Rupr.) Kuzen., *Larix gmelinii* var. *principis-rupprechtii* (Mayr) Pilg., *Larix kaempferi* (Lamb.) Carrière, *Larix laricina* (Du Roi) K. Koch, *Larix lyallii* Parl., *Larix occidentalis* Nutt., *Larix sibirica* Ledeb., *Larix* sp., *Tsuga* sp.

**Distribution.** Korea (South), Austria, Canada, China, Czech Republic, Denmark, Estonia, Finland, France, Germany, Great Britain, Ireland, Italy, Japan, Latvia, Netherlands, Norway, Poland, Romania, Russia, Spain, Sweden, Switzerland, USA.

**252. *Pristiphora* (*Lygaeonematus*) *glauca* Benson,**

## 1954 노랑이깔나무잎벌

*Pachynematus laricivorus* Takagi, 1931: 28-32 (Jap.), 8-11 (Engl.). Secondary homonym of *Nematus laricivorus* Brischke, 1883.

*Pristiphora glauca* Benson, 1954a: 113-114.

*Pristiphora takagii* Wong, 1975: 459. Name for *Pachynematus laricivorus* Takagi, 1931.

**Korean records.** Takagi, 1931; Kim, 1963; Zool. Soc. Kor., 1968; Kim, 1970; Kim et al., 1994; Lee and Ryu, 1996a; Lee et al., 2000; Paek et al., 2010; Lyu et al., 2014.

**Host plants.** *Larix decidua* Mill., *Larix* × *europaeus* A. Henry, *Larix gmelinii* (Rupr.) Kuzen., *Larix gmelinii* var. *olgensis* (A. Henry) Ostenf. and Syrach, *Larix gmelinii* var. *principis-rupprechtii* (Mayr) Pilg., *Larix kaempferi* (Lamb.) Carrière, *Larix laricina* (Du Roi) K. Koch,

*Larix sibirica* Ledeb., *Larix* sp.

**Distribution.** Korea (North), Austria, China, Germany, Great Britain, Japan, Russia, Sweden, Switzerland, USA.

**253. *Pristiphora (Lygaeonematus) wesmaeli* (Tischbein, 1853) 검정테두리잎벌**

*Nematus Wesmaeli* [sic!] Tischbein, 1853: 347-348.

*Nematus solea* Snellen van Vollenhoven, 1870: 59-60.

**Korean records.** Kim, 1970; Lee and Ryu, 1996a; Lee et al., 2000; Paek et al., 2010; Lyu et al., 2014.

**Host plants.** *Larix decidua* Mill., *Larix decidua* var. *polonica* (Racib. ex Wóycicki) Ostenf. and Syrach, *Larix × eurolepis* A. Henry, *Larix gmelinii* (Rupr.) Kuzen., *Larix kaempferi* (Lamb.) Carrière, *Larix laricina* (Du Roi) K. Koch, *Larix sibirica* Ledeb., *Larix* sp., *Larix × eurolepis* A. Henry.

**Distribution.** Korea (South), Austria, Belarus, Bosnia and Herzegovina, Czech Republic, Denmark, Estonia, Finland, France, Germany, Great Britain, Ireland, Japan, Netherlands, Poland, Russia, Slovakia, Sweden, Switzerland.

**254. *Pristiphora (Lygaeotus) mollis* (Hartig, 1837)**

갈대테두리잎벌 (NK: 연한털잎벌)

*Tenthredo bipunctata* Gmelin, 1790: 2670. Primary homonym of *Tenthredo bipunctata* O.F. Müller, 1776.

*Nematus mollis* Hartig, 1837: 201.

*Nematus whitei* Cameron, 1878: 35-36.

*Pachynematus orarius* Kincaid, 1900: 348.

*Lygaeonematus mollis* ab. *albipes* Lindqvist, 1943: 107. Not available. Infrasubspecific name.

*Lygaeonematus mollis* ab. *rufonotata* Lindqvist, 1943: 107. Not available. Infrasubspecific name.

*Pachynematus kontkanenii* Lindqvist, 1960: 35-36.

**Korean records.** Zombori, 1978; Kim et al., 1994; Lee and Ryu, 1996a; Lee et al., 2000; Choi and Ko, 2006; Paek et al., 2010; Ahn et al., 2013; Lyu et al., 2014.

**Host plants.** *Poa serotina*, *Vaccinium myrtillus* L., *Vaccinium* sp., *Vaccinium uliginosum* L.

**Distribution.** Korea (North), Austria, Belgium, Canada, Czech Republic, Denmark, Estonia, Finland, France, Germany, Great Britain, Hungary, Ireland, Italy, Latvia, Netherlands, Norway, Poland, Romania, Russia, Slovakia, Sweden, Switzerland, Ukraine, USA.

**255. *Pristiphora (Pristiphora) aphantoneura***

(Förster, 1854) 황갈다리테두리잎벌

*Tenthredo fulvipes* Fallén, 1808b: 113. Primary homonym of *Tenthredo fulvipes* Scopoli, 1763.

*Nematus aphantoneurus* Förster, 1854a: 323-325.

*Cryptocampus distinctus* Costa, 1882: 198.

*Pristiphora pygmaea* Lindqvist, 1964: 130.

**Korean records.** Zombori, 1974; Kim et al., 1994; Lee and Ryu, 1996a; Lee et al., 2000; Paek et al., 2010; Lyu et al., 2014.

**Host plants.** *Lathyrus pratensis* L., *Salix aurita* L., *Salix* sp.

**Distribution.** Korea (North), Austria, China, Estonia, Finland, Germany, Great Britain, Ireland, Italy, Latvia, Norway, Russia, Slovakia, Sweden, Switzerland, Ukraine.

**256. *Pristiphora (Pristiphora) apricotii* Zinovjev, 1993**

살구나무테두리잎벌

*Pristiphora apricotii* Zinovjev, 1993: 33-34.

**Korean record.** Choi and Lee, 2018.

**Host plants.** *Prunus armeniaca* var. *ansu* Maxim., *Prunus mandshurica* (Maxim.) Koehne, *Prunus sibirica* L.

**Distribution.** Korea (South), Russia.

**257. *Pristiphora (Pristiphora) melanocarpa* (Hartig, 1840) 하티그테두리잎벌 (NK: 먹과실잎벌)**

*Nematus melanocarpus* Hartig, 1840: 27.

*Nematus funerulus* Costa, 1859: 20-21.

*Nematus Wüstneii* Stein, 1885: 304.

*Pristiphora ortingae* Kincaid, 1900: 349-350.

**Korean records.** Zombori, 1978; Kim et al., 1994; Lee and Ryu, 1996a; Lee et al., 2000; Choi and Ko, 2006; Paek et al., 2010; Lyu et al., 2014.

**Host plants.** *Betula pendula* Roth, *Betula* sp., *Salix caprea* L., *Salix cinerea* L., *Salix × fragilis* L., *Salix pentandra* L., *Salix* sp., *Salix viminalis* L.

**Distribution.** Korea (North), Austria, Belarus, Belgium, Bulgaria, Canada, China, Croatia, Czech Republic, Denmark, Finland, France, Germany, Great Britain, Hungary, Ireland, Italy, Montenegro, Netherlands, Norway, Poland, Republic of Serbia, Romania, Russia, Slovakia, Slovenia, Sweden, Ukraine, USA.

**258. *Pristiphora (Pristiphora) nigrocoreana* Haris and Zsolnai, 2007 북방테두리잎벌**

*Pristiphora nigrocoreana* Haris and Zsolnai in Haris, 2006b: 207, 222. Not available.

*Pristiphora (Pristiphora) nigrocoreana* Haris and Zsolnai, 2007: 141-142.

**Korean records.** Haris and Zsolnai, 2007; Paek et al., 2010; Lyu et al., 2014.

**Host plant.** Unknown.

**Distribution.** Korea (North).

**259. *Pristiphora (Pristiphora) pallidiventris***

(Fallén, 1808) 황철나무잎벌

*Tenthredo pallidiventris* Fallén, 1808b: 120-121.  
*Nematus (Nematus) luridus* Dahlbom, 1835b: 7. Not available. Nomen nudum.  
*Nematus ephippiger* Hartig, 1840: 24.  
*Nematus flavicomus* Tischbein, 1846: 77.  
*Nematus caudalis* Eversmann, 1847: 16.  
*Nematus nigricans* Eversmann, 1847: 16.  
*Nematus breviusculus* Eversmann, 1847: 17.  
*Nematus gemellus* Förster, 1854b: 425-427.  
*Nematus Marshalli* [sic!] Cameron, 1875: 9.  
*Nematus cirrhostomus* Zaddach in Brischke, 1883b: 195.  
*Pristiphora pallidiventris* var. *denudata* Konow, 1902: 165, 179.  
*Pristiphora zella* Rohwer, 1909b: 20.  
*Pristiphora pallicoxa* Rohwer, 1910b: 200.  
*Pristophora* [sic!] *xanthotrachela* Rohwer, 1913: 281.  
*Pristiphora pallidiventris* var. *haemorrhoidalis* Enslin, 1916b: 526.  
*Pristiphora pallidiventris* var. *stigmatica* Enslin, 1916b: 526.  
*Pristiphora ostiaria* MacGillivray, 1920: 236.  
*Nematus (Pristiphora) pallidiventris* ab. *flaviapex* Hellén, 1948: 45. Not available. Infrasubspecific name.  
*Nematus (Pristiphora) pallidiventris* ab. *nigrofemoratus* Hellén, 1948: 45. Not available. Infrasubspecific name.  
*Pristiphora pallidiventris megalpina* Lacourt, 1987: 262-264.

**Korean records.** Cho, 1955; Lee and Ryu, 1996a; Lee et al., 2000; Paek et al., 2010; Lyu et al., 2014.

**Host plants.** *Filipendula* sp., *Filipendula ulmaria* (L.) Maxim., *Geum rivale* L., *Geum* sp., *Geum urbanum* L., *Populus* sp., *Populus suaveolens* Fisch. ex Loudon, *Populus tremula* var. *davidiana* (Dode) C.K. Schneid., *Potentilla* sp., *Ribes* sp., *Rubus chamaemorus* L., *Rubus fruticosus* L., *Rubus idaeus* L., *Rubus* sp., *Spiraea* sp.

**Distribution.** Korea (locality unknown), Albania, Austria, Belgium, Bulgaria, Canada, Croatia, Czech Republic, Denmark, Estonia, Finland, France, Germany, Great Britain, Greece, Hungary, Ireland, Italy, Japan, Latvia, Lithuania, Luxembourg, Montenegro, Netherlands, Norway, Poland, Portugal, Republic of Serbia, Romania, Russia, Slovakia, Spain, Sweden, Switzerland, Ukraine, USA.

## 260. *Pristiphora (Stauronematus) platycerus* (Hartig, 1840) 십자수염잎벌

*Nematus platycerus* Hartig, 1840: 27.  
*Nematus vallator* Snellen van Vollenhoven, 1858a: 191-194.

*Nematus cebrionicornis* Costa, 1859: 20.

*Nematus callicerus* Thomson, 1863: 619-620.

**Korean records.** Kim, 1970; Lee and Ryu, 1996a; Lee

et al., 2000; Paek et al., 2010; Lyu et al., 2014.

**Host plants.** *Populus alba* L., *Populus balsamifera* L., *Populus × candicans* Aiton, *Populus caspica* (Bornm.) Bornm., *Populus deltoides* Marshall, *Populus gileadensis* Rouleau, *Populus koreana* Rehder, *Populus nigra* L., *Populus nigra* subsp. *betulifolia* (Pursh) Wettst., *Populus* sp., *Populus suaveolens* Fisch., *Populus tremula* L., *Populus tremula* var. *davidiana* (Dode) C.K. Schneid., *Populus × beijingensis* W.Y. Hsu, *Salix babylonica* L., *Salix purpurea* L., *Salix* sp., *Salix viminalis* L., *Salix vulpina* Andersson.

**Distribution.** Korea (South), Austria, Belgium, China, Croatia, Czech Republic, Denmark, Estonia, Finland, France, Germany, Great Britain, Greece, Hungary, Iran, Italy, Japan, Latvia, Luxembourg, Netherlands, Norway, Poland, Romania, Russia, Slovakia, Spain, Sweden, Switzerland, Turkey, Ukraine.

## 261. *Pristiphora gayaensis* Togashi and Tano, 1987

가야테두리잎벌

*Pristiphora gayaensis* Togashi and Tano, 1987: 640-642.

**Korean records.** Togashi and Tano, 1987; Lee and Ryu, 1996a; Lee et al., 2000; Paek et al., 2010; Lyu et al., 2014.

**Host plant.** Unknown.

**Distribution.** Korea (South).

## 262. *Pristiphora nigricorpus* (Takagi, 1931)

검정이깔나무잎벌

*Pachynematus nigricorpus* Takagi, 1931: 32-33, 11-12.

**Korean records.** Takagi, 1931; Kim, 1963; Zool. Soc. Kor., 1968; Kim, 1970; Kim et al., 1994; Lee and Ryu, 1996a; Lee et al., 2000; Paek et al., 2010; Lyu et al., 2014.

**Host plants.** *Larix gmelinii* var. *olgensis* (A. Henry) Ostenf. and Syrach, *Larix gmelinii* var. *principis-ruprechtii* (Mayr) Pilg., *Larix kaempferi* (Lamb.) Carrière.

**Distribution.** Korea (North), Japan.

Subfamily Selandriinae Thomson, 1871 줄잎벌아과

## Genus *Alphastromboceros* Kuznetzov-Ugamskij, 1928

동방잎벌속

*Alphastromboceros* Kuznetzov-Ugamskij, 1928: 33-34.

Type species: *Strongylogaster konowi* Jakowlew, 1891.

*Parastromboceros* Takeuchi, 1941: 250-251. Type species: *Stromboceros filicis* Malaise, 1931.

## 263. *Alphastromboceros konowi* (Jakowlew, 1891)

동방잎벌

*Strongylogaster Konowi* [sic!] Jakowlew, 1891: 30.

*Stromboceros filicis* Malaise, 1931b: 137-138.

**Korean records.** Takeuchi, 1941; Kim, 1963; Zool. Soc. Kor., 1968; Kim, 1970; Lee et al., 1993; Kim et al., 1994; Lee and Ryu, 1996a; Lee et al., 2000; Paek et al., 2010; Lyu et al., 2014.

**Host plant.** *Urtica thunbergiana* Siebold and Zucc.

**Distribution.** Korea (South, North), China, Czech Republic, Japan, Russia, Ukraine.

#### Genus *Aneugmenus* Hartig, 1837 흑줄잎벌속

*Emphytus* (*Aneugmenus*) Hartig, 1837: 253. Type species: *Tenthredo* (*Emphytus*) *coronata* Klug, 1818.

*Colposelandria* Enslin, 1912a: 110-111. Type species: *Colposelandria jacobsoni* Enslin, 1912.

*Selandria* (*Atoposelandria*) Enslin, 1913: 197. Type species: *Selandria fürstenbergensis* Konow, 1885.

*Polyselandria* MacGillivray, 1914b: 104. Type species: *Selandria floridana* MacGillivray, 1895.

*Selandria* (*Selandropha*) Zirngiebl, 1956: 322. Type species: *Selandria stramineipes* (Klug, 1816).

#### 264. *Aneugmenus carinifrons* (Malaise, 1931)

이마무늬잎벌

*Selandria carinifrons* Malaise, 1931b: 136-137.

*Selandria planiceps* Malaise, 1931b: 137.

**Korean records.** Takeuchi, 1941; Kim, 1963; Zool. Soc. Kor., 1968; Kim, 1970; Lee et al., 1993; Lee and Ryu, 1996a; Lee et al., 2000; Paek et al., 2010; Lyu et al., 2014.

**Host plant.** *Lysimachia clethroides* Duby.

**Distribution.** Korea (South), China, Russia.

#### 265. *Aneugmenus coronatus* (Klug, 1818)

등근흑줄잎벌

*Tenthredo* (*Emphytus*) *coronata* Klug, 1818: 276.

*Selandria analis* Thomson, 1871: 239.

*Selandria cereipes* Snellen van Vollenhoven, 1873: 13-15.

*Selandria bimaculata* Cobelli, 1892: 71-72.

*Selandria ogloblini* Dovnar-Zapolskij, 1930: 90-91.

**Korean records.** Lee et al., 1993; Lee and Ryu, 1996a; Lee et al., 2000; Paek et al., 2010; Lyu et al., 2014.

**Host plants.** *Aspidium* sp., *Asplenium* sp., *Athyrium filix-femina* (L.) Roth, *Dryopteris filix-mas* (L.) Schott, *Dryopteris* sp., *Pteridium aquilinum* (L.) Kuhn.

**Distribution.** Korea (South), Austria, Belgium, Bulgaria, China, Croatia, Czech Republic, Denmark, Estonia, Finland, France, Germany, Great Britain, Greece, Hungary, Ireland, Italy, Latvia, Netherlands, Norway, Poland, Russia, Slovakia, Sweden, Switzerland, Ukraine.

#### 266. *Aneugmenus japonicus* Rohwer, 1910

일본흑줄잎벌

*Aneugmenus japonicus* Rohwer, 1910a: 108-109.

*Aneugmenus* (*Aneugmenus*) *gratus* Zhelochovtsev, 1951: 139.

**Korean records.** Lee et al., 1993; Lee and Ryu, 1996a; Togashi, 1997; Lee et al., 2000; Paek et al., 2010; Lyu et al., 2014.

**Host plant.** *Pteridium aquilinum* (L.) Kuhn.

**Distribution.** Korea (South), China, Japan, Russia, Taiwan.

#### 267. *Aneugmenus maculatus* Takeuchi, 1929

점박이흑줄잎벌

*Aneugmenus maculatus* Takeuchi, 1929a: 519.

**Korean records.** Zombori, 1974; Zombori, 1978; Lee et al., 1993; Kim et al., 1994; Lee and Ryu, 1996a; Lee et al., 2000; Paek et al., 2010; Lyu et al., 2014.

**Host plant.** *Pteridium aquilinum* (L.) Kuhn.

**Distribution.** Korea (South, North), Japan.

#### 268. *Aneugmenus temporalis* (Thomson, 1871)

검정흑줄잎벌

*Selandria temporalis* Thomson, 1871: 239.

**Korean records.** Lee et al., 1993; Kim et al., 1994; Lee and Ryu, 1996a; Lee et al., 2000; Paek et al., 2010; Lyu et al., 2014.

**Host plants.** *Asplenium* sp., *Pteridium aquilinum* (L.) Kuhn.

**Distribution.** Korea (South), Austria, Belgium, Bulgaria, China, Croatia, Czech Republic, Denmark, Estonia, Finland, France, Germany, Great Britain, Hungary, Ireland, Italy, Latvia, Netherlands, Norway, Poland, Russia, Slovakia, Sweden, Switzerland, Ukraine.

#### Genus *Birka* Malaise, 1944 침복극잎벌속

*Birka* Malaise, 1944: 4. Type species: *Tenthredo* (*Allantus*) *cinereipes* Klug, 1816.

*Birka* (*Lineobirka*) Wei and Nie, 1997: 50, 58. Type species: *Birka* (*Lineobirka*) *lineata* Wei and Nie, 1997.

#### 269. *Birka* (*Lineobirka*) *koreana* (Takeuchi, 1941)

침복극잎벌

*Nesoselandria koreana* Takeuchi, 1941: 266-267.

*Birka pallipes* Zhelochovtsev, 1951: 135-136.

**Korean records.** Takeuchi, 1941; Kim, 1963; Zool. Soc. Kor., 1968; Kim, 1970; Togashi and Tano 1987; Lee et al., 1993; Kim et al., 1994; Lee and Ryu, 1996a; Lee et al., 2000; Paek et al., 2010; Lyu et al., 2014.

**Host plant.** Unknown.

**Distribution.** Korea (South, North), China, Russia.

**Genus *Dolerus* Panzer, 1801 보리잎벌속**

*Dolerus* Jurine in Panzer, 1801a: 163. Type species: *Dolerus gonager* (Fabricius, 1781).

*Dolerus* Panzer, 1801b: 13. Type species: *Tenthredo pedestris* Panzer, 1801.

*Dosytheus* Leach, 1817: 127-128. Type species: *Tenthredo eglanteriae* Fabricius, 1793.

*Dositheus* Agassiz, 1848: 374. Name for *Dosytheus* Leach, 1817.

*Loderus* Konow, 1890b: 236, 240. Type species: *Tenthredo pratorum* Fallén, 1808.

*Dolerus (Hamatodentiden)* Zirngiebl, 1930: 274. Type species: no type species selected.

*Dolerus (Multidentiden)* Zirngiebl, 1930: 274. Type species: no type species selected.

*Dolerus (Nodulodentiden)* Zirngiebl, 1930: 274. Type species: no type species selected.

*Dolerus (Pratensisformis)* Ermolenko, 1975: 297, 377. Not available. Type species: no type species selected.

*Dolerus (Gonagerformis)* Ermolenko, 1975: 316, 377. Not available. Type species: no type species selected.

*Dolerus (Nigerformis)* Ermolenko, 1975: 324, 377. Not available. Type species: no type species selected.

*Dolerus (Achaetopriion)* Goulet, 1986: 56-57. Type species: *Dosytheus maculicollis* Norton, 1861b.

*Dolerus (Dicrodolerus)* Goulet, 1986: 103-104. Type species: *Dosytheus apricus* Norton, 1861.

*Dolerus (Neodolerus)* Goulet, 1986: 42-43. Type species: *Dolerus sericeus* Say, 1824.

*Dolerus (Oncodolerus)* Goulet, 1986: 99-100. Type species: *Loderus acidus* MacGillivray, 1923.

*Dolerus (Cyperolerus)* Zhelochovtsev in Zhelochovtsev and Zinovjev, 1988: 184. Type species: *Dolerus anticus* (Klug, 1818).

*Dolerus (Poodolerus)* Zhelochovtsev in Zhelochovtsev and Zinovjev, 1988: 176. Type species: *Dolerus nigritus* (O.F. Müller, 1776).

*Dolerus (Juncilerus)* Zhelochovtsev in Zhelochovtsev and Zinovjev, 1988: 183. Type species: *Dolerus madidus* (Klug, 1818).

*Dolerus (Equidolerus)* Taeger and Blank, 1996: 259. Type species: *Tenthredo pratensis* Linné, 1758.

**270. *Dolerus (Achaetopriion) madidus* (Klug, 1818)**

## 마디두스잎벌

*Tenthredo (Dolerus) lateritia* Klug, 1818: 295.

*Tenthredo (Dolerus) madida* Klug, 1818: 298.

*Dolerus Chappelli* [sic!] Cameron, 1877b: 155.

*Dolerus Lamprechti* [sic!] Konow, 1884a: 341, 349.

*Dolerus madidus* var. *monozonus* Enslin, 1913: 164.

**Korean records.** Lee and Ryu, 1989; Lee and Ryu, 1996a; Lee et al., 2000; Paek et al., 2010; Lyu et al., 2014.

**Host plants.** *Juncus conglomeratus* L., *Juncus effusus* L., *Juncus* sp.

**Distribution.** Korea (South), Austria, Belarus, Belgium, Bulgaria, China, Croatia, Czech Republic, Denmark, Estonia, Finland, France, Germany, Great Britain, Hungary, Ireland, Italy, Latvia, Luxembourg, Netherlands, Norway, Poland, Russia, Slovakia, Spain, Sweden, Switzerland, Ukraine.

**271. *Dolerus (Dolerus) armillatus* Konow, 1896**

## 어리노랑배잎벌 (NK: 누런밀잎벌)

*Dolerus armillatus* Konow, 1896c: 166-167.

*Dolerus austerus* Muche, 1965b: 186-187.

**Korean records.** Doi, 1938; Kim, 1963; Zool. Soc. Kor., 1968; Chu, 1969; Kim, 1970; Zombori, 1974; Kim, 1980; Togashi and Tano 1987; Lee and Ryu, 1989; Kim et al., 1994; Lee et al., 1996; Lee and Ryu, 1996a; Lee et al., 2000; Choi and Ko, 2006; Paek et al., 2010; Ahn et al., 2013; Lyu et al., 2014.

**Host plant.** Unknown.

**Distribution.** Korea (South, North), China, Japan, Mongolia, Russia.

**272. *Dolerus (Dolerus) cothurnatus* Serville, 1823**

## 노랑배댕기잎벌

*Tenthredo (Dolerus) palustris* Klug, 1818: 296-297. Primary homonym of *Tenthredo (Allantus) palustris* Klug, 1817.

*Dolerus (Dolerus) cothurnatus* Lepeletier, 1823: 123. Primary homonym of *Dolerus cothurnatus* Serville, 1823.

*Dolerus cothurnatus* Serville, 1823: 60.

*Dosytheus junci* Stephens, 1829: 337. Not available. Nomen nudum.

*Dosytheus Junci* [sic!] Stephens, 1835: 84-85.

*Dolerus Busaei* [sic!] Snellen van Vollenhoven, 1858b: 277.

*Dolerus cothurnatus* ab. *pallidistigma* Lindqvist, 1969: 40. Not available. Infrasubspecific name.

**Korean records.** Lee and Ryu, 1989; Lee et al., 1995b; Lee et al., 1995c; Lee and Ryu, 1996a; Lee et al., 2000; Paek et al., 2010; Lyu et al., 2014.

**Host plants.** *Equisetum fluviatile* L., *Equisetum palustre* L., *Equisetum* sp.

**Distribution.** Korea (South), Austria, Belarus, Belgium, Bulgaria, Croatia, Czech Republic, Denmark, Estonia, Finland, France, Germany, Great Britain, Hungary, Ireland, Italy, Japan, Latvia, Macedonia, Montenegro, Netherlands, Norway, Republic of Serbia, Romania, Russia, Slovakia, Spain, Switzerland, Ukraine.

**273. *Dolerus (Dolerus) japonicus* W.F. Kirby, 1882**

**왜잎벌 (NK: 왜잎벌)**  
*Dolerus japonicus* W.F. Kirby, 1882: 228.

**Korean records.** Kim, 1963; Zool. Soc. Kor., 1968; Kim, 1970; Kim, 1980; Lee and Ryu, 1989; Kim et al., 1994; Lee and Ryu, 1996a; Lee et al., 2000; Choi and Ko, 2006; Paek et al., 2010; Ahn et al., 2013; Lyu et al., 2014.

**Host plant.** *Equisetum arvense* L.

**Distribution.** Korea (South, North), China, Japan.

**274. *Dolerus (Dolerus) pseudojaponicus* Haris and Blank, 1996** 어리왜잎벌 (신칭)

*Dolerus pseudojaponicus* Haris and Blank, 1996: 62.

**Korean record.** Haris and Blank, 1996.

**Host plant.** Unknown.

**Distribution.** Korea (locality unknown).

**275. *Dolerus (Equidolerus) gessneri* André, 1880** 큰검정잎벌 (네줄홍띠잎벌)

*Dolerus Gessneri* [sic!] André, 1880c: 273.

*Dolerus labiosus* Konow, 1897c: 181-182.

*Dolerus kamtchaticus* Malaise, 1931a: 18.

*Dolerus gessneri* forma *rufomaculata* Hellén, 1956: 98.

**Korean records.** Togashi, 1973; Lee and Ryu, 1989; Lee and Ryu, 1996a; Lee et al., 2000; Paek et al., 2010; Lyu et al., 2014.

**Host plants.** *Equisetum palustre* L., *Equisetum* sp., *Equisetum sylvaticum* L.

**Distribution.** Korea (South), Austria, Belgium, Canada, China, Czech Republic, Denmark, Estonia, Finland, France, Germany, Great Britain, Hungary, Ireland, Italy, Japan, Latvia, Macedonia, Mongolia, Norway, Poland, Romania, Russia, Scandinavia, Slovakia, Sweden, Switzerland, Ukraine, USA.

**276. *Dolerus (Loderus) gilvipes* (Klug, 1818)** 털복숭하늘잎벌

*Tenthredo (Dolerus) gilvipes* Klug, 1818: 306-307.

*Dolerus tenebrosus* Eversmann, 1847: 25.

*Loderus ornatus* Konow, 1897c: 182.

*Loderus ornatus* var. *plagiatus* Konow, 1897c: 182.

*Loderus gilvipes* var. *camtschatcalis* Enslin, 1927: 373.

**Korean records.** Lee and Ryu, 1989; Lee and Ryu, 1996a; Lee et al., 2000; Paek et al., 2010; Lyu et al., 2014.

**Host plants.** *Equisetum pratense* Ehrh., *Equisetum* sp., *Equisetum sylvaticum* L.

**Distribution.** Korea (South), China, Finland, Germany, Italy, Japan, Mongolia, Russia, Sweden.

**277. *Dolerus (Oncodolerus) eversmanni* eversmanni**

**W.F. Kirby, 1882** 긴꼬리하늘잎벌

*Tenthredo (Dolerus) palmata* Klug, 1818: 303. Primary homonym of *Tenthredo palmata* Geoffroy, 1785.

*Dolerus fumosus* Eversmann, 1847: 24. Primary homonym of *Dolerus fumosus* Stephens, 1829.

*Dolerus eversmanni* W.F. Kirby, 1882: 223. Name for *Dolerus fumosus* Eversmann, 1847.

*Dolerus trigeminus* Konow, 1884a: 339, 346-347.

**Korean records.** Lee and Ryu, 1989; Lee and Ryu, 1996a; Lee et al., 2000; Paek et al., 2010; Lyu et al., 2014.

**Host plants.** *Equisetum arvense* L., *Equisetum palustre* L., *Equisetum* sp., *Equisetum sylvaticum* L.

**Distribution.** Korea (South), Austria, China, France, Germany, Russia, Switzerland, Turkey, United Kingdom.

**278. *Dolerus (Poodolerus) albolineolatus* Haris and Blank, 1996** 흰줄무늬보리잎벌 (신칭)

*Dolerus albolineolatus* Haris and Blank, 1996: 59-60.

**Korean record.** Haris and Blank, 1996.

**Host plant.** Unknown.

**Distribution.** Korea (locality unknown).

**279. *Dolerus (Poodolerus) coracinus* (Klug, 1818)**

꼬마검정잎벌

*Tenthredo (Dolerus) coracina* Klug, 1818: 302-303.

**Korean records.** Lee and Ryu, 1989; Lee and Ryu, 1996a; Lee et al., 2000; Paek et al., 2010; Lyu et al., 2014.

**Host plant.** Unknown.

**Distribution.** Korea (South), Austria, Belgium, Bulgaria, Czech Republic, Denmark, Estonia, Germany, Great Britain, Greece, Hungary, Italy, Russia, Switzerland, Ukraine.

**280. *Dolerus (Poodolerus) liogaster* liogaster**

**Thomson, 1871** 등홍모자무늬잎벌

*Dolerus liogaster* Thomson, 1871: 286.

*Dolerus annulatus* Stein, 1894: 55.

*Dolerus liogaster rufonotatus* Enslin, 1913: 166.

*Dolerus liogaster* var. *grayi* Liston, 1980: 216. Not available. Infrasubspecific name.

**Korean records.** Lee and Ryu, 1989; Lee and Ryu, 1996a; Lee et al., 2000; Paek et al., 2010; Lyu et al., 2014.

**Host plants.** *Dactylis glomerata* L., *Dactylis glomerata* L., *Festuca rubra* L., *Festuca* sp., *Lolium perenne* L., *Poa* sp.

**Distribution.** Korea (South), Austria, Belarus, Belgium,

Bulgaria, Czech Republic, Denmark, Estonia, Finland, France, Germany, Great Britain, Hungary, Ireland, Italy, Latvia, Lithuania, Macedonia, Netherlands, Norway, Poland, Romania, Russia, Slovakia, Sweden, Switzerland, Ukraine.

**281. *Dolerus coreanus* Takeuchi, 1927 조선잎벌**

*Dolerus coreanus* Takeuchi, 1927a: 386.

*Dolerus merops* Zhelochovtsev, 1928: 106.

**Korean records.** Takeuchi, 1927a; Kim, 1963; Zool. Soc. Kor., 1968; Kim, 1970; Lee and Ryu, 1989; Kim et al., 1994; Lee and Ryu, 1996a; Lee et al., 2000; Paek et al., 2010; Lyu et al., 2014.

**Host plant.** Unknown.

**Distribution.** Korea (South), China, Japan, Russia.

**282. *Dolerus ephippiatus* F. Smith, 1874 등빨간잎벌**

(NK: 등빨간잎벌)

*Dolerus ephippiatus* F. Smith, 1874: 383.

**Korean records.** Kim, 1963; Zool. Soc. Kor., 1968; Kim, 1970; Kim, 1980; Lee and Ryu, 1989; Kim et al., 1994; Lee and Ryu, 1996a; Lee et al., 2000; Choi and Ko, 2006; Paek et al., 2010; Ahn et al., 2013; Lyu et al., 2014.

**Host plants.** *Alopecurus aequalis* Sobol., *Dactylis glomerata* L., *Elymus ciliaris* (Trin.) Tzvelev, *Elymus tsukushiensis* Honda, *Equisetum arvense* L., *Hordeum* sp., *Hordeum vulgare* L., *Phalaris arundinacea* L., *Phleum pratense* L., *Poa annua* L., *Poa nipponica* Koidz., *Secale cereale* L., *Secale* sp., *Triticum aestivum* L., *Triticum* sp.

**Distribution.** Korea (South, North), China, Japan, Russia.

**283. *Dolerus hordei* Rohwer, 1925 애등빨간잎벌**

(NK: 밀잎벌)

*Dolerus hordei* Rohwer, 1925a: 481-482.

**Korean records.** Cho, 1961; Kim 1963; Zool. Soc. Kor., 1968; Chu, 1969; Kim, 1970; Lee and Ryu, 1989; Lee et al., 2000; Choi and Ko, 2006; Paek et al., 2010; Ahn et al., 2013.

**Host plants.** *Hordeum* sp., *Hordeum vulgare* L., *Triticum aestivum* L., *Triticum* sp.

**Distribution.** Korea (South, North), Japan.

**284. *Dolerus lewisi* Cameron, 1887 루이스잎벌**

*Dolerus lewisi* Cameron, 1887: 268-269.

**Korean records.** Cho, 1961; Lee and Ryu, 1989; Lee and Ryu, 1996a; Lee et al., 2000; Paek et al., 2010; Lyu et al., 2014.

**Host plants.** *Hordeum vulgare* L., *Triticum aestivum* L.

**Distribution.** Korea (South), China.

**285. *Dolerus okeanskajensis* Rohwer, 1925 가야잎벌**  
*Dolerus okeanskajensis* Rohwer, 1925b: 5-6.

**Korean records.** Takeuchi, 1927a; Kim, 1963; Zool. Soc. Kor., 1968; Kim, 1970; Lee and Ryu, 1989; Kim et al., 1994; Lee and Ryu, 1996a; Lee et al., 2000; Paek et al., 2010; Lyu et al., 2014.

**Host plant.** Unknown.

**Distribution.** Korea (South), Japan, Russia, Taiwan.

**286. *Dolerus yokohamensis* Rohwer, 1925 두별잎벌**  
(NK: 두별잎벌)

*Dolerus bimaculatus* Cameron, 1887: 267-268. Secondary homonym of *Tenthredo bimaculata* Geoffroy, 1785.

*Dolerus yokohamensis* Rohwer, 1925a: 482.

**Korean records.** Choi and Ko, 2006; Ahn et al., 2013.

**Host plant.** *Poa annua* L.

**Distribution.** Korea (North), China.

**Genus *Nesoselandria* Rohwer, 1910 북극잎벌속**

*Nesoselandria* Rohwer, 1910c: 657. Type species: *Paraselandria imitatrix* Ashmead, 1905.

*Neobusarbia* Takeuchi, 1928: 40-41. Type species: *Neobusarbia flavipes* Takeuchi, 1928.

*Melisandra* Benson, 1939a: 110. Type species: *Selandria morio* (Fabricius, 1781).

**287. *Nesoselandria morio* (Fabricius, 1781) 북극잎벌**  
(NK: 풀판잎벌)

*Tenthredo Morio* [sic!] Fabricius, 1781: 414, nr. 41.

*Tenthredo Ulmi* [sic!] Schrank, 1802: 237. Primary homonym of *Tenthredo ulmi* Linné, 1758.

*Tenthredo tristis* Lepeletier, 1823: 106. Primary homonym of *Tenthredo tristis* Fabricius, 1779.

*Tenthredo tristis* Serville, 1823: 48-49. Primary homonym of *Tenthredo tristis* Fabricius, 1779.

*Emphytus infuscatus* Eversmann, 1847: 29.

*Selandria Fabricii* [sic!] Konow, 1885a: 300. Name for *Tenthredo morio* Fabricius, 1781.

*Aneugmenus brunneus* Magretti, 1886: 25.

**Korean records.** Takeuchi, 1941; Kim, 1963; Kim, 1970; Zombori, 1974; Lee et al., 1993; Kim et al., 1994; Lee and Ryu, 1996a; Lee et al., 2000; Choi and Ko, 2006; Paek et al., 2010; Ahn et al., 2013; Lyu et al., 2014.

**Host plants.** *Brachythecium reflexum* (Starke) Schimp., *Ceratodon purpureus* (Hedw.) Brid., *Dicranum scoparium* Hedw., *Fragaria vesca* L., *Hedwigia ciliata* (Hedw.) P. Beauv., *Myosotis arvensis* (L.) Hill, *Plagiomnium cuspidatum* (Hedw.) T.J. Kop., *Plagiothecium denticulatum*

(Hedw.) Schimp., *Polygonum aviculare* L., *Polytrichum commune* Hedw., *Pseudobryum cinctidioides* (Huebener) T.J. Kop., *Sanionia uncinata* (Hedw.) Loeske, *Stellaria media* (L.) Vill., *Veronica chamaedrys* L., *Veronica officinalis* L.

**Distribution.** Korea (South, North), Albania, Andorra, Austria, Belgium, Bulgaria, Canada, China, Croatia, Czech Republic, Denmark, Estonia, Finland, France, Germany, Great Britain, Hungary, Ireland, Italy, Japan, Latvia, Lithuania, Luxembourg, Montenegro, Netherlands, Norway, Poland, Republic of Serbia, Romania, Russia, Slovakia, Slovenia, Spain, Sweden, Switzerland, Turkey, Ukraine, USA.

#### Genus *Pseudostromboceros* Takeuchi, 1941

검정날개줄잎벌속

*Pseudostromboceros* Takeuchi, 1941: 268-269. Type species: *Stromboceros atratus* Enslin, 1911.

*Kulia* Malaise, 1944: 48. Type species: *Stromboceros sinensis* Forsius, 1927.

*Formosibia* Malaise, 1944: 10. Type species: *Stromboceros atratus* Enslin, 1911.

#### 288. *Pseudostromboceros frontalis* Zombori, 1978

검정날개줄잎벌

*Pseudostromboceros frontalis* Zombori, 1978: 258-259.

**Korean records.** Zombori, 1978; Lee et al., 1993; Kim et al., 1994; Lee and Ryu, 1996a; Lee et al., 2000; Paek et al., 2010; Lyu et al., 2014.

**Host plant.** Unknown.

**Distribution.** Korea (South, North), Japan, Russia.

#### 289. *Pseudostromboceros suis* Lee and Ryu, 1996

똥보줄잎벌

*Pseudostromboceros suis* Lee and Ryu, 1996b: 17-18.

**Korean records.** Lee and Ryu, 1996b; Lee et al., 2000; Paek et al., 2010; Lyu et al., 2014.

**Host plant.** Unknown.

**Distribution.** Korea (South).

#### Genus *Stromboceros* Konow, 1885 호색줄잎벌속

*Stromboceros* Konow, 1885b: 19-21. Type species: *Tenthredo delicatulus* Fallén, 1808.

*Strombocerina* Malaise, 1942: 90. Name for *Stromboceros* Konow, 1885.

*Arbusia* Malaise, 1944: 18, 22. Type species: *Stromboceros koebelei* Rohwer, 1910, by original designation.

#### 290. *Stromboceros delicatulus* (Fallén, 1808) 호색잎벌

*Tenthredo delicatula* Fallén, 1808b: 122-123.

*Tenthredo (Allantus) eborina* Klug, 1817b: 196.

*Synairema alpina* Bremi-Wolf, 1849: 93.

*Selandria phthisica* Snellen van Vollenhoven, 1869: 123-124.

*Selandria virescens* Rudow, 1871: 394.

*Tenthredo seesana* Rudow, 1871: 388.

*Strongylogaster viridis* Schmiedeknecht in André, 1881b: 412.

*Stromboceros delicatulus* var. *albiceps* Takeuchi, 1941: 250.

**Korean records.** Takeuchi, 1941; Kim, 1963; Zool. Soc. Kor., 1968; Kim, 1970; Lee et al., 1993; Kim et al., 1994; Lee and Ryu, 1996a; Lee et al., 2000; Paek et al., 2010; Lyu et al., 2014.

**Host plants.** *Aspidium* sp., *Athyrium filix-femina* (L.) Roth, *Athyrium* sp., *Dryopteris filix-mas* (L.) Schott, *Dryopteris* sp., *Gymnocarpium dryopteris* (L.) Newman, *Matteuccia struthiopteris* (L.) Tod., *Polypodium* sp., *Polypodium vulgare* L., *Polystichum* sp., *Pteridium aquilinum* (L.) Kuhn.

**Distribution.** Korea (South, North), Austria, Belgium, Bulgaria, China, Croatia, Czech Republic, Denmark, Estonia, Finland, France, Germany, Great Britain, Hungary, Ireland, Italy, Japan, Latvia, Lithuania, Luxembourg, Montenegro, Norway, Poland, Republic of Serbia, Romania, Russia, Slovakia, Spain, Sweden, Switzerland, Ukraine.

#### 291. *Stromboceros koebelei* Rohwer, 1910 쇠벨잎벌

(NK: 라사뿔잎벌)

*Stromboceros koebelei* Rohwer, 1910a: 109.

*Strongylogaster compressus* [sic!] Matsumura, 1912: 60-61.

*Stromboceros japonicus* Malaise, 1931c: 207.

**Korean records.** Takeuchi, 1941; Kim, 1963; Zool. Soc. Kor., 1968; Chu, 1969; Kim, 1970; Lee et al., 1993; Kim et al., 1994; Lee and Ryu, 1996a; Lee et al., 2000; Paek et al., 2010; Ahn et al., 2013; Lyu et al., 2014.

**Host plant.** *Polystichum tripteron* (Kunze) C. Presl.

**Distribution.** Korea (South, North), Japan, Russia.

#### Genus *Strongylogaster* Dahlbom, 1835 줄잎벌속

*Tenthredo* (*Strongylogaster*) Dahlbom, 1835b: 4, 13. Type species: *Tenthredo multifasciata* Geoffroy, 1785.

*Strongylogaster* (*Pseudotaxonus*) Costa, 1894: 157-158. Type species: *Strongylogaster filicis* (Klug, 1817).

*Polystichophagus* Ashmead, 1898b: 310. Type species: *Tenthredo (Allantus) filicis* Klug, 1817.

*Prototaxonus* Rohwer, 1910d: 49-50. Type species: *Prototaxonus typicus* Rohwer, 1910.

#### 292. *Strongylogaster filicis* (Klug, 1817) 끝검정잎벌

*Tenthredo (Allantus) filicis* Klug, 1817b: 216.

*Tenthredo (Allantus) carinata* Klug, 1817b: 216-217.

*Tenthredo atricornis* Stephens, 1829: 337. Not available.  
Nomen nudum.

*Tenthredo atricornis* Stephens, 1835: 81.

*Sciopteryx apicalis* Matsumura, 1912: 58-59.

**Korean records.** Takeuchi, 1941; Kim, 1963; Zool. Soc. Kor., 1968; Kim, 1970; Togashi, 1973; Kim, 1980; Lee et al., 1993; Kim et al., 1994; Lee and Ryu, 1996a; Lee et al., 2000; Paek et al., 2010; Lyu et al., 2014.

**Host plant.** *Pteridium aquilinum* (L.) Kuhn.

**Distribution.** Korea (South), Austria, Belgium, Bulgaria, Croatia, Czech Republic, Estonia, Finland, France, Germany, Great Britain, Italy, Japan, Latvia, Netherlands, Norway, Romania, Russia, Slovenia, Ukraine.

### 293. *Strongylogaster macula* (Klug, 1817)

배점박이줄잎벌

*Tenthredo (Allantus) macula* Klug, 1817b: 217.

*Thrinax intermedia* Konow, 1885b: 23.

**Korean records.** Lee et al., 1993; Lee and Ryu, 1996a; Lee et al., 2000; Paek et al., 2010; Lyu et al., 2014.

**Host plants.** *Aspidium* sp., *Athyrium alpestre* (Hoppe) Clairv., *Athyrium filix-femina* (L.) Roth, *Athyrium* sp., *Dryopteris carthusiana* (Vill.) H.P. Fuchs, *Dryopteris dilatata* (Hoffm.) A. Gray, *Dryopteris filix-mas* (L.) Schott, *Leptorumohra miquelianiana* (Maxim. ex Franch. and Sav.) H. Itô, *Polystichum aculeatum* (L.) Roth ex Mert., *Polystichum* sp., *Pteridium aquilinum* (L.) Kuhn.

**Distribution.** Korea (South), Austria, Belgium, Canada, China, Czech Republic, Denmark, Estonia, Finland, France, Germany, Great Britain, Hungary, Ireland, Italy, Japan, Latvia, Netherlands, Norway, Poland, Romania, Russia, Slovakia, Sweden, Switzerland, Ukraine, USA.

### 294. *Strongylogaster multifasciata* (Geoffroy, 1785)

줄잎벌 (NK: 줄무늬둥근배잎벌)

*Tenthredo multi-fasciata* [sic!] Geoffroy in Fourcroy, 1785: 368.

*Tenthredo lineata* Christ, 1791: 450.

*Tenthredo (Allantus) linearis* Klug, 1817a: 217-218. Primary homonym of *Tenthredo linearis* Schrank, 1781.

*Tenthredo alternans* Lepeletier, 1823: 73. Primary homonym of *Tenthredo alternans* Serville, 1823.

*Tenthredo alternans* Serville, 1823: 17.

*Strongylogaster iridipennis* F. Smith, 1874: 377.

*Strongylogaster caucasicus* [sic!] Schaposchnikov, 1885: 181-182.

*Strongylogaster cretensis* Konow, 1887a: 26.

*Strongylogaster annularis* Matsumura, 1912: 219-220.

*Strongylogaster lineata cypria* Benson, 1954b: 276.

**Korean records.** Doi, 1938; Kim, 1963; Zool. Soc. Kor., 1968; Chu, 1969; Kim, 1970; Lee et al., 1993; Kim et al.,

1994; Lee and Ryu, 1996a; Lee et al., 2000; Paek et al., 2010; Ahn et al., 2013; Lyu et al., 2014.

**Host plants.** *Anisocampium niponicum* (Mett.) Y.C. Liu, W.L. Chiou and M. Kato, *Aspidium* sp., *Dryopteris filix-mas* (L.) Schott, *Dryopteris* sp., *Matteuccia struthiopteris* (L.) Tod., *Polystichum* sp., *Pteridium aquilinum* (L.) Kuhn.

**Distribution.** Korea (South, North), Albania, Armenia, Austria, Belgium, Bulgaria, China, Croatia, Cyprus, Czech Republic, Denmark, Estonia, Finland, France, Germany, Great Britain, Greece, Hungary, Iran, Ireland, Italy, Japan, Latvia, Lebanon, Macedonia, Montenegro, Norway, Poland, Portugal, Republic of Serbia, Romania, Russia, Slovakia, Slovenia, Spain, Switzerland, Taiwan, Turkey, Ukraine.

### Genus *Thrinax* Konow, 1885 가는줄잎벌속

*Thrinax* Konow, 1885b 19, 22-23. Type species: *Thrinax contigua* Konow, 1885.

*Hemitaxonus* Ashmead, 1898b: 311. Type species: *Taxonus dubitatus* (Norton, 1862).

*Epitaxonus* MacGillivray, 1908a: 365-366. Type species: *Taxonus albidopectus* Norton, 1868.

*Sahlbergia* Forsius, 1910: 49-50. Type species: *Sahlbergia struthiopteridis* Forsius, 1910.

*Trearea* Malaise, 1947: 2, 35-36. Type species: *Trearea compressicornis* Malaise, 1947.

*Canonarea* Malaise, 1947: 37-38. Type species: *Canonarea albooralis* Malaise, 1947.

### 295. *Thrinax angustata* (Zhelochovtsev, 1951)

가는줄잎벌

*Hemitaxonus angustatus* Zhelochovtsev, 1951: 145-146.

**Korean records.** Naito, 1971; Lee et al., 1993; Kim et al., 1994; Lee and Ryu, 1996a; Lee et al., 2000; Paek et al., 2010; Lyu et al., 2014.

**Host plant.** Unknown.

**Distribution.** Korea (South, North), China, Russia.

### 296. *Thrinax flexa* (Lee and Ryu, 1996)

배넓은홍줄잎벌

*Hemitaxonus flexus* Lee and Ryu, 1996b: 18-19.

**Korean records.** Lee and Ryu, 1996b; Lee et al., 2000; Paek et al., 2010; Lyu et al., 2014.

**Host plant.** Unknown.

**Distribution.** Korea (South), Russia.

### 297. *Thrinax paucipunctatus* (Malaise, 1931)

점배기잎벌

*Hemitaxonus paucipunctatus* Malaise, 1931b: 139-140.

**Korean records.** Takeuchi, 1941; Kim, 1963; Zool. Soc.

Kor., 1968; Kim, 1970; Naito, 1971; Lee et al., 1993; Kim et al., 1994; Lee and Ryu, 1996a; Lee et al., 2000; Paek et al., 2010; Lyu et al., 2014.

**Host plant.** *Dryopteris dilatata* (Hoffm.) A. Gray.

**Distribution.** Korea (North), Japan, Russia.

Subfamily Tenthredininae Newman, 1834 잎벌아과

**Genus** *Aglaostigma* W.F. Kirby, 1882 아무우르잎벌속  
*Aglaostigma* W.F. Kirby, 1882: 325. Type species: *Aglaostigma eburneiguttatum* W.F. Kirby, 1882.

*Laurentia* Costa, 1890: 14. Homonym of *Laurentia* Ragonot, 1888 [Lepidoptera]. Type species: *Laurentia craverii* Costa, 1890.

*Bivena* MacGillivray, 1894: 327. Type species: *Bivena maria* MacGillivray, 1894.

*Homoeoneura* Ashmead, 1898b: 313. Type species: *Pachyprotasis delta* Provancher, 1878.

*Neopus* Viereck, 1910: 585. Type species: *Tenthredo quatuordecimpunctatus* Norton, 1862.

*Macrophyopsis* Enslin, 1912b: 42, 128. Type species: *Macrophya nebulosa* André, 1881.

*Kincaidia* MacGillivray, 1914c: 137. Type species: *Tenthredopsis ruficornis* MacGillivray, 1893.

*Astochus* MacGillivray, 1914b: 107-108. Type species: *Astochus fletcheri* MacGillivray, 1914.

*Paralloma* Malaise, 1933: 53. Type species: *Rhogogaster lichtwardti* Konow, 1892.

*Neurosiobla* Conde, 1935: 79-81. Type species: *Neurosiobla malaisei* Conde, 1935.

*Laurentia (Laurentina)* Malaise, 1937b: 44. Type species: *Laurentia (Laurentina) ruficornis* Malaise, 1937.

*Aglaostigma (Stigmatozona)* Malaise, 1945: 99, 177. Type species: *Aglaostigma (Stigmatozona) sinensis* Malaise, 1945.

### 298. *Aglaostigma (Aglaostigma) amoorense*

(Cameron, 1876) 아무우르잎벌

(NK: 아무르긴다리잎벌, 북방잎벌)

*Tenthredo (Perineura) amoorensis* Cameron, 1876: 466.

*Tenthredo amurensis* W.F. Kirby, 1882: 306. Name for *Tenthredo (Perineura) amoorensis* Cameron, 1876.

**Korean records.** Doi, 1938; Kim, 1963; Zool. Soc. Kor., 1968; Chu, 1969; Kim, 1970; Togashi, 1973; Kim, 1980; Kim et al., 1994; Lee et al., 1995b; Lee et al., 1995c; Lee and Ryu, 1996a; Lee et al., 2000; Choi and Ko, 2006; Paek et al., 2010; Ahn et al., 2013; Lyu et al., 2014.

**Host plants.** *Veratrum album* L., *Veratrum grandiflorum* (Maxim. ex Miq.) O. Loes., *Veratrum lobelianum* Bernh., *Veratrum* sp., *Veratrum stamineum* Maxim.

**Distribution.** Korea (South, North), China, Japan, Russia.

### 299. *Aglaostigma (Macrophyopsis) nebulosum* (André,

1881) 먹가슴노랑잎벌 (NK: 안개잎벌)

*Macrophya Nebulosa* [sic!] André, 1881c: 369.

*Tenthredopsis Schmiedeknechti* [sic!] Konow, 1892: 216-217.

**Korean records.** Doi, 1938; Kim, 1963; Zool. Soc. Kor., 1968; Chu, 1969; Kim, 1970; Togashi, 1973; Zombori, 1974; Kim, 1980; Kim et al., 1994; Lee et al., 1995b; Lee et al., 1995c; Lee et al., 1996; Lee and Ryu, 1996a; Lee et al., 2000; Paek et al., 2010; Ahn et al., 2013; Lyu et al., 2014.

**Host plants.** *Filipendula* sp., *Filipendula ulmaria* (L.) Maxim., *Fraxinus excelsior* L., *Fraxinus* sp., *Impatiens noli-tangere* L., *Impatiens* sp., *Impatiens textori* Miq.

**Distribution.** Korea (South, North), Austria, China, Czech Republic, Estonia, Germany, Japan, Russia.

### 300. *Aglaostigma (Macrophyopsis) occipitosum*

(Malaise, 1931) 흥등잎벌

*Macrophyopsis occipitosa* Malaise, 1931b: 118-119.

**Korean records.** Lee et al., 1995b; Lee and Ryu, 1996a; Lee et al., 2000; Paek et al., 2010; Lyu et al., 2014.

**Host plants.** *Angelica polymorpha* Maxim., *Petasites japonicus* (Siebold and Zucc.) Maxim.

**Distribution.** Korea (South), China, Japan, Russia.

### 301. *Aglaostigma sapporonicum* (Matsumura, 1912)

홍점가슴잎벌

*Macrophya sapporonica* Matsumura, 1912: 49-50.

*Dolerus biguttatus* Matsumura, 1912: 71-72.

**Korean records.** Lee et al., 1995b; Lee and Ryu, 1996a; Lee et al., 2000; Paek et al., 2010; Lyu et al., 2014.

**Host plant.** Unknown.

**Distribution.** Korea (South), Japan.

### Genus *Armitarsus* Malaise, 1931 가시다리잎벌속

*Armitarsus* Malaise, 1931b: 100. Type species: *Armitarsus punctifemoratus* Malaise, 1931.

### 302. *Armitarsus minutus* Zhelochovtsev, 1935

작은가시다리잎벌

*Armitarsus minutus* Zhelochovtsev, 1935: 151.

**Korean records.** Lee and Ryu, 1996a; Lee et al., 2000; Paek et al., 2010; Lyu et al., 2014.

**Host plant.** Unknown.

**Distribution.** Korea (locality unknown), Japan, Russia.

### 303. *Armitarsus punctifemoratus* Malaise, 1931

가시다리잎벌 (NK: 점무늬잎벌)

*Armitarsus punctifemoratus* Malaise, 1931b: 100.

**Korean records.** Kim, 1963; Zool. Soc. Kor., 1968; Chu, 1969; Kim, 1970; Kim et al., 1994; Lee and Ryu, 1996a; Lee et al., 2000; Choi and Ko, 2006; Paek et al., 2010; Ahn et al., 2013; Lyu et al., 2014.

**Host plant.** *Alnus japonica* (Thunb.) Steud.

**Distribution.** Korea (South, North), Japan, Russia.

**Genus *Conaspidea* Konow, 1898** 굽은무늬날개잎벌속  
*Conaspidea* Konow, 1898c: 279. Type species: *Conaspidea sikkimensis* Konow, 1898.

#### 304. *Conaspidea guttata* (Matsumura, 1912)

굽은무늬날개잎벌 (NK: 갈룩잎벌)

*Eriocampa guttata* Matsumura, 1912: 63-64.

*Conaspidea trifasciata* Malaise, 1931c: 204.

*Conaspidea murotai* Togashi, 1984: 581.

*Conaspidea ishikawai* Togashi, 2005: 846.

**Korean records.** Chu, 1969; Lee and Ryu, 1995; Lee and Ryu, 1996a; Lee et al., 2000; Paek et al., 2010; Ahn et al., 2013; Lyu et al., 2014; Qi et al., 2015.

**Host plant.** *Acer pictum* Thunb. (Qi et al., 2015).

**Distribution.** Korea (South, North), Japan, Russia.

**Genus *Corymbas* Konow, 1903** 허리노란잎벌속  
*Corymbas* Konow, 1903c: 120. Type species: *Corymbas koreana* Konow, 1903.  
*Siobloides* Takeuchi, 1919: 15-16, 18. Type species: *Macrophya fujisana* Matsumura, 1912.

#### 305. *Corymbas koreana* Konow, 1903 진허리노란잎벌 (NK: 굽은허리잎벌)

*Corymbas koreana* Konow, 1903c: 120-121.

**Korean records.** Doi, 1938; Kim, 1963; Zool. Soc. Kor., 1968; Chu, 1969; Kim, 1970; Kim, 1980; Kim et al., 1994; Lee et al., 1995b; Lee et al., 1995c; Lee et al., 1996; Lee and Ryu, 1996a; Lee et al., 2000; Paek et al., 2010; Lyu et al., 2014.

**Host plant.** Unknown.

**Distribution.** Korea (South, North), Japan, Russia, Taiwan.

#### 306. *Corymbas nipponica* Takeuchi, 1936

일본허리노란잎벌 (NK: 굽은허리잎벌)

*Corymbas nipponica* Takeuchi, 1936b: 154-156.

**Korean records.** Kim, 1970; Lee and Ryu, 1996a; Lee et al., 2000; Choi and Ko, 2006; Paek et al., 2010; Ahn et al., 2013; Lyu et al., 2014.

**Host plants.** *Geum japonicum* Thunb., *Rubus crataegifolius* Bunge, *Rubus microphyllus* L.f., *Rubus parvifolius* L., *Rubus trifidus* Thunb.

**Distribution.** Korea (South, North), China, Japan.

#### Genus *Macrophya* Dahlbom, 1835 검정잎벌속

*Tenthredo* (*Macrophya*) Dahlbom, 1835b: 4, 11. Type species: *Tenthredo montana* Scopoli, 1763.

*Zalagium* Rohwer, 1912: 216-217. Type species: *Zalagium clypeatum* Rohwer, 1912.

*Macrophya* (*Pseudomacrophya*) Enslin, 1913: 135. Type species: *Macrophya punctumalbum* (Linné, 1767).

*Paramacrophya* Forsius, 1918: 151-152. Type species: *Tenthredo blanda* Fabricius, 1775.

#### 307. *Macrophya* (*Macrophya*) *annulicornis* Konow, 1904 수염검정잎벌

*Macrophya annulicornis* Konow, 1904: 266.

**Korean records.** Takeuchi, 1937; Kim, 1963; Zool. Soc. Kor., 1968; Kim, 1970; Togashi, 1973; Kim et al., 1994; Lee and Ryu, 1996a; Lee et al., 2000; Paek et al., 2010; Lyu et al., 2014.

**Host plants.** *Aconitum* sp., *Delphinium* sp., *Ranunculus* sp., *Sambucus* sp.

**Distribution.** Korea (South, North), China, Russia.

#### 308. *Macrophya* (*Macrophya*) *annulitibia* Takeuchi, 1933 가락지검정잎벌

*Macrophya annulitibia* Takeuchi, 1933a: 24-25.

**Korean records.** Kim, 1963; Zool. Soc. Kor., 1968; Kim, 1970; Kim et al., 1994; Lee and Ryu, 1996a; Lee et al., 2000; Paek et al., 2010; Lyu et al., 2014; Liu et al., 2015; Shinohara, 2015.

**Host plant.** Unknown.

**Distribution.** Korea (South, North), China, Japan, Russia.

#### 309. *Macrophya* (*Macrophya*) *apicalis* F. Smith, 1874 흰무늬검정잎벌 (NK: 암검은잎벌)

*Macrophya apicalis* F. Smith, 1874: 378.

**Korean records.** Takeuchi, 1927a; Takeuchi, 1937; Cho, 1963; Togashi, 1973; Lee et al., 1996; Lee and Ryu, 1996a; Lee et al., 2000; Choi and Ko, 2006; Paek et al., 2010; Ahn et al., 2013; Lyu et al., 2014; Shinohara, 2015.

**Host plants.** *Galium* sp., *Sambucus sieboldiana* (Miq.) Blume ex Schwer., *Sambucus* sp.

**Distribution.** Korea (South, North), China, Japan, Russia.

#### 310. *Macrophya* (*Macrophya*) *carbonaria* F. Smith, 1874 말검정잎벌

*Macrophya carbonaria* F. Smith, 1874: 380.

**Korean records.** Kim, 1963; Zool. Soc. Kor., 1968; Kim, 1970; Kim, 1980; Kim et al., 1994; Lee and Ryu, 1996a; Lee et al., 2000; Paek et al., 2010; Lyu et al., 2014;

Shinohara, 2015.

**Host plants.** *Sambucus racemosa* L., *Sambucus sieboldiana* (Miq.) Blume ex Schwer., *Sambucus* sp.

**Distribution.** Korea (South, North), China, Japan, Russia.

### 311. *Macrophya (Macrophya) duodecimpunctata*

**sodalitia** Mocsáry, 1909 북방녁점박이잎벌

*Macrophya sodalitia* Mocsáry, 1909: 16-17.

**Korean records.** Takeuchi, 1937; Kim, 1963; Zool. Soc. Kor., 1968; Kim, 1970; Kim, 1980; Kim et al., 1994; Lee and Ryu, 1996a; Lee et al., 2000; Paek et al., 2010; Lyu et al., 2014; Shinohara, 2015.

**Host plant.** Unknown.

**Distribution.** Korea (South, North), China, Japan, Russia.

### 312. *Macrophya (Macrophya) imitator* Takeuchi, 1937

애호리검정잎벌 (NK: 혜산먹잎벌)

*Macrophya imitator* Takeuchi, 1937: 436-438.

**Korean records.** Takeuchi, 1937; Kim, 1963; Zool. Soc. Kor., 1968; Kim, 1970; Zombori, 1978; Kim et al., 1994; Lee and Ryu, 1996a; Lee et al., 2000; Choi and Ko, 2006; Paek et al., 2010; Ahn et al., 2013; Lyu et al., 2014; Shinohara, 2015.

**Host plants.** *Aster glehnii* F.Schmidt or *Doellingeria scabra* (Thunb.) Nees (See explanation for Shinohara, 2015).

**Distribution.** Korea (South, North), China, Japan, Russia.

### 313. *Macrophya (Macrophya) infumata* Rohwer, 1925

태수염검정잎벌 (NK: 북방암검은잎벌)

*Macrophya apicalis* var. *infumata* Rohwer, 1925b: 7.

*Macrophya scutellata* Kuznetzov-Ugamskij, 1927: 231.

**Korean records.** Takeuchi, 1937; Doi, 1938; Kim, 1957; Kim, 1963; Zool. Soc. Kor., 1968; Chu, 1969; Kim, 1970; Kim, 1980; Kim et al., 1994; Lee et al., 1995b; Lee et al., 1995c; Lee et al., 1996; Lee and Ryu, 1996a; Lee et al., 2000; Choi and Ko, 2006; Paek et al., 2010; Ahn et al., 2013; Lyu et al., 2014; Shinohara, 2015.

**Host plants.** *Sambucus sieboldiana* (Miq.) Blume ex Schwer., *Sambucus* sp.

**Distribution.** Korea (South, North), China, Japan, Russia.

### 314. *Macrophya (Macrophya) kongosana* Takeuchi,

1937 금강산잎벌

*Macrophya kongosana* Takeuchi, 1937: 414-416.

**Korean records.** Takeuchi, 1937; Kim, 1963; Zool. Soc. Kor., 1968; Kim, 1970; Zombori, 1974; Kim, 1980; Kim et al., 1994; Lee et al., 1995b; Lee et al., 1995c; Lee and Ryu, 1996a; Lee et al., 2000; Paek et al., 2010; Li et al., 2014; Lyu et al., 2014.

**Host plants.** *Sambucus sieboldiana* (Miq.) Blume ex Schwer., *Sambucus* sp.

**Distribution.** Korea (South, North), Russia.

### 315. *Macrophya (Macrophya) koreana* Takeuchi, 1937

북방검정잎벌 (NK: 량강먹잎벌)

*Macrophya koreana* Takeuchi, 1937: 438-439.

**Korean records.** Takeuchi, 1937; Kim, 1963; Zool. Soc. Kor., 1968; Kim, 1970; Zombori, 1978; Kim et al., 1994; Lee and Ryu, 1996a; Lee et al., 2000; Choi and Ko, 2006; Paek et al., 2010; Ahn et al., 2013; Li et al., 2014; Lyu et al., 2014; Shinohara, 2015; Shinohara and Yoshida, 2015.

**Host plant.** *Isodon effusus* (Maxim.) Hara.

**Distribution.** Korea (South, North), China, Japan, Russia.

### 316. *Macrophya (Macrophya) maculitibia* Takeuchi,

1933 흰다리검정잎벌 (NK: 큰종아리먹잎벌)

*Macrophya maculitibia* Takeuchi, 1933a: 27-28.

**Korean records.** Takeuchi, 1937; Doi, 1938; Kim, 1963; Zool. Soc. Kor., 1968; Chu, 1969; Kim, 1970; Kim et al., 1994; Lee and Ryu, 1996a; Lee et al., 2000; Paek et al., 2010; Lyu et al., 2014; Shinohara, 2015.

**Host plants.** *Petasites japonicus* (Siebold and Zucc.) Maxim., *Parasenecio hastatus* subsp. *orientalis* (Kitam.) H. Koyama.

**Distribution.** Korea (South, North), China, Japan, Russia.

### 317. *Macrophya (Macrophya) sanguinolenta* (Gmelin,

1790) 흰발목마디잎벌

*Tenthredo 4 maculata* [sic!] Fabricius, 1787: 255. Primary homonym of *Tenthredo quadrimaculata* O.F. Müller, 1766.

*Tenthredo sanguinolenta* Gmelin, 1790: 2666.

*Tenthredo picea* Gmelin, 1790: 2667.

*Allantus Sambuci* [sic!] Panzer, 1803: 18.

*Tenthredo comma* Fallén, 1808b: 104.

*Macrophya trochanterica* Costa, 1858: 17, 27.

*Tenthredo poecilopus* Aichinger, 1870: 305, 309-310.

*Macrophya quadrimaculata* var. *nigrifrons* Jakowlew, 1886: 239.

*Macrophya 4-maculata* [sic!] var. *nigra* Jakowlew, 1888: 370. Secondary homonym of *Allantus niger* Norton, 1860.

*Macrophya quadrimaculata* var. *albitarsis* Konow, 1890a: 253. Not available. Nomen nudum.

*Macrophya sanguinolenta* var. *borealis* Forsius, 1918: 151.

*Macrophya sanguinolenta* var. *albitarsis* Enslin, 1918: 726. Primary homonym of *Macrophya albitarsis* Mocsáry, 1908.

*Macrophya sanguinolenta* ab. *nigripes* Hellén, 1943: 68.

Not available. Infrasubspecific name.

**Korean records.** Takeuchi, 1937; Kim, 1963; Zool. Soc. Kor., 1968; Kim, 1970; Kim *et al.*, 1994; Lee and Ryu, 1996a; Lee *et al.*, 2000; Paek *et al.*, 2010; Li *et al.*, 2014; Lyu *et al.*, 2014.

**Host plants.** *Galeopsis ladanum* L., *Galeopsis* sp., *Pteridium aquilinum* (L.) Kuhn, *Senecio* sp., *Senecio sylvaticus* L., *Veronica chamaedrys* L., *Veronica longifolia* L., *Veronica* sp.

**Distribution.** Korea (South, North), Andorra, Austria, Belarus, Belgium, Bulgaria, China, Croatia, Czech Republic, Denmark, Estonia, Finland, France, Germany, Greece, Hungary, Italy, Japan, Latvia, Lithuania, Luxembourg, Macedonia, Moldova, Mongolia, Norway, Poland, Romania, Russia, Slovakia, Slovenia, Spain, Sweden, Switzerland, Ukraine.

### 318. *Macrophya (Macrophya) sibirica* Forsius, 1918

시베리아검정잎벌

*Macrophya sibirica* Forsius, 1918: 152-153.

*Macrophya sibiricola* Forsius, 1925b: 13-15.

**Korean records.** Takeuchi, 1937; Doi, 1938; Kim, 1963; Zool. Soc. Kor., 1968; Kim, 1970; Togashi, 1973; Kim, 1980; Kim *et al.*, 1994; Lee *et al.*, 1995b; Lee *et al.*, 1995c; Lee *et al.*, 1996; Lee and Ryu, 1996a; Lee *et al.*, 2000; Paek *et al.*, 2010; Lyu *et al.*, 2014.

**Host plant.** *Sambucus* sp.

**Distribution.** Korea (South, North), China, Russia.

### 319. *Macrophya (Macrophya) vacillans* Malaise, 1931

홍다리검정잎벌 (NK: 산며잎벌)

*Macrophya vacillans* Malaise, 1931b: 125-126.

*Macrophya vacillans* var. *punctifrons* Malaise, 1931b: 125-126.

**Korean records.** Takeuchi, 1937; Doi, 1938; Kim, 1963; Zool. Soc. Kor., 1968; Chu, 1969; Kim, 1970; Kim *et al.*, 1994; Lee *et al.*, 1995b; Lee *et al.*, 1995c; Lee and Ryu, 1996a; Lee *et al.*, 2000; Choi and Ko, 2006; Paek *et al.*, 2010; Ahn *et al.*, 2013; Lyu *et al.*, 2014.

**Host plants.** *Ligustrum japonicum* Thunb., *Ligustrum obtusifolium* Siebold and Zucc., *Syringa vulgaris* L.

**Distribution.** Korea (South, North), China, Russia.

### 320. *Macrophya (Pseudomacrophya) albatarsis*

Mocsáry, 1909 황종아리검정잎벌

(NK: 흰발등먹잎벌)

*Macrophya albatarsis* Mocsáry, 1909: 17.

**Korean records.** Takeuchi, 1937; Doi, 1938; Kim, 1963; Zool. Soc. Kor., 1968; Chu, 1969; Kim, 1970; Kim, 1980; Kim *et al.*, 1994; Lee and Ryu, 1996a; Lee *et al.*, 2000;

Choi and Ko, 2006; Paek *et al.*, 2010; Ahn *et al.*, 2013; Lyu *et al.*, 2014.

**Host plant.** Unknown.

**Distribution.** Korea (South, North), China, Russia.

### 321. *Macrophya (Pseudomacrophya) crassuliformis*

Forsius, 1925 노랑무늬잎벌(신칭)

(NK: 노랑무늬잎벌)

*Macrophya crassuliformis* Forsius, 1925b: 6-7.

*Macrophya brevilabris* Malaise, 1931b: 124-125.

*Macrophya brevilabris* var. *nigroscutellata* Malaise, 1931b: 124-125.

**Korean records.** Choi and Ko, 2006; Ahn *et al.*, 2013; Shinohara, 2015.

**Host plant.** *Ligustrum ibota* Siebold.

**Distribution.** Korea (North), China, Japan, Russia.

### 322. *Macrophya (Pseudomacrophya) minutissima*

Takeuchi, 1937 흰점박이검정잎벌

*Macrophya minutissima* Takeuchi, 1937: 450-452.

**Korean records.** Takeuchi, 1937; Kim, 1963; Zool. Soc. Kor., 1968; Kim, 1970; Togashi, 1973; Kim *et al.*, 1994; Lee *et al.*, 1995b; Lee and Ryu, 1996a; Lee *et al.*, 2000; Paek *et al.*, 2010; Lyu *et al.*, 2014.

**Host plant.** Unknown.

**Distribution.** Korea (South, North), Russia.

### 323. *Macrophya coxalis* (Motschulsky, 1866)

애황종아리잎벌 (NK: 먹잎벌)

*Dolerus coxalis* Motschulsky, 1866: 182.

*Macrophya ignava* F. Smith, 1874: 379.

*Emphytus japonicus* W.F. Kirby, 1882: 203. Name for *Dolerus coxalis* Motschulsky, 1866.

*Macrophya discreta* Forsius, 1925b: 9-10.

**Korean records.** Kim, 1963; Zool. Soc. Kor., 1968; Chu, 1969; Kim, 1970; Kim, 1980; Kim *et al.*, 1994; Lee *et al.*, 1995b; Lee *et al.*, 1995c; Lee *et al.*, 1996; Lee and Ryu, 1996a; Lee *et al.*, 2000; Paek *et al.*, 2010; Ahn *et al.*, 2013; Lyu *et al.*, 2014; Shinohara, 2015.

**Host plants.** *Fraxinus chinensis* subsp. *rhynchophylla* (Hance) A.E. Murray, *Fraxinus* sp., *Rosa onoei* Makino.

**Distribution.** Korea (South, North), China, Japan.

### 324. *Macrophya esakii* (Takeuchi, 1923)

남설령검정잎벌

*Pachyprotasis esakii* Takeuchi, 1923: 10-11.

*Macrophya exilis* Takeuchi, 1933a: 25-26.

**Korean records.** Togashi, 1973; Lee *et al.*, 2000; Shinohara, 2015.

**Host plant.** Unknown.

**Distribution.** Korea (North), Japan, Russia.

**325. *Macrophya fascipennis* Takeuchi, 1933** 율도잎벌  
*Macrophya fascipennis* Takeuchi, 1933a: 22-23.

**Korean records.** Lee and Kwon, 1981; Lim et al., 2013; Paek et al., 2010; Lyu et al., 2014.

**Host plant.** Unknown.

**Distribution.** Korea (South), Japan.

**Remark.** This species is known only from faunistic survey of Ulleungdo and Dokdo Islands.

**326. *Macrophya obesa* Takeuchi, 1933** 뚱뚱보검정잎벌  
(NK: 뚱뚱보먹잎벌)

*Macrophya obesa* Takeuchi, 1933a: 23-24.

**Korean records.** Takeuchi, 1937; Doi, 1938; Kim, 1963; Zool. Soc. Kor., 1968; Chu, 1969; Kim, 1970; Kim, 1980; Kim et al., 1994; Lee et al., 1996; Lee and Ryu, 1996a; Lee et al., 2000; Choi and Ko, 2006; Paek et al., 2010; Ahn et al., 2013; Lyu et al., 2014; Shinohara, 2015.

**Host plant.** Unknown.

**Distribution.** Korea (South, North), China, Japan.

**327. *Macrophya timida* F. Smith, 1874** 좀검정잎벌

*Macrophya timida* F. Smith, 1874: 380.

*Macrophya nigra* Marlatt, 1898: 496.

*Macrophya femorata* Marlatt, 1898: 496.

*Macrophya nigrata* Enslin, 1910: 481.

*Macrophya mikagei* Togashi, 2005: 21.

**Korean records.** Kim, 1963; Zool. Soc. Kor., 1968; Kim, 1970; Kim et al., 1994; Paek et al., 2010; Lyu et al., 2014; Shinohara, 2015.

**Host plants.** *Ligustrum obtusifolium* Siebold and Zucc., *Ligustrum japonicum* Thunb., *Syringa* sp., *Syringa vulgaris* L.

**Distribution.** Korea (South, North), China, Japan.

**Genus *Pachyprotasis* Hartig, 1837** 향로잎벌속

*Tenthredo* (*Pachyprotasis*) Hartig, 1837: 295-296. Type species: *Tenthredo rapae* Linné, 1767.

*Lithracia* Cameron, 1902: 441. Type species: *Lithracia flavipes* Cameron, 1902.

**328. *Pachyprotasis albicincta* Cameron, 1881**

흰줄향로잎벌 (NK: 흰관잎벌)

*Pachyprotasis albicincta* Cameron, 1881: 565-566.

*Pachyprotasis albicincta albitalris* Malaise, 1945: 160.

*Pachyprotasis albicincta nigripluris* Malaise, 1945: 160.

*Pachyprotasis albicincta sinobirmanica* Malaise, 1945: 159.

**Korean records.** Zombori, 1978; Kim et al., 1994; Lee

and Ryu, 1996a; Lee et al., 2000; Choi and Ko, 2006; Paek et al., 2010; Lyu et al., 2014.

**Host plant.** Unknown.

**Distribution.** Korea (North), China, India, Myanmar, Nepal.

**329. *Pachyprotasis antennata* (Klug, 1817)**

수염호리검정잎벌 (NK: 가는뿔잎벌)

*Tenthredo (Allantus) antennata* Klug, 1817a: 129.

*Pachyprotasis antennata* var. *exannulata* Malaise, 1931b: 133.

*Pachyprotasis antennata* ab. *extensa* Lindqvist, 1955: 137. Not available. Infrasubspecific name.

**Korean records.** Doi, 1938; Kim, 1963; Zool. Soc. Kor., 1968; Chu, 1969; Kim, 1970; Kim et al., 1994; Lee and Ryu, 1996a; Lee et al., 2000; Choi and Ko, 2006; Paek et al., 2010; Ahn et al., 2013; Lyu et al., 2014.

**Host plant.** Unknown.

**Distribution.** Korea (South, North), Austria, Belarus, Belgium, China, Croatia, Czech Republic, Denmark, Estonia, Finland, France, Germany, Great Britain, Ireland, Italy, Japan, Latvia, Luxembourg, Macedonia, Mongolia, Netherlands, Norway, Poland, Romania, Russia, Slovakia, Spain, Sweden, Switzerland, Ukraine.

**330. *Pachyprotasis fukii* Okutani, 1961** 머위노랑잎벌

(NK: 머위노랑잎벌)

*Pachyprotasis fukii* Okutani, 1961: 173-174.

**Korean record.** Choi and Ko, 2006.

**Host plants.** *Petasites japonicus* (Siebold & Zucc.) Maxim., *Petasites* sp.

**Distribution.** Korea (North), Japan.

**331. *Pachyprotasis glabrata* Malaise, 1931**

동근호리잎벌

*Pachyprotasis glabrata* Malaise, 1931b: 130.

**Korean records.** Lee et al., 2000; Paek et al., 2010; Lyu et al., 2014.

**Host plant.** Unknown.

**Distribution.** Korea (South), Russia.

**332. *Pachyprotasis laeviceps* Malaise, 1931**

황갈테검정잎벌

*Pachyprotasis laeviceps* Malaise, 1931b: 132.

**Korean records.** Lee et al., 2000; Paek et al., 2010; Lyu et al., 2014.

**Host plant.** Unknown.

**Distribution.** Korea (South), Russia.

**333. *Pachyprotasis longicornis* Jakowlew, 1891**

### 진호리잎벌

*Pachyprotasis longicornis* Jakowlew, 1891: 42-43.  
*Macrophya nigrolineata* Matsumura, 1912: 48.  
*Pachyprotasis longicornis* var. *kurilarum* Malaise, 1931b: 134.

**Korean records.** Lee et al., 2000; Paek et al., 2010; Lyu et al., 2014.

**Host plant.** Unknown.

**Distribution.** Korea (South), China, Russia.

### 334. *Pachyprotasis melas* Takeuchi, 1936

검은가는뿔잎벌 (NK: 검은가는뿔잎벌)  
*Pachyprotasis rapae* var. *melas* Takeuchi, 1936a: 85.

**Korean record.** Choi and Ko, 2006.

**Host plant.** Unknown.

**Distribution.** Korea (North), Japan, Russia.

### 335. *Pachyprotasis nigronotata* Kriechbaumer, 1874

등검은잎벌 (NK: 검은무늬가는뿔잎벌)  
*Pachyprotasis nigronotata* Kriechbaumer, 1874: 51-52.  
*Pachyprotasis formosa* Schmiedeknecht, 1881: 214-215.  
*Pachyprotasis viridis* Brischke, 1883a: 297-298.

**Korean records.** Lee et al., 2000; Choi and Ko, 2006; Paek et al., 2010; Lyu et al., 2014.

**Host plants.** *Alchemilla* sp., *Geum* sp., *Lycopus europaeus* L., *Lycopus* sp., *Mentha aquatica* L., *Mentha* sp., *Menyanthes* sp., *Plantago major* L., *Plantago* sp.

**Distribution.** Korea (South, North), Austria, China, Czech Republic, Estonia, Germany, Great Britain, Japan, Latvia, Poland, Russia, Slovakia, Switzerland.

### 336. *Pachyprotasis pallidiventris* Marlatt, 1898

흰배뿔잎벌 (NK: 흰배뿔잎벌)  
*Pachyprotasis pallidiventris* Marlatt, 1898: 505.

**Korean record.** Choi and Ko, 2006.

**Host plants.** *Duchesnea indica* (Jacks.) Focke, *Stellaria aquatica* (L.) Scop., *Stellaria media* (L.) Vill.

**Distribution.** Korea (North), China, Japan.

### 337. *Pachyprotasis rapae* (Linné, 1767) 호리검정잎벌

(NK: 배추가는뿔잎벌)  
*Tenthredo Rapae* [sic!] Linné, 1767: 926.  
*Tenthredo Leucomelas* [sic!] Strøm, 1768: 347.  
*Tenthredo scripta* Gmelin, 1790: 2668.  
*Tenthredo luctuosa* Schrank, 1802: 250. Primary homonym of *Tenthredo luctuosa* Hill, 1773.  
*Tenthredo floricola* Gravenhorst, 1807: 253.  
*Tenthredo nigrofasciata* Eschscholtz, 1822: 92-93.  
*Tenthredo duplex* Lepeletier, 1823: 87. Primary homonym of *Tenthredo duplex* Serville, 1823.

*Tenthredo duplex* Serville, 1823: 30.

*Macrophya (Pachyprotasis) Omega* [sic!] Norton, 1867: 280.

*Synairema Americana* [sic!] Provancher, 1885: 50.

*Rhogogaster sayi* Rohwer, 1908b: 111-112.

*Macrophya Obnata* [sic!] MacGillivray, 1923a: 22.

*Pachyprotasis rapae nigrosternum* Koch, 1984: 20-21.

**Korean records.** Doi, 1938; Takeuchi, 1956; Kim, 1963; Zool. Soc. Kor., 1968; Chu, 1969; Kim, 1970; Togashi, 1973; Kim et al., 1994; Lee et al., 1996; Lee and Ryu, 1996a; Lee et al., 2000; Paek et al., 2010; Ahn et al., 2013; Lyu et al., 2014.

**Host plants.** *Angelica sylvestris* L., *Antirrhinum majus* L., *Antirrhinum* sp., *Aspidium* sp., *Atropa belladonna* L., *Atropa* sp., *Betonica* sp., *Carduus personata* (L.) Jacq., *Corylus avellana* L., *Corylus* sp., *Cytisus scoparius* (L.) Link, *Cytisus* sp., *Digitalis grandiflora* Mill., *Epilobium* sp., *Fraxinus excelsior* L., *Fraxinus* sp., *Galeopsis* sp., *Hypericum* sp., *Lamium album* L., *Mentha* sp., *Origanum vulgare* L., *Pedicularis palustris* L., *Plantago* sp., *Polygonum aviculare* L., *Polystichum* sp., *Quercus* sp., *Salix caprea* L., *Scrophularia auriculata* L., *Scrophularia nodosa* L., *Scrophularia* sp., *Senecio nemorensis* L., *Senecio ovatus* Willd., *Senecio* sp., *Solanum* sp., *Solanum tuberosum* L., *Solidago* sp., *Solidago virgaurea* L., *Stachys officinalis* (L.) Trevis., *Stachys* sp., *Symphoricarpos albus* (L.) S.F. Blake, *Symphoricarpos* sp., *Tussilago farfara* L., *Tussilago* sp., *Verbascum* sp., *Verbascum thapsus* L., *Veronica beccabunga* L., *Veronica* sp.

**Distribution.** Korea (South, North), Albania, Andorra, Austria, Belgium, Bosnia and Herzegovina, Bulgaria, Canada, China, Croatia, Czech Republic, Denmark, Estonia, Finland, France, Germany, Great Britain, Greece, Hungary, India, Ireland, Italy, Japan, Latvia, Lithuania, Luxembourg, Macedonia, Mexico, Mongolia, Montenegro, Netherlands, Norway, Poland, Republic of Serbia, Romania, Russia, Slovakia, Slovenia, Spain, Sweden, Switzerland, Ukraine, USA.

### 338. *Pachyprotasis variegata* (Fallén, 1808) 향로잎벌

*Tenthredo rapae* var. *variegata* Fallén, 1808b: 100.  
 Nomen protectum. See Blank et al. (2009).

*Tenthredo (Allantus) variegata* Klug, 1817a: 129-130.  
 Primary homonym of *Tenthredo rapae variegata* var. Fallén, 1808.

*Pachyprotasis variegata* var. *tenebrosa* Malaise, 1931b: 134.

**Korean records.** Kim, 1970; Togashi, 1973; Kim et al., 1994; Lee and Ryu, 1996a; Lee et al., 2000; Paek et al., 2010; Lyu et al., 2014.

**Host plants.** *Artemisia* sp., *Digitalis grandiflora* Mill., *Digitalis lutea* L., *Digitalis purpurea* L., *Digitalis* sp.,

*Leontodon hispidus* L., *Leucanthemum vulgare* (Vall.) Lam., *Plantago* sp., *Pyrethrum corymbosum* (L.) Scop., *Solanum* sp., *Solanum tuberosum* L., *Valeriana officinalis* L.

**Distribution.** Korea (South), Austria, Belgium, Bulgaria, China, Croatia, Czech Republic, Denmark, Estonia, Finland, France, Germany, Great Britain, Italy, Japan, Latvia, Luxembourg, Mongolia, Netherlands, Poland, Romania, Russia, Slovakia, Sweden, Switzerland, Ukraine.

#### Genus *Rhogogaster* Konow, 1884 상제잎벌속

*Rhogogaster* Konow, 1884a: 338. Type species: *Tenthredo viridis* Linné, 1758.

*Rhogogastera* Konow, 1885c: 123. Name for *Rhogogaster* Konow, 1884.

*Cytisogaster* Lacourt, 1997: 384. Type species: *Rhogogaster genistae* Benson, 1947.

#### 339. *Rhogogaster (Rhogogaster) californica* (Norton, 1862) 미국상제잎벌

*Tenthredo californicus* [sic!] Norton, 1862: 198-199.

*Tenthredopsis Evansii* [sic!] Harrington, 1889: 98-99.

*Tenthredo ripula* MacGillivray, 1923b: 109.

*Rhogogaster polaris* Lindqvist, 1964: 121.

**Korean records.** Zombori, 1974; Kim et al., 1994; Lee and Ryu, 1996a; Lee et al., 2000; Paek et al., 2010; Lyu et al., 2014.

**Host plants.** *Populus balsamifera* L., *Populus* sp., *Populus tremuloides* Michx.

**Distribution.** Korea (North), Canada, France, Norway, USA.

#### 340. *Rhogogaster (Rhogogaster) viridis* (Linné, 1758)

린네잎벌 (NK: 배잎벌)

*Tenthredo viridis* Linné, 1758: 557.

*Tenthredo Viridis* [sic!] Poda, 1761: 103. Primary homonym of *Tenthredo viridis* Linné, 1758.

*Tenthredo straminea* Schrank, 1776: 85-86.

*Tenthredo hebraica* Geoffroy in Fourcroy, 1785: 363-364.

*Tenthredo annalicornis* Gmelin, 1790: 2667.

*Tenthredo interrupta* Fabricius, 1804: 40.

*Tenthredo (Allantus) scalaris* Klug, 1817b: 194-195.

*Tenthredo pictipes* Förster, 1850: 287-288.

*Tenthredo chloros* Rudow, 1871: 387-388.

*Rhogogaster viridis* var. *sibirica* Enslin, 1912b: 93.

*Rhogogaster viridis* var. *melanonota* Enslin, 1912b: 93.

*Rhogogaster viridis* var. *lapponica* Enslin, 1918: 722.

*Rhogogaster viridis* var. *nigroscutellata* Forsius, 1918: 150.

*Rhogogastera ruga* MacGillivray, 1923c: 160.

*Rhogogastera respectus* MacGillivray, 1923d: 165.

*Rhogogaster viridis* forma *montana* Betrem, 1933: 377-378.

**Korean records.** Takeuchi, 1927a; Chu, 1969; Kim, 1970; Kim et al., 1994; Lee and Ryu, 1996a; Lee et al., 2000; Paek et al., 2010; Ahn et al., 2013; Lyu et al., 2014.

**Host plants.** *Agrimonia eupatoria* L., *Alnus incana* (L.) Moench, *Alnus rotundifolia*, *Alnus* sp., *Betula* sp., *Circaea lutetiana* L., *Circaea* sp., *Epilobium angustifolium* L., *Epilobium* sp., *Filipendula* sp., *Filipendula ulmaria* (L.) Maxim., *Frangula alnus* Mill., *Lycopus europaeus* L., *Populus* sp., *Quercus* sp., *Ranunculus* sp., *Rubus* sp., *Salix caprea* L., *Salix* sp., *Salix viminalis* L., *Stellaria* sp., *Vicia cracca* L.

**Distribution.** Korea (South, North), Albania, Andorra, Austria, Belarus, Belgium, Bosnia and Herzegovina, Bulgaria, Canada, China, Croatia, Czech Republic, Denmark, Estonia, Finland, France, Germany, Great Britain, Greece, Ireland, Italy, Japan, Latvia, Lithuania, Luxembourg, Macedonia, Moldova, Mongolia, Montenegro, Netherlands, Norway, Poland, Portugal, Republic of Serbia, Romania, Russia, Slovakia, Slovenia, Spain, Sweden, Switzerland, Ukraine, USA.

#### 341. *Rhogogaster convergens* Malaise, 1931

다줄상제잎벌

*Rhogogaster convergens* Malaise, 1931b: 114-115.

**Korean records.** Lee and Ryu, 1995; Lee and Ryu, 1996a; Lee et al., 2000; Paek et al., 2010; Lyu et al., 2014.

**Host plant.** Unknown.

**Distribution.** Korea (South), China, Japan, Russia.

#### 342. *Rhogogaster nigriventris* Malaise, 1931

시베리아상제잎벌

(NK: 검은배잎벌, 검은등배잎벌)

*Tenthredo varipes* W.F. Kirby, 1882: 305. Primary homonym of *Tenthredo (Allantus) varipes* Klug, 1816.

*Rhogogaster nigriventris* Malaise, 1931b: 115-116.

**Korean records.** Doi, 1938; Kim, 1963; Zool. Soc. Kor., 1968; Chu, 1969; Kim, 1970; Kim, 1980; Kim et al., 1994; Lee and Ryu, 1996a; Lee et al., 2000; Choi and Ko, 2006; Paek et al., 2010; Ahn et al., 2013; Lyu et al., 2014.

**Host plants.** *Aconitum septentrionale* Koelle, *Rosa onoei* Makino, *Rosa* sp.

**Distribution.** Korea (South, North), Japan, Russia.

#### 343. *Rhogogaster opacella* Mocsáry, 1909 상제잎벌

(NK: 산검은배잎벌)

*Rhogogastera opacella* Mocsáry, 1909: 18-19.

**Korean records.** Doi, 1938; Kim, 1963; Zool. Soc. Kor., 1968; Chu, 1969; Kim, 1970; Kim *et al.*, 1994; Lee and Ryu, 1996a; Lee *et al.*, 2000; Choi and Ko, 2006; Paek *et al.*, 2010; Ahn *et al.*, 2013; Lyu *et al.*, 2014.

**Host plant.** Unknown.

**Distribution.** Korea (South, North), China, Japan, Russia.

#### Genus *Siobla* Cameron, 1877 흥허리잎벌속

*Siobla* Cameron, 1877a: 88-89. Type species: *Siobla mooreana* Cameron, 1877.

*Encarsioneura* Konow, 1890b: 236, 240. Type species: *Tenthredo (Allantus) sturmii* Klug, 1817.

*Megasiobia* Dovnar-Zapolskij, 1930: 86. Type species: *Megasiobia zenaida* Dovnar-Zapolskij, 1930.

#### 344. *Siobla ferox* (F. Smith, 1874) 흥허리잎벌

(NK: 큰류리잎벌)

*Macrophya ferox* F. Smith, 1874: 379.

*Siobla grandis* Matsumura, 1912: 50-51.

**Korean records.** Doi, 1938; Cho, 1961; Kim, 1963; Zool. Soc. Kor., 1968; Chu, 1969; Kim, 1970; Kim *et al.*, 1994; Lee and Ryu, 1996a; Lee *et al.*, 2000; Paek *et al.*, 2010; Ahn *et al.*, 2013; Shinohara *et al.*, 2013; Lyu *et al.*, 2014.

**Host plants.** *Dioscorea japonica* Thunb., *Dioscorea polystachya* Turcz., *Impatiens noli-tangere* L., *Impatiens textori* Miq., *Reynoutria forbesii* (Hance) T. Yamaz., *Reynoutria japonica* Houtt., *Rumex japonicas* Houtt., *Rumex* sp., *Spinacia oleracea* L.

**Distribution.** Korea (South, North), China, Japan.

#### 345. *Siobla nigricruris* Lee and Ryu, 1996

검정다리루리잎벌

*Siobla nigricruris* Lee and Ryu, 1996b: 25-26.

**Korean records.** Lee and Ryu, 1996b; Lee *et al.*, 2000; Paek *et al.*, 2010; Lyu *et al.*, 2014.

**Host plant.** Unknown.

**Distribution.** Korea (South).

#### 346. *Siobla ruficornis* (Gimmerthal, 1834) 붉은뿔잎벌

(NK: 붉은뿔류리잎벌)

*Allantus ruficornis* Gimmerthal, 1834: 125.

*Eriocampa ruficornis* Cameron, 1876: 462.

*Siobla sibirica* Malaise, 1931a: 11-12, 65-66.

*Siobla sibirica* var. *bergmani* Malaise, 1931b: 122.

*Siobla ruficornis* var. *albicornis* Malaise, 1931b: 121.

**Korean records.** Doi, 1938; Kim, 1963; Zool. Soc. Kor., 1968; Chu, 1969; Kim, 1970; Kim, 1980; Kim *et al.*, 1994; Lee *et al.*, 1996; Lee and Ryu, 1996a; Lee *et al.*, 2000; Choi and Ko, 2006; Paek *et al.*, 2010; Ahn *et al.*,

2013; Lyu *et al.*, 2014.

**Host plants.** *Betula* sp., *Cirsium* sp., *Epilobium angustifolium* L., *Epilobium* sp., *Impatiens* sp., *Padus* sp., *Prunus cerasus* L., *Rubus idaeus* L., *Rubus* sp., *Sorbus* sp., *Spiraea* sp., *Urtica* sp.

**Distribution.** Korea (South, North), China, Finland, Latvia, Russia.

#### 347. *Siobla sturmii sturmii* (Klug, 1817)

작은붉은뿔잎벌 (NK: 붉은허리잎벌)

*Tenthredo (Allantus) sturmii* Klug, 1817a: 116.

*Macrophya castanea* Jakowlew, 1888: 373.

**Korean records.** Lee and Ryu, 1996a; Lee *et al.*, 2000; Choi and Ko, 2006; Paek *et al.*, 2010; Ahn *et al.*, 2013; Shinohara *et al.*, 2013; Lyu *et al.*, 2014.

**Host plants.** *Impatiens glandulifera* Royle, *Impatiens noli-tangere* L., *Impatiens parviflora* DC., *Impatiens* sp.

**Distribution.** Korea (South, North), Austria, Belgium, China, Czech Republic, Denmark, Estonia, France, Germany, Italy, Japan, Liechtenstein, Luxembourg, Netherlands, Poland, Romania, Russia, Slovakia, Switzerland, Ukraine.

#### 348. *Siobla venusta apicalis* Takeuchi, 1929

광릉흥허리잎벌 (NK: 흰암붉은허리잎벌)

*Siobla apicalis* Takeuchi, 1929a: 496-497.

**Korean records.** Kim, 1980; Lee and Ryu, 1996a; Lee *et al.*, 2000; Choi and Ko, 2006; Paek *et al.*, 2010; Ahn *et al.*, 2013; Shinohara *et al.*, 2013; Lyu *et al.*, 2014.

**Host plant.** Unknown.

**Distribution.** Korea (South, North), China, Japan.

#### 349. *Siobla zenaida* (Dovnar-Zapolskij, 1930)

홍다리루리잎벌 (NK: 붉은발류리잎벌)

*Megasiobia zenaida* Dovnar-Zapolskij, 1930: 86-87.

**Korean records.** Doi, 1938; Kim, 1963; Zool. Soc. Kor., 1968; Chu, 1969; Kim, 1970; Togashi, 1973; Kim *et al.*, 1994; Lee *et al.*, 1995b; Lee *et al.*, 1995c; Lee *et al.*, 1996; Lee and Ryu, 1996a; Lee *et al.*, 2000; Choi and Ko, 2006; Paek *et al.*, 2010; Niu *et al.*, 2012; Ahn *et al.*, 2013; Lyu *et al.*, 2014.

**Host plant.** Unknown.

**Distribution.** Korea (South, North), China, Russia.

#### Genus *Tenthredo* Linné, 1758 잎벌속

*Tenthredo* Linné, 1758: 555. Type species: *Tenthredo scrophulariae* Linné, 1758.

*Allantus Jurine* in Panzer, 1801a: 163. Type species: no type species selected.

*Allantus Jurine*, 1807: 52-53. Homonym of *Allantus* Panzer, 1801. Type species: *Tenthredo scrophulariae*

- Linné, 1758.
- Parastatis* W.F. Kirby, 1881: 107. Type species: *Parastatis indica* W.F. Kirby, 1881.
- Dipteromorpha* W.F. Kirby, 1882: 324. Homonym of *Dipteromorpha* Felder, 1874 [Lepidoptera]. Type species: *Macrophya rotundiventris* Cameron, 1876.
- Labidia* Provancher, 1886: 21. Type species: *Labidia columbiana* Provancher, 1886.
- Jermakia* Jakowlew, 1891: 58-59. Type species: *Allantus cephalotes* Jakowlew, 1888.
- Ischyroceraea* Kiær, 1898: 67-68. Type species: *Ischyroceraea hyperborea* Kiær, 1898.
- Rethrax* Cameron, 1899: 32-33. Type species: *Rethra carinata* Cameron, 1899.
- Fethalia* Cameron, 1902: 439-440. Type species: *Fethalia nigra* Cameron, 1902.
- Peüs* [sic!] Konow, 1903d: 315-316. Type species: *Peüs privus* Konow, 1903.
- Clydostomus* Konow, 1908b: 19. Type species: *Clydostomus cestatus* Konow, 1908.
- Tenthredella* Rohwer, 1910a: 117. Type species: *Tenthredo atra* Linné, 1758.
- Tenthredina* Rohwer, 1910a: 116. Type species: *Tenthredo flava* Marlatt, 1898.
- Zamacropha* Rohwer, 1912: 221-222. Type species: *Zamacropha nigrilabris* Rohwer, 1912.
- Metallopeus* Malaise, 1934a: 453-454. Type species: *Tenthredo clypeata* Cameron, 1876.
- Jakovleviella* Malaise, 1937b: 48. Type species: *Macrophya pusilloides* Malaise, 1934.
- Adungia* Malaise, 1945: 103, 170. Type species: *Adungia kingdonwardi* Malaise, 1945.
- Ebba* Malaise, 1945: 104, 181. Type species: *Ebba soederhelleae* Malaise, 1945.
- Propodea* Malaise, 1945: 83, 99, 179-180. Name for *Dipteromorpha* W.F. Kirby, 1882.
- Elinora* Benson, 1946: 35. Type species: *Allantus dominiquei* Konow, 1894.
- Eurogaster* Zirngiebl, 1953: 236. Type species: *Rhogo-gaster arctica* Kiær, 1898.
- Cuneala* Zirngiebl, 1956: 322, 325. Type species: *Cuneala tricolor* Zirngiebl, 1956.
- Elinopsis* Lacourt, 1986: 13-16. Type species: *Allantus vittatus* Kriechbaumer, 1869.
- Tenthredo (Cephaledo)* Zhelochovtsev in Zhelochovtsev and Zinovjev, 1988: 218. Type species: *Tenthredo costata* Klug, 1817.
- Tenthredo (Maculedo)* Zhelochovtsev in Zhelochovtsev and Zinovjev, 1988: 222. Type species: *Tenthredo maculata* Geoffroy, 1785.
- Tenthredo (Olivacedo)* Zhelochovtsev in Zhelochovtsev and Zinovjev, 1988: 220. Type species: *Tenthredo olivacea* Klug, 1817.
- Tenthredo (Temuledo)* Zhelochovtsev in Zhelochovtsev and Zinovjev, 1988: 219. Type species: *Tenthredo temula* Klug.
- Tenthredo (Zonuledo)* Zhelochovtsev in Zhelochovtsev and Zinovjev, 1988: 217. Type species: *Tenthredo zonula* Klug, 1817.
- Murciana* Lacourt, 1988: 310. Type species: *Murciana sebastiani* Lacourt, 1988.
- Absentia* Togashi, 1990a: 182. Type species: *Absentia abatae* Togashi, 1990.
- Casipteryx* Taeger, 1991: 72. Type species: *Allantus robrowskyi* Jakowlew, 1887.
- Paratenhredo* Taeger, 1991: 77-82. Type species: *Tenthredo frauenfeldii* Giraud, 1857.
- Tenthredo (Dorhettenyx)* Lacourt, 1997: 376. Type species: *Tenthredo indica* Cameron, 1876.
- Tenthredo (Endotethryx)* Lacourt, 1997: 376. Type species: *Tenthredo albicornis* Fabricius, 1781.
- Sainiella* Lacourt, 1997: 380. Type species: *Allantus felderii* Radoszkowsky, 1871.
- Blankia* Lacourt, 1998a: 487. Type species: *Tenthredo (Allantus) koehleri* Klug, 1817.
- 350. *Tenthredo (Dorhettenyx) jozana* Matsumura, 1912** 마쓰모라잎벌  
*Tenthredopsis jozanus* Matsumura, 1912: 41-42.  
*Tenthredo fuscata* Enslin, 1920: 31-32. Primary homonym of *Tenthredo fuscata* Christ, 1791.
- Korean records.** Lee et al., 2000; Paek et al., 2010; Lyu et al., 2014.
- Host plant.** Unknown.
- Distribution.** Korea (South), China, Russia.
- 351. *Tenthredo (Endotethryx) adusta* Motschulsky, 1866** 황갈태두리잎벌  
 (NK: 검은밤색잎벌, 누런산잎벌)  
*Tenthredo (Allantus) fulva* Klug, 1817b: 189. Primary homonym of *Tenthredo fulva* Retzius, 1783.  
*Tenthredo adusta* Motschulsky, 1866: 182-183.  
*Tenthredo Eversmanni* [sic!] Ballion, 1869: 445.  
*Tenthredo erratica* F. Smith, 1874: 381.  
*Tenthredo fulva* var. *pallidiventris* Jakowlew, 1886: 241.  
*Allantus moiwasanus* Matsumura, 1912: 226-227.  
*Tenthredo fulva* ab. *terminata* Dovnar-Zapolskij, 1930: 89. Not available. Infrasubspecific name.  
*Tenthredo urgaensis* Muche, 1965a: 121-124, 126.
- Korean records.** Doi, 1938; Takeuchi, 1955; Kim, 1963; Zool. Soc. Kor., 1968; Chu, 1969; Kim, 1970; Togashi, 1973; Zombori, 1974; Zombori, 1978; Kim et al., 1994; Lee et al., 1995b; Lee and Ryu, 1996a; Lee et al., 2000; Choi and Ko, 2006; Paek et al., 2010; Ahn et al., 2013; Lyu et al., 2014.
- Host plant.** Unknown.

**Distribution.** Korea (South, North), China, Finland, Japan, Mongolia, Russia, Ukraine.

**352. *Tenthredo (Eurogaster) deaurata* (Enslin, 1912)**

금빛잎벌 (NK: 작은잎벌)

*Tenthredo dealbata* Mocsáry, 1909: 33-34. Primary homonym of *Tenthredo dealbata* Schrank, 1781.  
*Tenthredella deaurata* Enslin, 1912a: 105. Name for *Tenthredo dealbata* Mocsáry, 1909.

**Korean records.** Zombori, 1978; Lee and Ryu, 1996a; Lee et al., 2000; Choi and Ko, 2006; Paek et al., 2010; Ahn et al., 2013; Lyu et al., 2014.

**Host plant.** Unknown.

**Distribution.** Korea (North), China, Russia.

**353. *Tenthredo (Eurogaster) mesomela* Linné, 1758**

청잎벌 (NK: 검은등잎벌)

*Tenthredo mesomela* Linné, 1758: 557.  
*Tenthredo Annularis* [sic!] Villers, 1789: 117. Primary homonym of *Tenthredo annularis* Schrank, 1776.  
*Tenthredo marginata* Christ, 1791: 438. Primary homonym of *Tenthredo marginata* Linné, 1767.  
*Tenthredo explanata* Rudow, 1871: 388.  
*Tenthredo Bernardi* [sic!] Konow, 1888: 220.  
*Tenthredella mesomelas* var. *mesopleuralis* Enslin, 1912b: 49.  
*Tenthredella mesomelas* var. *atramentaria* Enslin, 1912b: 49.  
*Tenthredo mesomelas* var. *gigas* Malaise, 1931b: 107-108.  
*Tenthredella mesomelas* var. *reductealba* Pic, 1940: 9.  
*Tenthredella mesomelas* var. *flavoscutellaris* Pic, 1940: 9.  
*Tenthredella mesomelas* var. *mediorufescens* Pic, 1940: 9.  
*Tenthredella mesomelas* var. *palestigma* Stroganova, 1977: 169-170. Not available. Infrasubspecific name.

**Korean records.** Doi, 1938; Cho, 1961; Kim, 1963; Zool. Soc. Kor., 1968; Chu, 1969; Kim, 1970; Kim et al., 1994; Lee et al., 1995b; Lee et al., 1995c; Lee and Ryu, 1996a; Lee et al., 2000; Choi and Ko, 2006; Paek et al., 2010; Ahn et al., 2013; Lyu et al., 2014.

**Host plants.** *Arctium lappa* L., *Arctium* sp., *Epilobium* sp., *Heracleum* sp., *Petasites hybridus* (L.) G. Gaertn., B. Mey. and Scherb., *Persicaria maculosa* Gray, *Polygonum* sp., *Ranunculus repens* L., *Ranunculus* sp., *Rubus* sp., *Rumex* sp., *Salix caprea* L., *Salix* sp., *Senecio ovatus* Willd., *Senecio* sp., *Solidago* sp., *Stachys* sp., *Tussilago farfara* L., *Tussilago* sp., *Veronica* sp.

**Distribution.** Korea (South, North), Andorra, Austria, Belgium, Bulgaria, China, Croatia, Czech Republic, Denmark, Estonia, Finland, France, Germany, Great Bri-

tain, Greece, Hungary, Ireland, Italy, Japan, Latvia, Luxembourg, Macedonia, Moldova, Mongolia, Montenegro, Netherlands, Norway, Poland, Portugal, Republic of Serbia, Romania, Russia, Slovakia, Slovenia, Spain, Sweden, Switzerland, Ukraine.

**354. *Tenthredo (Eurogaster) nitidiceps***

(Takeuchi, 1955) 황점잎벌 (노란점잎벌)

*Tenthredella nitidiceps* Takeuchi, 1955: 20-21.

**Korean records.** Lee et al., 2000; Paek et al., 2010; Lyu et al., 2014.

**Host plant.** Unknown.

**Distribution.** Korea (South), Russia.

**355. *Tenthredo (Olivacedo) eburata* Konow, 1900**

꼬마외줄박이잎벌 (NK: 붉은꼬리잎벌)

*Tenthredo eburata* Konow, 1900: 125-126.  
*Tenthredella rubrocaudata* Takeuchi, 1936a: 74-75.

**Korean records.** Doi, 1938; Kim, 1963; Zool. Soc. Kor., 1968; Chu, 1969; Kim, 1970; Kim et al., 1994; Lee and Ryu, 1996a; Lee et al., 2000; Choi and Ko, 2006; Paek et al., 2010; Ahn et al., 2013; Lyu et al., 2014; Taeger et al., 2016.

**Host plant.** Unknown.

**Distribution.** Korea (North), China, Estonia, Finland, Latvia, Russia.

**356. *Tenthredo (Olivacedo) eduardi* (Forsius, 1918)**

팔잎벌 (NK: 머리검은무늬잎벌, 파라미드잎벌)

*Tenthredella enslini* Forsius, 1918: 147-149. Primary homonym of *Tenthredella enslini* Schirmer, 1913.  
*Tenthredella eduardi* Forsius, 1919: 169. Name for *Tenthredella enslini* Forsius, 1918.  
*Tenthredella viridans* Benson, 1930: 107. Name for *Tenthredella enslini* Forsius, 1918.  
*Tenthredo vivida* Malaise, 1931b: 108-109.  
*Tenthredo pappi* Zombori, 1978: 265-267.

**Korean records.** Kim, 1963; Zool. Soc. Kor., 1968; Kim, 1970; Zombori, 1978; Kim, 1980; Kim et al., 1994; Lee and Ryu, 1996a; Lee et al., 2000; Choi and Ko, 2006; Paek et al., 2010; Ahn et al., 2013; Lyu et al., 2014.

**Host plant.** Unknown.

**Distribution.** Korea (South, North), China, Japan, Mongolia, Russia.

**357. *Tenthredo (Olivacedo) fuscoterminata* Marlatt,**

1898 검은끝잎벌 (NK: 밤색꼬리잎벌)

*Tenthredo fuscoterminata* Marlatt, 1898: 502.

**Korean records.** Takeuchi, 1927a; Doi, 1938; Kim, 1963; Zool. Soc. Kor., 1968; Chu, 1969; Kim, 1970; Kim, 1980;

Kim et al., 1994; Lee et al., 1995b; Lee et al., 1995c; Lee et al., 1996; Lee and Ryu, 1996a; Lee et al., 2000; Choi and Ko, 2006; Paek et al., 2010; Ahn et al., 2013; Lyu et al., 2014.

**Host plant.** Unknown.

**Distribution.** Korea (South, North), China, Japan, Mongolia, Russia.

### 358. *Tenthredo (Olivacedo) olivacea olivacea* Klug,

**1817** 어리상제잎벌 (NK: 올리브잎벌)

*Tenthredo (Allantus) olivacea* Klug, 1817b: 193-194.

*Tenthredo dissimulans* Kincaid, 1900: 363-364.

*Tenthredella olivacea* var. *nigrovittata* Enslin, 1912b: 64.

*Rhogogastera reliqua* MacGillivray, 1919: 4.

*Rhogogastera respersus* [sic!] MacGillivray, 1923d: 165.

*Tenthredo olivacea* forma *sekerai* Gregor in Gregor and Ba'a, 1941: 196.

*Tenthredo olivacea* forma *bohemica* Gregor in Gregor and Ba'a, 1941: 196.

**Korean records.** Doi, 1938; Kim, 1963; Zool. Soc. Kor., 1968; Chu, 1969; Kim, 1970; Kim et al., 1994; Lee and Ryu, 1996a; Lee et al., 2000; Choi and Ko, 2006; Paek et al., 2010; Ahn et al., 2013; Lyu et al., 2014.

**Host plants.** *Aconitum* sp., *Dasiphora fruticosa* (L.) Rydb., *Geranium* sp., *Myosotis scorpioides* L., *Myosotis* sp., *Photinia* sp., *Plantago major* L., *Plantago* sp., *Potentilla* sp., *Ranunculus acris* L., *Ranunculus repens* L., *Ranunculus* sp., *Ribes rubrum* L., *Salix* sp., *Sanguisorba* sp., *Spiraea media* Schmidt, *Spiraea salicifolia* L., *Veronica austriaca* subsp. *teucrium* (L.) D.A. Webb, *Veronica* sp.

**Distribution.** Korea (North), Andorra, Austria, Belgium, Bosnia and Herzegovina, Bulgaria, Canada, China, Croatia, Czech Republic, Denmark, Estonia, Finland, France, Germany, Great Britain, Greece, Italy, Japan, Latvia, Liechtenstein, Mongolia, Montenegro, Netherlands, Norway, Poland, Republic of Serbia, Romania, Russia, Slovakia, Slovenia, Spain, Sweden, Switzerland, Ukraine, USA.

### 359. *Tenthredo (Olivacedo) olivacea takedae*

**Matsumura, 1912** 백두어리상제잎벌

*Tenthredo takedae* Matsumura, 1912: 220-221.

**Korean records.** Togashi, 1973; Lee and Ryu, 1996a; Lee et al., 2000; Paek et al., 2010; Lyu et al., 2014.

**Host plant.** Unknown.

**Distribution.** Korea (North), Japan, Russia.

### 360. *Tenthredo (Olivacedo) spinigera* Konow, 1903

가시잎벌

*Tenthredo spinigera* Konow, 1903c: 131-132.

**Korean records.** Zombori, 1974; Kim et al., 1994; Lee and Ryu, 1996a; Lee et al., 2000; Paek et al., 2010; Lyu et al., 2014.

**Host plant.** Unknown.

**Distribution.** Korea (South, North), China, India, Russia.

### 361. *Tenthredo (Olivacedo) viridatrix viridatrix*

**Malaise, 1931** 풀잎잎벌 (소백잎벌)

(NK: 가시가슴푸른잎벌)

*Tenthredo viridatrix* Malaise, 1931b: 105-106.

**Korean records.** Shinohara, 1994; Lee et al., 1995b; Lee et al., 1995c; Lee and Ryu, 1996a; Lee et al., 2000; Choi and Ko, 2006; Paek et al., 2010; Ahn et al., 2013; Lyu et al., 2014.

**Host plant.** Unknown.

**Distribution.** Korea (South, North), China, Russia.

### 362. *Tenthredo (Propodea) fentoni* W.F. Kirby, 1882

펜톤잎벌

*Tenthredo fentoni* W.F. Kirby, 1882: 304-305.

*Jermakia spinifera* Mocsáry, 1909: 19-20.

*Tenthredopsis hakiensis* Matsumura, 1912: 42-43.

**Korean records.** Kim, 1963; Zool. Soc. Kor., 1968; Kim, 1970; Kim et al., 1994; Lee et al., 1995b; Lee et al., 1995c; Lee and Ryu, 1996a; Lee et al., 2000; Paek et al., 2010; Lyu et al., 2014.

**Host plant.** *Euptelea polyandra* Siebold and Zucc.

**Distribution.** Korea (South), Japan, Russia.

### 363. *Tenthredo (Temuledo) babai* Takeuchi, 1936

향로봉잎벌

*Tenthredo babai* Takeuchi, 1936b: 151-153.

**Korean records.** Lee and Ryu, 1995; Lee and Ryu, 1996a; Lee et al., 2000; Paek et al., 2010; Lyu et al., 2014.

**Host plant.** Unknown.

**Distribution.** Korea (South), China, Japan.

### 364. *Tenthredo (Temuledo) brachycera* (Mocsáry,

**1909**) 세모잎벌 (NK: 짧은뿔잎벌)

*Allantus brachycerus* Mocsáry, 1909: 22.

*Allantus brachycerus* var. *guttator* Malaise, 1934b: 13-14.

*Tenthredo daetekensis* Togashi, 1976: 67-69.

**Korean records.** Takeuchi, 1927a; Doi, 1938; Kim, 1963; Zool. Soc. Kor., 1968; Chu, 1969; Kim, 1970; Zombori, 1974; Togashi, 1976; Kim et al., 1994; Lee and Ryu, 1996a; Lee et al., 2000; Choi and Ko, 2006; Paek et al., 2010; Ahn et al., 2013; Lyu et al., 2014.

**Host plant.** Unknown.

**Distribution.** Korea (South, North), China, Mongolia, Russia.

### 365. *Tenthredo (Temuledo) finschi* W.F. Kirby, 1882

배줄노랑잎벌

*Tenthredo finschi* W.F. Kirby, 1882: 302-303.

*Allantus Kohli* [sic!] Konow, 1895: 76-77.

*Tenthredella conjugata* Enslin, 1927: 368-369.

**Korean records.** Togashi, 1973; Lee et al., 1995b; Lee et al., 1995c; Lee and Ryu, 1996a; Lee et al., 2000; Paek et al., 2010; Lyu et al., 2014.

**Host plant.** Unknown.

**Distribution.** Korea (South, North), China, India, Russia.

### 366. *Tenthredo (Temuledo) fukaii* (Rohwer, 1910)

황매화잎벌 (NK: 황매화잎벌)

*Macrophya fukaii* Rohwer, 1910a: 114.

**Korean records.** Choi and Ko, 2006; Ahn et al., 2013.

**Host plant.** *Kerria japonica* (L.) DC.

**Distribution.** Korea (North), Japan.

### 367. *Tenthredo (Temuledo) japonica* (Mocsáry, 1909)

왜노랑잎벌 (신칭)

*Allantus japonicus* Mocsáry, 1909: 32-33.

*Tenthredo carpinata* Enslin, 1912a: 104. Name for *Allantus japonicus* Mocsáry, 1909.

**Korean record.** Lyu et al., 2014.

**Host plant.** Unknown.

**Distribution.** Korea (locality unknown), China, Japan.

### 368. *Tenthredo (Temuledo) katsujii* Togashi, 1976

큰무늬잎벌

*Tenthredo katsujii* Togashi, 1976: 65-67.

**Korean records.** Togashi, 1976; Lee et al., 1995b; Lee et al., 1995c; Lee and Ryu, 1996a; Lee et al., 2000; Paek et al., 2010; Lyu et al., 2014.

**Host plant.** Unknown.

**Distribution.** Korea (South), Japan.

### 369. *Tenthredo (Temuledo) kongauana* Rohwer, 1925

우치다잎벌

*Tenthredo kongauana* Rohwer, 1925b: 8-9.

*Tenthredo uchidae* Takeuchi, 1927a: 384-385.

**Korean records.** Takeuchi, 1927a; Kim, 1963; Zool. Soc. Kor., 1968; Kim, 1970; Kim et al., 1994; Lee et al., 1995b; Lee et al., 1995c; Lee and Ryu, 1996a; Lee et al., 2000; Paek et al., 2010; Lyu et al., 2014.

**Host plant.** Unknown.

**Distribution.** Korea (South), China, Russia.

### 370. *Tenthredo (Temuledo) nigropicta* (F. Smith, 1874)

황줄잎벌 (NK: 검은가슴푸른잎벌)

*Tenthredo picta* Motschulsky, 1866: 182. Primary homonym of *Tenthredo (Allantus) picta* Klug, 1817.

*Macrophya nigropicta* F. Smith, 1874: 377-378.

*Rhogogaster nipponica* Rohwer, 1910a: 113-114. Name for *Tenthredo picta* Motschulsky, 1866.

**Korean records.** Cho, 1961; Kim, 1963; Zool. Soc. Kor., 1968; Kim, 1970; Kim, 1980; Kim et al., 1994; Lee et al., 1995b; Lee et al., 1995c; Lee and Ryu, 1996a; Lee et al., 2000; Choi and Ko, 2006; Paek et al., 2010; Ahn et al., 2013; Lyu et al., 2014.

**Host plant.** *Pleioblastus argenteostriatus* (Regel) Nakai.

**Distribution.** Korea (South, North), China, Japan, Russia.

### 371. *Tenthredo (Temuledo) ouralensis* (André, 1881)

소요잎벌

*Allantus Ouralensis* [sic!] André, 1881b: 405.

*Allantus uralensis* Dalla Torre, 1894: 80. Name for *Allantus ouralensis* André, 1881.

*Allantus glesicornis* Konow, 1899d: 151-152.

*Tenthredo soyoensis* Togashi, 1973: 106-108.

**Korean records.** Togashi, 1973; Lee et al., 1995b; Lee et al., 1995c; Lee and Ryu, 1996a; Lee et al., 2000; Paek et al., 2010; Lyu et al., 2014.

**Host plants.** *Aconitum* sp., *Anemone narcissiflora* L., *Geranium* sp.

**Distribution.** Korea (South), Russia.

### 372. *Tenthredo (Tenthredella) cockerelli* (Rohwer,

1925) 쌍혹잎벌

*Tenthredella cockerelli* Rohwer, 1925b: 10-11.

*Tenthredella bituberculata* Takeuchi, 1940b: 468-470.

**Korean records.** Takeuchi, 1940b; Kim, 1963; Zool. Soc. Kor., 1968; Kim, 1970; Togashi, 1973; Kim et al., 1994; Lee et al., 1995b; Lee et al., 1995c; Lee and Ryu, 1996a; Lee et al., 2000; Paek et al., 2010; Lyu et al., 2014; Taeger et al., 2016.

**Host plant.** Unknown.

**Distribution.** Korea (South, North), China, Japan, Mongolia, Russia.

### 373. *Tenthredo (Tenthredella) colon* Klug, 1817

콜론잎벌 (NK: 높은산잎벌)

*Allantus obscurus* Panzer, 1803: 19. Secondary homonym of *Tenthredo obscura* Gmelin, 1790.

*Tenthredo (Allantus) colon* Klug, 1817b: 182-183.

*Tenthredo Rudowi* [sic!] André, 1881b: 446.  
*Tenthredo nigricollis* W.F. Kirby, 1882: 308.  
*Tenthredo punctulata* Konow, 1887b: 4. Primary homonym of *Tenthredo (Allantus) punctulata* Klug, 1817.  
*Tenthredo semicornis* Harrington, 1889: 98.  
*Tenthredella colon* var. *nigriventris* Enslin, 1912b: 70.  
*Tenthredella colon* var. *malaisei* Forsius, 1929: 2-3. Not available. Infrasubspecific name.

**Korean records.** Togashi, 1973; Zombori, 1978; Kim et al., 1994; Lee et al., 1995b; Lee and Ryu, 1996a; Lee et al., 2000; Shinohara, 2005a; Shinohara, 2005c; Choi and Ko, 2006; Paek et al., 2010; Ahn et al., 2013; Lyu et al., 2014.

**Host plants.** *Aconitum* sp., *Circaeaa lutetiana* L., *Circaea* sp., *Corylus* sp., *Dasiphora fruticosa* (L.) Rydb., *Epilobium angustifolium* L., *Epilobium montanum* L., *Epilobium* sp., *Fuchsia* sp., *Geranium* sp., *Potentilla* sp., *Pteridium aquilinum* (L.) Kuhn, *Ranunculus borealis* Trautv., *Rosa* sp., *Salix* sp., *Sanguisorba* sp., *Senecio nemorensis* L., *Sorbus* sp., *Viburnum* sp.

**Distribution.** Korea (South, North), Austria, Belgium, Bosnia and Herzegovina, Bulgaria, Canada, China, Croatia, Czech Republic, Denmark, Estonia, Finland, France, Germany, Great Britain, Ireland, Italy, Kyrgyzstan, Latvia, Luxembourg, Macedonia, Mongolia, Netherlands, Norway, Poland, Romania, Russia, Slovakia, Spain, Sweden, Switzerland, Ukraine, USA.

### 374. *Tenthredo (Tenthredella) contusa* (Enslin, 1912)

함백잎벌

*Tenthredo lateralis* Mocsáry, 1909: 34. Primary homonym of *Tenthredo lateralis* Fabricius, 1779.  
*Tenthredella contusa* Enslin, 1912a: 105. Name for *Tenthredo lateralis* Mocsáry, 1909.  
*Tenthredo trialbata* Malaise, 1931b: 110-111.

**Korean records.** Lee et al., 2000; Paek et al., 2010; Lyu et al., 2014.

**Host plant.** Unknown.

**Distribution.** Korea (South), China, Russia.

### 375. *Tenthredo (Tenthredella) fagi* Panzer, 1798

너도밤나무잎벌 (NK: 너도밤나무잎벌, 큰잎벌)

*Tenthredo Fagi* [sic!] Panzer, 1798: 14.  
*Tenthredo (Allantus) pellucida* Klug, 1817b: 187. Primary homonym of *Tenthredo pellucida* O.F. Müller, 1776.  
*Tenthredo facigera* Konow, 1899e: 364-365.  
*Tenthredella fagi* var. *melanaspis* Enslin, 1912c: 58-59.

**Korean records.** Takeuchi, 1927a; Doi, 1938; Kim, 1963; Zool. Soc. Kor., 1968; Chu, 1969; Kim, 1970; Zombori, 1978; Kim et al., 1994; Lee et al., 1995b; Lee et al., 1995c; Lee et al., 1996; Lee and Ryu, 1996a; Lee

et al., 2000; Choi and Ko, 2006; Paek et al., 2010; Ahn et al., 2013; Lyu et al., 2014.

**Host plants.** *Angelica pubescens* Maxim., *Corylus avellana* L., *Corylus* sp., *Pteridium aquilinum* (L.) Kuhn, *Sorbus aucuparia* L., *Sorbus* sp.

**Distribution.** Korea (South, North), Austria, Belgium, Bulgaria, China, Czech Republic, Denmark, Estonia, Finland, France, Germany, Great Britain, Italy, Japan, Latvia, Luxembourg, Netherlands, Norway, Poland, Romania, Russia, Slovakia, Sweden, Switzerland, Ukraine.

### 376. *Tenthredo (Tenthredella) ferruginea* Schrank,

1776 흥세줄잎벌 (NK: 흰수염붉은허리잎벌)

*Tenthredo ferruginea* Schrank, 1776: 84-85.  
*Tenthredo ferruginea* O.F. Müller, 1776: 150. Primary homonym of *Tenthredo ferruginea* Schrank, 1776.  
*Tenthredo rufipennis* Fabricius, 1793: 116.  
*Tenthredo rufiventris* Panzer, 1799: 6.  
*Tenthredo (Allantus) conspicua* Klug, 1817b: 180.  
*Tenthredo Schranckii* [sic!] Lepeletier, 1823: 129. Name for *Tenthredo ferruginea* Schrank, 1776.

*Allantus laticinctus* Stephens, 1835: 65. Primary homonym of *Allantus laticinctus* Brullé, 1832.  
*Tenthredo (Tenthredo) rubecula* Eversmann, 1847: 56.  
*Tenthredo prospera* Erichson in Ménétriés In: Middendorf, 1851: 62-63.  
*Tenthredo gynandromorpha* Rudow, 1871: 390.  
*Tenthredo leucocera* Mocsáry, 1909: 36-37.  
*Tenthredo minuta* Mocsáry, 1909: 37. Primary homonym of *Tenthredo minuta* Christ, 1791.  
*Tenthredella dentina* Enslin, 1912a: 105. Name for *Tenthredo minuta* Mocsáry, 1909.  
*Tenthredella ferruginea* var. *leucaspis* Enslin, 1912b: 65.  
*Tenthredo ferruginea* var. *rufisternis* Enslin, 1920: 53.  
*Tenthredella ferruginea* var. *frontalis* Pic, 1940: 9.  
*Tenthredo ferruginea* forma *fuscicornis* Ermolenko, 1981: 6. Not available. Infrasubspecific name.  
*Tenthredo limbata* forma *nigricornis* Ermolenko, 1981: 6. Not available. Infrasubspecific name.

**Korean records.** Togashi, 1973; Lee and Ryu, 1996a; Lee et al., 2000; Choi and Ko, 2006; Paek et al., 2010; Ahn et al., 2013.

**Host plants.** *Alnus glutinosa* (L.) Gaertn., *Alnus incana* (L.) Moench, *Alnus* sp., *Aspidium* sp., *Atropa belladonna* L., *Comarum palustre* L., *Dasiphora fruticosa* (L.) Rydb., *Dryopteris* sp., *Filipendula* sp., *Filipendula ulmaria* (L.) Maxim., *Geranium* sp., *Persicaria bistorta* (L.) Samp., *Polystichum* sp., *Prunus* sp., *Pteridium aquilinum* (L.) Kuhn, *Rubus* sp., *Salix aurita* L., *Salix caprea* L., *Salix helix* L., *Salix phylicifolia* L., *Salix* sp., *Salix triandra* L., *Sanguisorba* sp., *Senecio* sp., *Sorbus aucuparia* L., *Spiraea media* Schmidt, *Veratrum grandiflorum* (Maxim. ex Miq.) O. Loes., *Veratrum* sp.

**Distribution.** Korea (South, North), Austria, Belarus, Belgium, Bulgaria, China, Croatia, Czech Republic, Denmark, Estonia, Finland, France, Germany, Great Britain, Ireland, Italy, Japan, Latvia, Luxembourg, Macedonia, Montenegro, Netherlands, Norway, Poland, Republic of Serbia, Romania, Russia, Slovakia, Sweden, Switzerland, Ukraine.

### 377. *Tenthredo (Tenthredella) moniliata* Klug, 1817

검정뿔잎벌

*Tenthredo (Allantus) moniliata* Klug, 181b7: 205-206.  
*Tenthredo fuscicornis* Eschscholtz, 1822: 90-91.  
*Allantus bimaculatus* Gimmerthal, 1836: 431-432.  
*Tenthredo (Tenthredo) poecila* Eversmann, 1847: 48.  
*Tenthredo (Macrophyia) flavilabris* Gimmerthal, 1847: 55.  
*Tenthredo scita* Erichson in Ménétriés In: Middendorf, 1851: 63.  
*Tenthredo lachlaniana* Cameron, 1878: 12.  
*Tenthredo poecilopus* Mocsáry, 1880: 274. Primary homonym of *Tenthredo poecilopus* Aichinger, 1870.  
*Tenthredo lachlaniana* var. *rubripes* Jakowlew, 1888: 371. Primary homonym of *Tenthredo rubripes* Drapiez, 1820.  
*Tenthredo lachlaniana* var. *immaculata* Jakowlew, 1888: 371.  
*Tenthredo ruthena* Jakowlew, 1891: 59.  
*Tenthredo Forsii* [sic!] Konow, 1908a 92-93.  
*Tenthredo ruficornis* Mocsáry, 1909: 36.  
*Tenthredella fuscicornis* var. *norvegica* Forsius, 1918: 143.  
*Tenthredella moniliata* var. *flavoscutellata* Forsius, 1918: 143.  
*Tenthredo moniliata* var. *immaculosa* Enslin, 1920: 16.  
*Tenthredo moniliata* var. *paria* Enslin, 1920: 17, 82.  
*Tenthredo moniliata* var. *menyanthidis* Torka, 1929: 2.  
*Tenthredo fuscicornis* var. *nigricornis* Malaise, 1931a: 6-7. Not available. Infrasubspecific name.

**Korean records.** Togashi, 1973; Lee et al., 1995b; Lee et al., 1995c; Lee and Ryu, 1996a; Lee et al., 2000; Paek et al., 2010; Lyu et al., 2014.

**Host plants.** *Aconitum* sp., *Anemone pulsatilla* L., *Dasiphora fruticosa* (L.) Rydb., *Heracleum* sp., *Heracleum sphondylium* L., *Menyanthes* sp., *Menyanthes trifoliata* L., *Origanum vulgare* L., *Ranunculus* sp., *Thalictrum* sp., *Veratrum* sp.

**Distribution.** Korea (South, North), Austria, Belgium, Bulgaria, China, Croatia, Czech Republic, Denmark, Estonia, Finland, France, Germany, Great Britain, Ireland, Italy, Latvia, Macedonia, Mongolia, Montenegro, Netherlands, Norway, Republic of Serbia, Russia, Slovakia, Spain, Sweden, Switzerland, Ukraine.

### 378. *Tenthredo (Tenthredella) silensis* Costa, 1859

테두리잎벌 (NK: 기장자리잎벌)

*Tenthredo (Allantus) limbata* Klug, 1817b: 186. Primary homonym of *Tenthredo limbata* Gmelin, 1790.  
*Tenthredo silensis* Costa, 1859: 90-92.  
*Tenthredo quadridens* Strobl, 1896a: 295.  
*Tenthredo limbata* var. *nigrifemur* Conde, 1934: 170. Primary homonym of *Tenthredo atra nigrifemur* var. Endre, 1927.  
*Tenthredo oraria* Zombori, 1973: 456-457.

**Korean records.** Kim, 1963; Zool. Soc. Kor., 1968; Kim, 1970; Zombori, 1973; Zombori, 1978; Kim et al., 1994; Lee and Ryu, 1996a; Lee et al., 2000; Choi and Ko, 2006; Paek et al., 2010; Lyu et al., 2014.

**Host plants.** *Anemone narcissiflora* L., *Dasiphora fruticosa* (L.) Rydb., *Epilobium angustifolium* L., *Galeopsis ladanum* L., *Galeopsis* sp., *Galeopsis speciosa* Mill., *Galeopsis tetrahit* L., *Geranium* sp., *Geum rivale* L., *Lilium martagon* L., *Potentilla* sp., *Ranunculus borealis* Trautv., *Ranunculus repens* L., *Ranunculus* sp., *Ribes rubrum* L., *Sanguisorba* sp.

**Distribution.** Korea (North), Austria, Belgium, Bosnia and Herzegovina, Bulgaria, China, Croatia, Czech Republic, Estonia, Finland, France, Germany, Italy, Japan, Latvia, Luxembourg, Mongolia, Romania, Russia, Slovakia, Slovenia, Sweden, Switzerland, Ukraine.

### 379. *Tenthredo (Tenthredella) stigma* (Forsius, 1918)

헝가리잎벌 (NK: 넓은머리잎벌)

*Tenthredella stigma* Forsius, 1918: 149-150.  
*Tenthredo amplicapitata* Zombori, 1974: 456-458.

**Korean records.** Zombori, 1974; Kim et al., 1994; Lee and Ryu, 1996a; Lee et al., 2000; Choi and Ko, 2006; Paek et al., 2010; Ahn et al., 2013; Lyu et al., 2014.

**Host plant.** Unknown.

**Distribution.** Korea (South, North), China, Russia.

### 380. *Tenthredo (Tenthredella) velox nigrofemorata* (Takeuchi, 1955) 혜성잎벌

*Tenthredella velox nigrofemorata* Takeuchi, 1955: 15-16.

**Korean records.** Takeuchi, 1955; Lee and Ryu, 1996a; Lee et al., 2000; Paek et al., 2010; Lyu et al., 2014.

**Host plant.** Unknown.

**Distribution.** Korea (South), Japan, Russia.

### 381. *Tenthredo (Tenthredella) versuta* Mocsáry, 1909

목사리잎벌 (NK: 누렁무늬밤색잎벌)

*Tenthredo versuta* Mocsáry, 1909: 35-36.  
*Tenthredella hakonensis* Rohwer, 1910a: 117.

**Korean records.** Kim, 1963; Zool. Soc. Kor., 1968;

Kim, 1970; Kim et al., 1994; Lee and Ryu, 1996a; Lee et al., 2000; Choi and Ko, 2006; Ahn et al., 2013; Paek et al., 2010; Lyu et al., 2014.

**Host plant.** Unknown.

**Distribution.** Korea (South, North), Japan, Russia.

### 382. *Tenthredo (Tenthredina) smithii* W.F. Kirby, 1882

앵무잎벌

*Tenthredo smithii* W.F. Kirby, 1882: 320.

*Tenthredo flavida* Marlatt, 1898: 500. Primary homonym of *Tenthredo flavida* Christ, 1791.

*Tenthredella flavicaria* Enslin, 1912a: 105. Name for *Tenthredo flavida* Marlatt, 1898.

**Korean records.** Lee et al., 2000; Shinohara, 2002b; Paek et al., 2010; Lyu et al., 2014.

**Host plants.** *Cardiocrinum cordatum* (Thunb.) Makino, *Lilium japonicum* Thunb., *Smilax china* L., *Smilax sieboldii* Miq., *Smilax* sp., *Tricyrtis macropoda* Miq.

**Distribution.** Korea (South), China, Japan.

### 383. *Tenthredo (Tenthredo) arcuata* Foerster, 1771

코리아잎벌 (NK: 참잎벌)

*Tenthredo arcuata* Forster, 1771: 79.

*Allantus arcuatus* var. *alpigena* Heller and Dalla Torre, 1883: 30, 40.

*Allantus clypealis* Konow, 1888: 220.

*Tenthredo arcuata* var. *melanoxyston* Enslin, 1912b: 87. Not available. Infrasubspecific name.

*Allantus arcuatus* ab. *nigrotegulatus* Csiki, 1923: 103, 107. Not available. Infrasubspecific name.

*Tenthredo coreana* Takeuchi, 1927a: 383-384.

*Allantus arcuatus* var. *similans* Zirngiebl, 1949: 285, 290. Not available. Infrasubspecific name.

*Allantus sulphuripes* var. *tegularis* Zirngiebl, 1949: 289. Not available. Infrasubspecific name.

*Tenthredo arcuata* forma *montana* Muche, 1971: 54. Not available. Nomen nudum.

**Korean records.** Takeuchi, 1927a; Doi, 1938; Kim, 1963; Zool. Soc. Kor., 1968; Chu, 1969; Kim, 1970; Togashi, 1973; Kim et al., 1994; Lee and Ryu, 1996a; Lee et al., 2000; Paek et al., 2010; Lyu et al., 2014.

**Host plants.** *Bupleurum falcatum* L., *Lotus corniculatus* L., *Trifolium repens* L., *Trifolium* sp.

**Distribution.** Korea (South, North), Andorra, Austria, Belgium, Bulgaria, China, Croatia, Czech Republic, Estonia, Finland, France, Germany, Great Britain, Ireland, Italy, Latvia, Lithuania, Luxembourg, Macedonia, Montenegro, Netherlands, Norway, Republic of Serbia, Romania, Russia, Slovakia, Slovenia, Spain, Switzerland, Ukraine.

### 384. *Tenthredo (Tenthredo) devia* (Konow, 1900)

굽은잎벌 (NK: 붉은눈가슴잎벌)  
*Allantus devius* Konow, 1900: 124-125.

**Korean records.** Choi and Ko, 2006; Sundukov, 2017.

**Host plant.** Unknown.

**Distribution.** Korea (North), Finland, Norway, Russia, Sweden, USA.

### 385. *Tenthredo (Tenthredo) fuscocostalis* Rohwer, 1925

먹가슴잎벌

*Tenthredo fuscocostalis* Rohwer, 1925b: 7-8.

**Korean records.** Togashi, 1976; Lee and Ryu, 1996a; Lee et al., 2000; Paek et al., 2010; Lyu et al., 2014.

**Host plant.** Unknown.

**Distribution.** Korea (South, North), China, Russia.

### 386. *Tenthredo (Tenthredo) marginella* marginella Fabricius, 1793

검정앞가슴잎벌

(NK: 검은앞가슴잎벌)

*Tenthredo marginella* Fabricius, 1793: 117.

*Tenthredo sigma* Schrank, 1802: 234-235.

*Tenthredo succincta* Lepeletier, 1823: 93-94. Primary homonym of *Tenthredo succincta* Donovan, 1808.

*Tenthredo succincta* Serville, 1823: 36. Primary homonym of *Tenthredo succincta* Donovan, 1808.

*Allantus decipiens* Förster, 1844: 288-289.

*Allantus heraclei* Rudow, 1872: 86, 90-91.

*Allantus omissoides* Jakowlew, 1891: 56-57.

*Allantus amaeenus sabandus* Pic, 1925: 15.

*Allantus marginellus* var. *nigroscutellatus* Zirngiebl, 1942: 100.

*Allantus marginellus* var. *melanomerus* Zirngiebl, 1942: 100.

**Korean records.** Zombori, 1978; Kim et al., 1994; Choi and Ko, 2006; Paek et al., 2010; Ahn et al., 2013.

**Host plants.** *Lycopus* sp., *Melissa officinalis* L., *Mentha aquatica* L., *Mentha × piperita* L., *Ocimum basilicum* L., *Origanum vulgare* L., *Plantago* sp., *Tussilago* sp.

**Distribution.** Korea (North), Austria, Belgium, Bulgaria, China, Croatia, Czech Republic, France, Germany, Greece, Italy, Latvia, Lithuania, Luxembourg, Macedonia, Montenegro, Netherlands, Poland, Portugal, Republic of Serbia, Romania, Russia, Slovakia, Spain, Ukraine.

### 387. *Tenthredo (Tenthredo) ussuriensis ussuriensis* (Mocsáry, 1909)

띠호리잎벌 (NK: 누런배잎벌)

*Allantus ussuriensis* Mocsáry, 1909: 22.

*Allantus Analis* [sic!] André, 1881b: 403. Secondary homonym of *Tenthredo analis* Fabricius, 1793.

*Tenthredo abjecta* Enslin, 1912a: 103. Name for *Allantus analis* André, 1881.

**Korean records.** Doi, 1938; Takeuchi, 1940b; Kim, 1963; Zool. Soc. Kor., 1968; Chu, 1969; Kim, 1970; Togashi, 1973; Kim, 1980; Kim et al., 1994; Lee et al., 1995b; Lee et al., 1995c; Lee et al., 1996; Lee and Ryu, 1996a; Lee et al., 2000; Paek et al., 2010; Ahn et al., 2013; Lyu et al., 2014.

**Host plants.** *Diabelia serrata* (Siebold and Zucc.) Landrein, *Diabelia spathulata* (Siebold and Zucc.) Landrein.

**Distribution.** Korea (South, North), China, Japan, Russia.

### 388. *Tenthredo abdominalis* (Matsumura, 1912)

백암잎벌

*Tenthredopsis abdominalis* Matsumura, 1912: 44-45.

*Tenthredo sortitor* Malaise, 1938: 94. Name for *Tenthredopsis abdominalis* Matsumura, 1912.

**Korean records.** Togashi, 1973; Lee and Ryu, 1996a; Lee et al., 2000; Paek et al., 2010; Lyu et al., 2014.

**Host plant.** Unknown.

**Distribution.** Korea (North), China, India, Japan, Russia.

### 389. *Tenthredo doii* Doi, 1938 도이잎벌 (NK: 잎벌)

*Tenthredo doii* Doi, 1938: 34.

**Korean records.** Doi, 1938; Kim, 1963; Zool. Soc. Kor., 1968; Chu, 1969; Kim, 1970; Kim et al., 1994; Lee et al., 2000; Paek et al., 2010.

**Host plant.** Unknown.

**Distribution.** Korea (South, North).

### 390. *Tenthredo flavipectus nigripectus* (Matsumura, 1912) 검정가슴잎벌 (NK: 검은가슴잎벌)

*Allantus nigripectus* Matsumura, 1912: 55-56.

**Korean records.** Takeuchi, 1927a; Cho, 1963; Kim, 1963; Zool. Soc. Kor., 1968; Chu, 1969; Kim, 1970; Kim et al., 1994; Lee and Ryu, 1996a; Lee et al., 2000; Paek et al., 2010; Ahn et al., 2013; Lyu et al., 2014.

**Host plant.** Unknown.

**Distribution.** Korea (South, North), Japan.

### 391. *Tenthredo flavomandibulata* (Matsumura, 1912)

노랑턱잎벌

*Tenthredopsis flavomandibulata* Matsumura, 1912: 43-44.

**Korean records.** Togashi, 1973; Lee and Ryu, 1996a; Lee et al., 2000; Paek et al., 2010; Lyu et al., 2014.

**Host plant.** Unknown.

**Distribution.** Korea (North), Japan, Russia.

### 392. *Tenthredo longipennis* (Matsumura, 1912)

긴꼬리잎벌

*Allantus longipennis* Matsumura, 1912: 224-225.  
*Tenthredo grandiceps* Malaise, 1938: 93-94.

**Korean records.** Kim, 1970; Kim, 1980; Kim et al., 1994; Lee and Ryu, 1996a; Lee et al., 2000; Paek et al., 2010; Lyu et al., 2014.

**Host plant.** Unknown.

**Distribution.** Korea (South), Japan, Russia.

### 393. *Tenthredo melanotarsus* Cameron, 1876 멜란잎벌

*Tenthredo melanotarsus* Cameron, 1876: 467.  
*Tenthredo melanotarsis* Konow, 1898d: 89. Name for *Tenthredo melanotarsus* Cameron, 1876.

**Korean records.** Zombori, 1974; Kim et al., 1994; Lee and Ryu, 1996a; Lee et al., 2000; Paek et al., 2010; Lyu et al., 2014.

**Host plant.** Unknown.

**Distribution.** Korea (North), Bhutan, China, India.

### 394. *Tenthredo mortivaga* Marlatt, 1898 황호리병잎벌

*Tenthredo mortivaga* Marlatt, 1898: 501-502.  
*Tenthredopsis basalis* Matsumura, 1912: 46-47.

**Korean records.** Lee et al., 1995b; Lee and Ryu, 1996a; Lee et al., 2000; Paek et al., 2010; Lyu et al., 2014.

**Host plants.** *Cerastium caespitosum* var. *ianthes* F.N. Williams, *Stellaria aquatica* (L.) Scop., *Stellaria media* (L.) Vill.

**Distribution.** Korea (South), China, Japan.

### 395. *Tenthredo providens* F. Smith, 1874 날개무늬잎벌

*Tenthredo providens* F. Smith, 1874: 382.  
*Tenthredo providentia* Enslin, 1920: 65-66, 90.

**Korean records.** Cho, 1961; Kim, 1963; Zool. Soc. Kor., 1968; Kim, 1970; Kim, 1980; Kim et al., 1994; Lee et al., 1996; Lee and Ryu, 1996a; Lee et al., 2000; Paek et al., 2010; Lyu et al., 2014.

**Host plants.** *Angelica decursiva* (Miq.) Franch. and Sav., *Angelica polyclada* Franch., *Angelica* sp., *Cryptotaenia canadensis* (L.) DC., *Cryptotaenia* sp., *Oenanthe javanica* (Blume) DC., *Oenanthe* sp., *Peucedanum* sp., *Pteropetalum tanakae* (Franch. and Sav.) Hand.-Mazz.

**Distribution.** Korea (South), Japan.

### 396. *Tenthredo pseudolivacea omega* (Takeuchi, 1936)

어리울리브잎벌

*Tenthredella pseudolivacea* var. *omega* Takeuchi, 1936a: 76.

**Korean records.** Kim, 1963; Zool. Soc. Kor., 1968; Kim, 1970; Kim et al., 1994; Lee and Ryu, 1996a; Lee et al., 2000; Paek et al., 2010; Lyu et al., 2014.

**Host plant.** Unknown.

**Distribution.** Korea (South), Japan, Russia.

**397. *Tenthredo pseudolivacea pseudolivacea* Malaise,**

**1931 올리브잎벌 (NK: 나무잎벌)**

*Tenthredo pseudolivacea* Malaise, 1931b: 104-105.

**Korean records.** Doi, 1938; Chu, 1969; Lee et al., 2000; Paek et al., 2010; Ahn et al., 2013; Lyu et al., 2014.

**Host plant.** Unknown.

**Distribution.** Korea (South, North), China, Japan, Russia.

**398. *Tenthredo sibirica* (Kriechbaumer, 1869)**

쌍노랑줄잎벌 (NK: 씨비리잎벌, 두띠잎벌)

*Allantus sibiricus* Kriechbaumer, 1869: 590-591.

*Tenthredo spectabilis* Mocsáry, 1878: 199.

*Allantus cephalotes* Jakowlew, 1888: 374.

*Jermakia japonica* Rohwer, 1910a: 115-116.

*Allantus bicinctus* Matsumura, 1912: 56-57. Primary homonym of *Allantus bicinctus* Norton, 1860.

*Allantus bistriatus* Mallach, 1936: 220.

**Korean records.** Takeuchi, 1937; Doi, 1938; Takeuchi, 1956; Cho, 1961; Kim, 1963; Zool. Soc. Kor., 1968; Chu, 1969; Kim, 1970; Togashi, 1973; Kim, 1980; Kim et al., 1994; Lee et al., 1995a; Lee et al., 1996; Lee and Ryu, 1996a; Lee et al., 2000; Choi and Ko, 2006; Paek et al., 2010; Ahn et al., 2013; Lyu et al., 2014.

**Host plants.** *Aconitum* sp., *Dasiphora fruticosa* (L.) Rydb., *Geranium* sp., *Potentilla* sp., *Ranunculus borealis* Trautv., *Salix* sp., *Sanguisorba* sp.

**Distribution.** Korea (South, North), China, Japan, Mongolia, Russia.

**399. *Tenthredo tenuipennis* Malaise, 1931**

고동다리호리잎벌

*Tenthredo tenuipennis* Malaise, 1931b: 109-110.

**Korean records.** Kim, 1963; Zool. Soc. Kor., 1968; Kim, 1970; Kim et al., 1994; Lee and Ryu, 1996a; Lee et al., 2000; Paek et al., 2010; Lyu et al., 2014; Taeger et al., 2016.

**Host plant.** *Aucuba japonica* Thunb.

**Distribution.** Korea (South), China, Japan, Russia.

**400. *Tenthredo tumida tumida* (Mocsáry, 1909)**

데부잎벌 (NK: 불록잎벌)

*Allantus tumidus* Mocsáry, 1909: 29-30.

*Tenthredella excellens* Kuznetzov-Ugamskij, 1927: 227-229.

**Korean records.** Doi, 1938; Kim, 1963; Zool. Soc. Kor., 1968; Chu, 1969; Kim, 1970; Zombori, 1978; Kim et al.,

1994; Lee and Ryu, 1996a; Lee et al., 2000; Choi and Ko, 2006; Paek et al., 2010; Ahn et al., 2013; Lyu et al., 2014.

**Host plant.** Unknown.

**Distribution.** Korea (North), China, Russia.

**Genus *Tenthredopsis* Costa, 1859** 광채잎벌 속

*Tenthredopsis* Costa, 1859: 98. Type species: *Tenthredo tessellata* Klug, 1817.

*Ebolia* Costa, 1859: 105. Type species: *Ebolia floricola* Costa, 1859.

*Thomsonia* Konow, 1884a: 327. Type species: *Perineura thomsonia* Konow, 1884.

*Eutenthredopsis* Enslin, 1913: 99. Type species: *Tenthredo litterata* Geoffroy, 1785.

**401. *Tenthredopsis carinata carinata* Malaise, 1931**

용골광채잎벌

*Tenthredopsis carinatus* [sic!] Malaise, 1931a: 9-10.

**Korean records.** Lee and Ryu, 1996a; Lee et al., 2000; Paek et al., 2010; Lyu et al., 2014.

**Host plant.** Unknown.

**Distribution.** Korea (South), China, Japan, Latvia, Russia.

**402. *Tenthredopsis nassata* (Linné, 1767) 광채잎벌**

*Tenthredo nassata* Linné, 1767: 926.

*Tenthredo Alneti* [sic!] Schrank, 1781: 335.

*Tenthredo perlata* Geoffroy in Fourcroy, 1785: 375.

*Tenthredo apicaris* Geoffroy in Fourcroy, 1785: 376.

*Tenthredo subulata* Gmelin, 1790: 2665.

*Tenthredo melanorhoea* Gmelin, 1790: 2668.

*Tenthredo Napata* [sic!] Turton, 1802: 416.

*Allantus tiliae* Panzer, 1803: 13.

*Tenthredo (Allantus) ambigua* Klug, 1817b: 202. Primary homonym of *Tenthredo ambigua* O.F. Müller, 1776.

*Tenthredo (Allantus) instabilis* Klug, 1817b: 196-197.

*Tenthredo fulviceps* Stephens, 1835: 75-76.

*Tenthredo tristis* Stephens, 1835: 78. Primary homonym of *Tenthredo tristis* Fabricius, 1779.

*Perineura brevispina* Thomson, 1870: 301.

*Tenthredopsis lividiventris* Cameron, 1881: 568.

*Tenthredopsis Saundersi* [sic!] Cameron, 1881: 570.

*Tenthredopsis inornatus* Cameron, 1881: 571-572.

*Tenthredopsis albomaculatus* Cameron, 1881: 569.

*Tenthredopsis dorsivittatus* Cameron, 1881: 570-571.

*Perineura scutellaris* var. *flavo-guttata* [sic!] Magretti, 1882: 241.

*Thomsonia Josephi* [sic!] Konow, 1884c: 307-308.

*Thomsonia obscura* Konow, 1884a: 330, 333.

*Thomsonia Raddatzii* [sic!] Konow, 1884a: 330, 334-335.

*Thomsonia elegans* Konow, 1884a: 331, 335.

*Tenthredopsis gibberosa* Konow, 1887a: 21-22.

*Tenthredopsis fenestrata* Konow, 1890c: 63-67, 75.  
*Tenthredopsis dorsalis* var. *biguttata* Konow, 1890c: 72.  
*Tenthredopsis dorsalis* var. *diluta* Konow, 1890c: 72.  
*Tenthredopsis Raddatzi* [sic!] var. *indocilis* Konow, 1890c: 71.  
*Tenthredopsis Raddatzi* [sic!] var. *dorsata* Konow, 1890c: 71.  
*Tenthredopsis Raddatzi* [sic!] var. *vittata* Konow, 1890c: 71.  
*Tenthredopsis Raddatzi* [sic!] var. *maura* Konow, 1890c: 71.  
*Tenthredopsis Raddatzi* [sic!] var. *inornata* Konow, 1890c: 71. Primary homonym of *Tenthredopsis inornatus* Cameron, 1881.  
*Tenthredopsis Raddatzi* [sic!] var. *sagmaria* Konow, 1890c: 71.  
*Tenthredopsis nassata* var. *rufata* Konow, 1890c: 71.  
*Tenthredopsis austriaca* var. *obscurata* Konow, 1890c: 73.  
*Tenthredopsis elegans* var. *nigronotata* Konow, 1890c: 74. Primary homonym of *Tenthredopsis nigronotatus* Cameron, 1881.  
*Tenthredopsis dorsalis* var. *Tirolensis* [sic!] Konow, 1892: 217.  
*Tenthredopsis Konowi* [sic!] Strobl, 1896b: 251-252.  
*Tenthredopsis nassata* var. *pleurosternalis* Enslin, 1913: 106. Name for *Tenthredopsis konowi* Strobl, 1896.  
*Tenthredopsis parvula* var. *atripleuris* Enslin, 1913: 108.  
*Tenthredopsis parvula* var. *atrilobis* Enslin, 1913: 108.  
*Tenthredopsis parvula* var. *atrifemoribus* Enslin, 1913: 108.  
*Tenthredopsis parvula* var. *rubriventris* Enslin, 1913: 108.  
*Tenthredopsis parvula* var. *atramentaria* Enslin, 1913: 109.  
*Tenthredopsis austriaca* var. *rufofemorata* Enslin, 1913: 108.  
*Tenthredopsis austriaca* var. *albata* Enslin, 1913: 108. Primary homonym of *Tenthredopsis albata* Konow, 1904.  
*Tenthredopsis austriaca* var. *candida* Enslin, 1913: 108.  
*Tenthredopsis nassata* var. *metapleuris* Enslin, 1913: 106.  
*Tenthredopsis nassata* var. *trichroma* Enslin, 1913: 105.  
*Tenthredopsis tristior* Morice, 1914: 151.  
*Tenthredopsis inornata* var. *melanaspis* Enslin, 1918: 725.  
*Tenthredopsis nassata* var. *nigerrima* Endre, 1927: 12.  
*Tenthredopsis parvula* var. *nigrilobis* Zirngiebl in Struve, 1937: 134.  
*Tenthredopsis fenestrata* forma *quadripunctata* Gregor in Gregor and Ba'a, 1941: 206.  
*Tenthredopsis dubia* forma *scutellaris* Gregor in Gregor and Ba'a, 1941: 209. Secondary homonym of *Tenthredo scutellaris* Fabricius, 1804.  
*Tenthredopsis nassata* var. *martialis* Pic, 1948b: 6.

*Tenthredopsis nassata* var. *Buyssonii* [sic!] Pic, 1948b: 6.  
*Tenthredopsis virgineus* Muche, 1965c: 40-42.  
*Tenthredopsis coqueberti ulanbatorensis* Muche, 1965c: 42-43.

**Korean records.** Lee and Ryu, 1996a; Lee et al., 2000; Paek et al., 2010; Lyu et al., 2014.

**Host plants.** *Aegopodium podagraria* L., *Agrostis* sp., *Aira* sp., *Anthriscus* sp., *Anthriscus sylvestris* (L.) Hoffm., *Artemisia campestris* L., *Artemisia* sp., *Carex* sp., *Dactylis glomerata* L., *Deschampsia cespitosa* (L.) P. Beauvois., *Deschampsia flexuosa* (L.) Trin., *Deschampsia* sp., *Lolium perenne* L., *Lolium* sp., *Neottia ovata* (L.) Bluff and Fingerh.

**Distribution.** Korea (South), Albania, Austria, Belgium, Bosnia and Herzegovina, Bulgaria, China, Croatia, Czech Republic, Denmark, Estonia, Finland, France, Germany, Great Britain, Greece, Hungary, Iceland, Italy, Japan, Latvia, Liechtenstein, Lithuania, Luxembourg, Macedonia, Moldova, Mongolia, Montenegro, Netherlands, Norway, Poland, Portugal, Republic of Serbia, Romania, Russia, Slovakia, Slovenia, Spain, Sweden, Switzerland, Ukraine.

Superfamily Xiphydrioidea Leach, 1819

목대장송곳벌상과

Family Xiphydriidae Leach, 1819 목대장송곳벌과

Subfamily Xiphydriinae Leach, 1819 목대장송곳벌아과

#### Genus *Euxiphidria* Semenov and Gussakovskij, 1935

어리목대장송곳벌속

*Euxiphidria* Semenov and Gussakovskij, 1935: 117. Type species: *Xiphidria potanini* Jakowlew, 1891.

#### 403. *Euxiphidria potanini* (Jakowlew, 1891)

붉은머리어리목대장송곳벌

*Xiphidria Potanini* [sic!] Jakowlew, 1891: 3, 15-16.

*Xiphidria ruficeps* Mocsáry, 1909: 39.

*Xiphidria ruficeps* Matsumura, 1912: 210-211. Primary homonym of *Xiphidria ruficeps* Mocsáry, 1909.

*Xiphidria akazui* Matsumura, 1932: pl. 8 fig. 9, 44.

*Xiphidria Maidli* [sic!] Zirngiebl, 1937b: 342-343.

*Euxiphidria subtrifida* Maa 1944c: 33.

**Korean records.** Togashi, 1973; Xiao et al., 1992; Lee and Ryu, 1996a; Paek et al., 2010; Smith et al., 2011; Smith and Shinohara, 2011; Lyu et al., 2014.

**Host plant.** *Acer pictum* Thunb.

**Distribution.** Korea (South, North), China, Japan, Russia.

#### Genus *Xiphidria* Latreille, 1803 목대장송곳벌속

*Urocerus* Jurine in Panzer, 1801: 163. Not available. Suppressed. Type species: no type species selected.

*Xiphydria* Latreille, 1803: 304. Type species: *Ichneumon camelus* Linné, 1758.  
*Hybonotus* Klug, 1803: 9-14. Type species: *Ichneumon camelus* Linné, 1758.  
*Xiphydra* Panzer, 1806: 56. Name for *Xiphydria* Latreille, 1803.  
*Xiphura* Fallén, 1813: 11-12. Name for *Xiphydria* Latreille, 1803.  
*Xiphydria* Norton, 1869: 352. Name for *Xiphydria* Latreille, 1803.  
*Xiphidion* Provancher, 1875: 374. Type species: *Xiphidion canadensis* Provancher, 1875.  
*Konowia* Brauns, 1884: 220. Type species: *Konowia megapolitana* Brauns, 1884.  
*Pseudoxiphydria* Enslin, 1911b: 177. Type species: *Pseudoxiphydria betulae* Enslin, 1911.  
*Konowia* (*Apoxiphia*) Maa, 1949c: 67-68. Type species: *Konowia* (*Apoxiphia*) *bifurcate* Maa, 1949.  
*Nasoxiphia* Maa, 1949: 23, 26. Type species: *Xiphydria jakovlevi* Semenov and Gussakovskij, 1935.

#### 404. *Xiphydria annulitibia* Takeuchi, 1936

다리무늬목대장송곳벌(신칭)  
*Xiphydria annulitibia* Takeuchi, 1936a: 55-56.

**Korean record.** Smith et al., 2011.

**Host plant.** Unknown.

**Distribution.** Korea (South), Japan, Russia.

#### 405. *Xiphydria camelus* (Linné, 1758)

구주목대장송곳벌  
*Ichneumon Camelus* [sic!] Linné, 1758: 560.  
*Xiphydria eborata* Konow, 1899a: 75.  
*Xiphydria jozana* Matsumura, 1927: 204-205.  
*Xiphydria kawakamii* Matsumura, 1927: 203-204.  
*Xiphydria kuccharonis* Matsumura, 1927: 204.  
*Xiphydria camelus* ab. *nigerrima* Hellén, 1955: 110. Not available. Infrasubspecific name.

**Korean records.** Kim, 1963; Zool. Soc. Kor., 1968; Kim, 1970; Xiao et al., 1992; Kim et al., 1994; Lee and Ryu, 1996a; Paek et al., 2010; Smith et al., 2011; Lyu et al., 2014.

**Host plants.** *Abies* sp., *Acer campestre* L., *Acer pseudoplatanus* L., *Aesculus* sp., *Aesculus turbinata* Blume, *Alnus glutinosa* (L.) Gaertn., *Alnus hirsuta* (Spach) Rupr., *Alnus incana* (L.) Moench, *Alnus* sp., *Betula grossa* Siebold and Zucc., *Betula pendula* Roth, *Betula* sp., *Fagus crenata* Blume, *Fagus* sp., *Ostrya carpinifolia* Scop., *Picea* sp., *Populus* sp., *Populus tremula* L., *Prunus* sp., *Quercus mongolica* subsp. *crispula* (Blume) Menitsky, *Quercus* sp., *Salix* sp., *Ulmus minor* Mill., *Ulmus* sp.

**Distribution.** Korea (South), Austria, Belgium, Bulgaria,

China, Croatia, Czech Republic, Denmark, Estonia, Finland, France, Germany, Great Britain, Hungary, Italy, Latvia, Macedonia, Netherlands, Norway, Poland, Romania, Russia, Slovakia, Spain, Sweden, Switzerland, Ukraine.

#### 406. *Xiphydria jakovlevi* (Semenov and Gussakovskij, 1935) 어리목대장송곳벌(신칭)

*Xiphydria jakovlevi* Semenov and Gussakovskij, 1935: 121.

*Nasoxiphia jakovlevi* Maa, 1949c: 26.

**Korean record.** Smith et al., 2011.

**Host plant.** Unknown.

**Distribution.** Korea (South), China, Russia.

#### 407. *Xiphydria palaeantarctica* Semenov, 1921

목대장송곳벌

*Xiphydria palaeantarctica* Semenov, 1921: 81-82.

*Xiphydria jezoensis* Matsumura, 1927: 205.

**Korean records.** Takeuchi, 1938; Kim, 1963; Zool. Soc. Kor., 1968; Kim, 1970; Xiao et al., 1992; Kim et al., 1994; Lee and Ryu, 1996a; Paek et al., 2010; Smith et al., 2011; Lyu et al., 2014.

**Host plant.** *Acer pictum* Thunb., *Acer palmatum* Thunb., *Aesculus* sp., *Aesculus turbinata* Blume, *Alnus japonica* (Thunb.) Steud., *Alnus* sp., *Betula* sp., *Juglans mandshurica* Maxim., *Juglans* sp., *Pinus* sp., *Ulmus davidiana* var. *japonica* (Rehder) Nakai.

**Distribution.** Korea (South, North), China, Russia.

#### Genus *Xiphydiola* Semenov, 1921 칼날목대장송곳벌(신칭)

*Xiphydiola* Semenov, 1921: 82. Type species: *Xiphydiola amurensis* Semenov, 1921.

#### 408. *Xiphydiola amurensis* Semenov, 1921 아무르칼날목대장송곳벌(신칭)

*Xiphydiola amurensis* Semenov, 1921: 82-83.

**Korean records.** Smith et al., 2011.

**Host plant.** Unknown.

**Distribution.** Korea (South), Russia.

Superfamily Xyloidea Newman, 1834 칼잎벌상과  
Family Xyelidae Newman, 1834 칼잎벌과  
Subfamily Macroxyelinae Ashmead, 1898

호도칼잎벌아과

#### Genus *Megaxyela* Ashmead, 1898 호도칼잎벌속

*Megaxyela* Ashmead in Dyar, 1898a: 214. Type species: *Xyela major* Cresson, 1880.

*Odontophyes* Konow, 1899c: 41-42. Type species: *Pleu-*

*roneura aviingrata* Dyar, 1898.  
*Megaloxyla* Schulz, 1906: 88. Name for *Megaxyela* Ashmead, 1898.  
*Paraxyela* MacGillivray, 1912: 294. Type species: *Xyela tricolor* Norton, 1862.

**409. *Megaxyela gigantea* Mocsáry, 1909** 호도칼잎벌  
 (NK: 큰미늘창잎벌, 미늘창잎벌)

*Megaxyela gigantea* Mocsáry, 1909: 39.  
*Megaxyela mikado* Sato, 1930: 4-5.

**Korean records.** Sato, 1930; Doi, 1938; Takeuchi, 1938; Cho, 1955; Kim, 1963; Zool. Soc. Kor., 1968; Chu, 1969; Kim, 1970; Shinohara, 1992c; Kim et al., 1994; Lee and Ryu, 1996a; Paek et al., 2010; Ahn et al., 2013; Lyu et al., 2014; Blank et al., 2017.

**Host plants.** *Juglans ailanthifolia* Carrière, *Juglans mandshurica* Maxim., *Juglans regia* L., *Pterocarya rhoifolia* Siebold and Zucc., *Pterocarya stenoptera* C. DC.

**Distribution.** Korea (South, North), China, Russia.

**410. *Megaxyela parki* Shinohara, 1992** 오대산칼잎벌  
*Megaxyela parki* Shinohara, 1992c: 792-794.

**Korean records.** Shinohara, 1992c; Lee and Ryu, 1996a; Paek et al., 2010; Lyu et al., 2014; Blank et al., 2017.

**Host plant.** Unknown.

**Distribution.** Korea (South).

**411. *Megaxyela pulchra* Blank, Shinohara and Sundukov, 2017** 아름호도칼잎벌(신칭)

*Megaxyela pulchra* Blank, Shinohara and Sundukov, in Blank et al., 2017: 26-30.

**Korean record.** Blank et al., 2017.

**Host plants.** *Juglans ailanthifolia* Carrière, *Juglans mandshurica* Maxim., *Juglans regia* L., *Pterocarya rhoifolia* Siebold and Zucc., *Pterocarya stenoptera* C. DC. (See Blank et al., 2017 for explanation).

**Distribution.** Korea (South), China, Russia.

Subfamily Xyelinae Newman, 1834 칼잎벌아과

**Genus *Pleroneura* Konow, 1897** 꽃잔디칼잎벌속

*Pleroneura* Konow, 1897d: 55, 56. Type species: *Xyela dahli* Hartig, 1837.

*Manoxyela* Ashmead in Dyar, 1898a: 214. Type species: *Manoxyela californica* Ashmead, 1898.

**412. *Pleroneura subulata* Shinohara, 1995**

꽃잔디칼잎벌

*Pleroneura subulata* Shinohara, 1995c: 832-835.

**Korean record.** Takeuchi, 1938; Kim, 1963; Zool. Soc.

Kor., 1968; Kim, 1970; Kim et al., 1994; Shinohara, 1995c; Shinohara, 1998b; Paek et al., 2010; Lyu et al., 2014; Shinohara, 2016.

**Host plant.** Unknown.

**Distribution.** Korea (North), Japan, Russia.

**Remark.** This species was under the name of “*P. dahli* (Hartig, 1837)”. See explanation for Shinohara, 1995c.

**Genus *Xyela* Dalman, 1819** 칼잎벌속(개칭)

*Pinicola* Brébisson, 1818: 116-117. Homonym of *Pinicola* Vieillot, 1807 [Aves]. Type species: *Pinicola julii* Brébisson, 1818.

*Mastigocerus* Latreille, 1818: 451. Not available. Type species: no type species selected.

*Xyela* Dalman, 1819: 122-123, pl. 6. Type species: *Xyela pusilla* Dalman, 1819.

*Mastigocera* Berthold, 1827: 442. Name for *Mastigocerus* Latreille, 1818.

*Pinicolites* Meunier, 1920: 896. Type species: *Pinicolites graciosus* Meunier, 1920.

*Neoxyela* Curran, 1923: 20. Type species: *Neoxyela alberta* Curran, 1923.

*Xyelatana* Benson, 1938: 34. Type species: *Xyela longula* Dalman, 1819.

*Xyela* (*Mesoxyela*) Rasnitsyn, 1965: 491, 497. Type species: *Mesoxyela mesozena* (Rasnitsyn, 1965).

*Xyela* (*Magnixyela*) Rasnitsyn, 1971: 193. Not available. Type species: no type species selected.

*Xyela* (*Alpigenixyela*) Rasnitsyn, 1971: 194. Not available. Type species: no type species selected.

*Xyela* (*Desertixyela*) Rasnitsyn, 1971: 194. Type species: *Xyela deserti* Burdick, 1961.

*Xyela* (*Concavixyela*) Rasnitsyn, 1971: 194. Type species: *Xyela concava* Burdick, 1961.

*Xyela* (*Linsleyixyela*) Rasnitsyn, 1971: 193. Not available. Type species: no type species selected.

*Xyela* (*Minorixyela*) Rasnitsyn, 1971: 194. Not available. Type species: no type species selected.

**413. *Xyela* (*Xyela*) *densiflorae* Blank and Shinohara, 2005** 금강소나무칼잎벌(신칭)

*Xyela densiflorae* Blank and Shinohara in Blank et al., 2005: 266-268.

**Korean records.** Blank et al., 2005; Blank et al., 2013.

**Host plant.** *Pinus densiflora* Siebold and Zucc.

**Distribution.** Korea (South).

**414. *Xyela* (*Xyela*) *koraiensis* Blank and Shinohara, 2013** 잣나무칼잎벌(신칭)

*Xyela koraiensis* Blank and Shinohara, in Blank et al., 2013: 23-25.

**Korean record.** Blank et al., 2013.

**Host plant.** *Pinus koraiensis* Siebold and Zucc.  
**Distribution.** Korea (South), Russia.

**415. *Xyela (Xyela) occidentalis* Blank and Shinohara, 2005 측백칼잎벌(신칭)**

*Xyela occidentalis* Blank and Shinohara in Blank et al., 2005: 264-266.

**Korean records.** Blank et al., 2005; Blank et al., 2013.

**Host plant.** *Pinus densiflora* Siebold and Zucc.

**Distribution.** Korea (South), China.

**416. *Xyela (Xyela) par* Blank and Shinohara, 2005**

꼬마칼잎벌(신칭)

*Xyela par* Blank and Shinohara in Blank et al., 2005: 268-269.

**Korean records.** Blank et al., 2005; Blank et al., 2013; Lyu et al., 2014.

**Host plant.** *Pinus densiflora* Siebold and Zucc.

**Distribution.** Korea (South).

**417. *Xyela (Xyela) rASNITSYNI* Blank and Shinohara, 2013 어리꼬마칼잎벌(신칭)**

*Xyela rASNITSYNI* Blank and Shinohara in Blank et al., 2013: 63-64.

**Korean record.** Blank et al., 2013.

**Host plant.** *Pinus koraiensis* Siebold and Zucc. (Blank et al., 2013).

**Distribution.** Korea (South), China, Russia.

**418. *Xyela (Xyela) ussuriensis* Rasnitsyn, 1965**

수원칼잎벌

*Xyela (Xyela) ussuriensis* Rasnitsyn, 1965: 491, 495-497, 503, 512-513, 516-518.

*Xyela suwonae* Ryu and Lee, 1992:1-4.

**Korean records.** Ryu and Lee, 1992; Kim et al., 1994; Lee and Ryu, 1996a; Paek et al., 2010; Blank et al., 2013; Lyu et al., 2014.

**Host plant.** *Pinus koraiensis* Siebold and Zucc.

**Distribution.** Korea (South), Russia.

## REFERENCES

- Abe, M. and D.R. Smith. 1991. The Genus-group Names of Symphyta (Hymenoptera) and Their Type Species. *Esakia* 31:1-115.
- Abe, M. and I. Togashi. 1989. Symphyta. In: Y. Hirashima (ed.), A Check List of Japanese Insects, Entomological Laboratory, Faculty of Agriculture, Kyushu University, Fukuoka. pp. 541-560.
- Achterberg, C.V. and B. van Aartsen. 1986. The European Pamphiliidae (Hymenoptera: Symphyta), with special reference to the Netherlands. *Zoologische Verhandelingen* 234:1-98.
- Agassiz, J.L.R. 1848. *Nomenclatoris zoologicci index universalis, continens nomina systematica classium, ordinum, familiarum et generum animalium omnium, tam viventium quam fossilium, secundum ordinem alphabeticum unicum disposita, adjectis homonymiis plantarum.* Jent et Grassmann, Soloduri.
- Aguiar, A.P., A.R. Deans, M.S. Engel, M. Forshage, J.T. Huber, J.T. Jennings, N.F. Johnson, A.S. Lelej, J.T. Longino, V. Lohrmann, I. Mikó, M. Ohl, C. Rasmussen, A. Taeger and S.K.Y. Dicky. 2013. Order Hymenoptera. *Zootaxa* 3703(1):051-062.
- Ahn, N.H., M.J. Jeon, H.Y. Seo, K.G. Kim, S.J. Park and S.H. Han. 2013. National List of Species of Korea [Insect] (Insects of North Korea). National Institute of Biological Resources, Incheon.
- Aichinger, V.V. 1870. Beiträge zur Kenntnis der Hymenopteren-Fauna Tirols. *Zeitschrift des Ferdinandeaums für Tirol und Vorarlberg*, 3. Folge 15:293-330.
- André, E. 1880a. Species des Hyménoptères d'Europe and d'Algérie. *Beaune (Côte-d'Or)* 1(4):49-96.
- André, E. 1880b. Species des Hyménoptères d'Europe and d'Algérie. *Beaune (Côte-d'Or)* 1(5):97-160.
- André, E. 1880c. Species des Hyménoptères d'Europe and d'Algérie. *Beaune (Côte-d'Or)* 1(7):237-300.
- André, E. 1881a. Species des Hyménoptères d'Europe and d'Algérie. *Beaune (Côte-d'Or)* 1(11):565-596.
- André, E. 1881b. Species des Hyménoptères d'Europe and d'Algérie. *Beaune (Côte-d'Or)* 1(9):381-484.
- André, E. 1881c. Species des Hyménoptères d'Europe and d'Algérie. *Beaune (Côte-d'Or)* 1(8):301-380.
- André, E. 1882. Notes hyménoptérologiques. III. Description de Quelques Tenthredines orientales inédites. *Annales de la Société Entomologique de France* 6(1):437-443.
- Ashmead, W.H. 1898a. Classification of the horntails and sawflies, or the sub-order Phytophaga (Paper No. 3). *The Canadian Entomologist* 30:205-212.
- Ashmead, W.H. 1898b. Classification of the horntails and sawflies, or the sub-order Phytophaga (Paper No. 7-Conclusion). *The Canadian Entomologist* 30:305-316.
- Ashmead, W.H. 1898c. Classification of the horntails and sawflies, or the sub-order Phytophaga (Paper No. 5). *The Canadian Entomologist* 30(10):249-257.
- Ashmead, W.H. 1900. Order Hymenoptera. In: J.B. Smith (ed.), *Insects of New Jersey. A list of the species occurring in New Jersey, with notes on those of economic importance. Twenty seventh Annual Report of the New Jersey State Board of Agriculture, Supplement, Trenton, N. J., 1899.* pp. 510-613.
- Ballion, E.E. 1869. Ueber *Tenthredo flavicornis* und *T. luteicornis*. *Bulletin de la Société des Naturalistes de Moscou, Section biologique, Nouvelle Série* 42(1):441-445.

- Beneš, K. 1974. The Siberian species of *Pamphilius* Latr. related to *P. histrio* Latr. (Hymenoptera, Pamphiliidae). *Acta entomologica bohemoslovaca* 71(5):298-314.
- Beneš, K. 1976. The Siberian species of the genus *Pamphilius* related to *Pamphilius vafer* (L.) (Hymenoptera, Pamphiliidae). *Acta entomologica bohemoslovaca* 73(3): 159-173.
- Beneš, K. 1990. Two new East Palaearctic species of the genus *Croesus* (Hymenoptera, Tenthredinidae). *Acta entomologica bohemoslovaca* 87(5):385-392.
- Benson, R.B. 1930. Nine sawflies requiring new names. *The Entomologist* 63:107.
- Benson, R.B. 1931. Notes on the British sawflies of the genus *Athalia* (Hymenoptera, Tenthredinidae), with the description of a new species. *The Entomologist's Monthly Magazine*, Third Series 67(17):109-114.
- Benson, R.B. 1932. Sawfly Notes. - II. Parallel Variation in *Athalia lugens* Kl. and *Athalia cordata* Lep. (Hymenoptera Symphyta). *The Annals and Magazine of Natural History, including Zoology, Botany, and Geology; Tenth Series* 9:183-188.
- Benson, R.B. 1936. Two new European Sawfly Genera of the Subfamily Fenusinae (Hymenoptera, Tenthredinidae). *The Annals and Magazine of Natural History, including Zoology, Botany, and Geology; Tenth Series* 18:620-626.
- Benson, R.B. 1938. European sawflies of the genus *Xyela* Dalman (*sens. lat.*) (Hymenoptera, Symphyta). *Proceedings of the Royal Entomological Society of London. Series B: Taxonomy* 7(2):32-36.
- Benson, R.B. 1939a. Four new genera of British Sawflies (Hym., Symphyta). *The Entomologist's Monthly Magazine*, Third Series 75(25):110-113.
- Benson, R.B. 1939b. On the genera of Diprionidae (Hymenoptera Symphyta). *Bulletin of Entomological Research* 30:339-342.
- Benson, R.B. 1943. Studies in Siricidae, especially of Europe and southern Asia (Hymenoptera; Symphyta). *Bulletin of Entomological Research* 34(1):27-51.
- Benson, R.B. 1945. Sawflies represented in the mainland of Britain by two races (Hym., Symphyta). *The Entomologist's Monthly Magazine*, Fourth Series 81(6):103-105.
- Benson, R.B. 1946. The European genera of Tenthredininae (Hymenoptera, Tenthredinidae). *Proceedings of the Royal Entomological Society of London. Series B: Taxonomy* 15(3-4):33-40.
- Benson, R.B. 1948a. British sawflies of the genus *Pachynematus* Konow (Hym. Tenthredinidae). *The Entomologist's Monthly Magazine*, Fourth Series 84(9):58-64.
- Benson, R.B. 1948b. A new British genus of Nematinae related to *Pristiphora* Latreille (Hym. Tenthredinidae). *The Entomologist's Monthly Magazine*, Fourth Serie, 84(9):22.
- Benson, R.B. 1952. Hymenoptera, Symphyta. *Handbooks for the Identification of British Insects* 6(2b):51-137.
- Benson, R.B. 1953. Some changes and additions to the list of British sawflies with the descriptions of two new species (Hym., Tenthredinidae). *The Entomologist's Monthly Magazine*, Fourth Series 89(14):150-154.
- Benson, R.B. 1954a. Another new sawfly (Hym., Tenthredinidae) on Larch in Britain. *The Entomologist's Monthly Magazine*, Fourth Series 90(15):113-114.
- Benson, R.B. 1954b. Some sawflies of the European Alps and the Mediterranean region (Hymenoptera: Symphyta). *Bulletin of the British Museum (Natural History). Entomology series* 3(7):267-295.
- Benson, R.B. 1955. Classification of the Orussidae, with some new genera and species (Hymenoptera: Symphyta). *Proceedings of the Royal Entomological Society of London, Series B (Taxonomy)* 24:13-23.
- Benson, R.B. 1960. A new genus for the leaf-edge-rolling *Pontania* (Hym., Tenthredinidae). *The Entomologist's Monthly Magazine*, Fourth Series 96(21):59-60.
- Benson, R.B. 1962. A revision of the Athaliini (Hymenoptera: Symphyta). *Bulletin of the British Museum (Natural History). Entomology series* 11:333-382.
- Berland, L. 1947. Hyménoptères Tenthredoïdes. *Faune de France* 47:1-493.
- Berthold, A.A. 1827. Latreille's (Mitgliedes der königlichen Academie der Wissenschaften zu Paris, Ritters der Eherenlegion, u.s.w., u.s.w.) Natürliche Familien des Thierreichs. Aus dem Französischen mit Anmerkungen und Zusätzen. Verlag des Gr. H. S. priv. Landes-Industrie-Comptoirs, Weimar.
- Betrem, J.G. 1933. De bladwespen van Meijendel, 23e mededeeling van de commissie. *Levende Natuur* 37:376-383.
- Billberg, G.J. 1820. *Enumeratio Insectorum in Museo Gust. Joh. Billberg. Typis Gadelianis*, Stockholm.
- Bischoff, H. 1925. Hymenoptera (Aculeata, Ichneumonidae, Chalastogastra). In: E. Stechow (ed.), *Beiträge zur Natur- und Kulturgeschichte Lithauens und angrenzender Gebiete. Abhandlungen der Bayerischen Akademie der Wissenschaften, Mathematisch-Naturwissenschaftliche Abteilung*, Suppl. 5. pp. 278-337.
- Blank, S.M., E.K. Groll, A.D. Liston, M. Prous and A. Taeger. 2012. ECatSym - Electronic World Catalog of Symphyta (Insecta, Hymenoptera). Program version 4.0 beta, data version 39 (18.12.2012). Digital Entomological Information, Münschenberg [Available from: <http://sdei.senckenberg.de/ecatsym/>, accessed 30 August 2018].
- Blank, S.M., K. Kramp, D.R. Smith, Y.N. Sundukov, M. Wei and A. Shinohara. 2017. Big and beautiful: the *Megaxyela* species (Hymenoptera, Xyelidae) of East Asia and North America. *European Journal of Taxonomy* 348:1-46.
- Blank, S.M., M. Kraus and A. Taeger. 2006. *Orussus smithi* sp. n. and notes on other West Palaearctic Orussidae (Hymenoptera). In: S.M. Blank, S. Schmidt and A. Taeger (eds.), *Recent Sawfly Research: Synthesis and Prospects*. Goecke and Evers, Keltern, pp. 265-278.
- Blank, S.M., A. Shinohara and E. Altenhofert. 2013. The

- Eurasian species of *Xyela* (Hymenoptera, Xyelidae): taxonomy, host plants and distribution. Zootaxa 3629(1): 001-106.
- Blank, S.M., A. Shinohara and B.K. Byun. 2005. The East Asian *Xyela* species (Hymenoptera: Xyelidae) associated with Japanese Red Pine (*Pinus densiflora*; Pinaceae) and their distribution history. Insect Systematics and Evolution, Copenhagen 36:259-278.
- Blank, S.M., A. Taeger, A.D. Liston, D.R. Smith, A.P. Rasnitsyn, A. Shinohara, M. Heidemaa and M. Viitasari. 2009. Studies toward a World Catalog of Symphyta (Hymenoptera). Zootaxa 2254:1-96.
- Brauns, S. 1884. Eine neue Xiphydrinengattung. Wiener Entomologische Zeitung 3(7):220-223.
- Brébisson, J.B.G. 1818. Sur une nouveau genre d'insectes, de l'ordre des Hyménoptères (Pinicole). Bulletin des sciences, par la Société Philomatique (3):116-117.
- Bremi-Wolf, J.J. 1849. Beschreibung einiger Hymenopteren, die ich für noch unbeschriebene und unpublicirt halte. Entomologische Zeitung (Stettin) 10(3):92-96.
- Brischke, C.G.A. 1850. *Nematus helicinus* Dahlb. n. sp. Entomologische Zeitung (Stettin) 11(12):409-411.
- Brischke, C.G.A. 1883a. Beobachtungen über die Arten der Blatt-und Holzwespen von C. G. A. Brischke, Hauptlehrer a. D. in Langfuhr und Dr. Gustav Zaddach weiland Professor in Königsberg. Zweite Abtheilung. Schriften der Naturforschenden Gesellschaft in Danzig, N. S. 5(4):201-328.
- Brischke, C.G.A. 1883b. Beobachtungen über die Arten der Blatt-und Holzwespen von C. G. A. Brischke, Hauptlehrer a.D. in Langfuhr und Dr. Gustav Zaddach Professor in Königsberg, mitgeteilt von Brischke aus Zaddach's Manuscripten. Schriften der physikalisch-ökonomischen Gesellschaft zu Königsberg 23:127-200.
- Brischke, C.G.A. 1884. Beobachtungen über die Arten der Blatt- und Holzwespen von C. G. A. Brischke, Hauptlehrer a. D. in Langfuhr und Dr. Gustav Zaddach, Professor in Königsberg, mitgetheilt von Brischke aus Zaddach's Manuscripten. (Schluss). Schriften der physikalisch-ökonomischen Gesellschaft zu Königsberg 24:121-173.
- Brischke, C.G.A. 1888. Zweiter Nachtrag zu den Beobachtungen über die Blatt- und Holzwespen. Schriften der Naturforschenden Gesellschaft in Danzig, N. S. 7(1):6-12.
- Brullé, A. 1832. Zoologie. Deuxième Section. Des animaux articulés. Expédition scientifique de Morée. Section des sciences physiques 3(1):64-395.
- Brullé, A. 1846. Histoire naturelle des Insectes. Hyménoptères (ed., Lepeletier de Saint-Fargeau), Vol. 4., Paris.
- Cameron, P. 1875. Description of a new species of *Nematus* from Corsica. The Entomologist's Monthly Magazine 12(133):9.
- Cameron, P. 1876. Descriptions of new genera and species of Tenthredinidae and Siricidae, chiefly from the East Indies, in the Collection of the British Museum. Transactions of the Entomological Society of London for the Year 1876(3):459-471.
- Cameron, P. 1877a. Descriptions of new genera and species of East Indian Tenthredinidae. Transactions of the Entomological Society of London for the Year 1877(2):87-92.
- Cameron, P. 1877b. Descriptions of three new British sawflies. The Entomologist's Monthly Magazine 14(163): 155-157.
- Cameron, P. 1878. The fauna of Scotland, with special reference to Clydesdale and the Western District. Hymenoptera. Part I. Proceedings (and Transactions) of the Natural History Society of Glasgow 3:1-52.
- Cameron, P. 1881. Notes on Hymenoptera, with descriptions of new species. Transactions of the Entomological Society of London for the Year 1881(4):555-577.
- Cameron, P. 1882. XXIII. Descriptions of ten new species of *Nematus* from Britain. Transactions of the Entomological Society of London for the Year 1882(4):531-540.
- Cameron, P. 1887. On some Hymenoptera (chiefly undescribed) from Japan and the Pacific. Transactions of the Natural History Society of Glasgow [N.S.] 1:263-276.
- Cameron, P. 1899. Hymenoptera Orientala or Contributions to a knowledge of the Hymenoptera of the Oriental Zoological Region. Part VIII. The Hymenoptera of the Khasia Hills. First Paper. Memoirs and proceedings of the Manchester Literary and Philosophical Society 43(3):1-220.
- Cameron, P. 1902. Descriptions of new genera and species of Hymenoptera collected by Major C. G. Nurse at Deesa, Simla and Ferozepore. Part II. Journal of the Bombay Natural History Society 14(3):419-449.
- Cameron, P. 1904. Description of a New species of *Athalia* (Tenthredinidae) from India. Zeitschrift für systematische Hymenopterologie und Dipterologie 4(2):108.
- Chevrolat, H. 1985. *Tristactoides lacourtii*, n. gen. n. sp. d'Hyménoptère Megalodontidae d'Afrique du Nord. L'Entomologiste. Revue d'Amateurs 41(2):73-77.
- Cho, P.S. 1955. 29. Hymenoptera In "Entomological Observations on Korea." Korea Univ. 1:145-196.
- Cho, P.S. 1961. Illustrated fauna of Korea, Munrisa.
- Cho, P.S. 1963. Insects of Quelpaert Island (Cheju-do). Korea University 6:159-242.
- Choi, J.K. and J.W. Lee. 2018. First record of *Pristiphora apricotii* Zinovjev (Hymenoptera: Symphyta: Tenthredinidae: Nematinae), pest of *Prunus armeniaca* var. *ansu* from South Korea. Korean Journal of Applied Entomology 57(3):161-164.
- Choi, J.K., S.B. Lee, M. Wei and J.W. Lee. 2015. Study on two genera, *Yasumatsua* Togashi and *Aproceros* Malaise (Hymenoptera: Argidae: Sterictiphorinae), from South Korea with description of a new species. Entomological Research 45:323-327.
- Choi, J.K., S.B. Lee, M. Wei and J.W. Lee. 2016. Three new species of the genus *Arge* (Hymenoptera: Symphyta: Argidae) from South Korea with key to species of the subfamily Arginae. Journal of Asia-Pacific Biodiversity 9:183-193.

- Choi, J.K., M. Wei, L. Vilhelmsen and J.W. Lee. 2014. A new *Orussus* species from South Korea, and a key to the East Asian Orussidae (Hymenoptera). Zootaxa 3873(3):250-258.
- Choi, J.S. and W. Ko. 2006. Biodiversity and distribution of Mt. Baekdusan. Northeast Normal University.
- Choi, W.Y. and K.I. Suh. 2011. First Record of the Genus *Stirocorsia* (Orussidae: Hymenoptera) from Korea. Korean Journal of Systematic Zoology 27(3):268-270.
- Christ, J.L. 1791. Naturgeschichte, Classification und Nomenclatur der Insecten vom Bienen, Wespen und Ameisengeschlecht; als der fünften Klasse fünfte Ordnung des Linneischen Natursystems von den Insecten: Hymenoptera. Mit häutigen Flügeln. Hermannsche Buchhandlung, Frankfurt am Main.
- Chu, H.F. and L. Wang. 1962. A synoptical study on the Chinese sawflies of the subfamily Athaliinae (Hymenoptera, Tenthredinidae). Acta zoologica Sinica 14(4):505-514.
- Chu, T.L. 1969. The Animal Kingdom of Korean Insects (Gon Chung bun Lyu Myung Zip). GwaHakWon Pub Co, P'yongyang.
- Cobelli, R. 1892. Quattro nuove specie di Imenotteri. Verhandlungen der kaiserlich-königlichen zoologisch-botanischen Gesellschaft in Wien, Wissenschaftliche Abhandlungen 42(1):67-72.
- Conde, O. 1934. Ostbaltische Tenthredinoidea, II. Teil. Korrespondenzblatt des Naturforscher-Vereins zu Riga 61:168-198.
- Conde, O. 1935. Orysoidea et Tenthredinoidea collecta in Ussuri et Sachalin ab N. Delle. Notulae Entomologicae 14:67-87.
- Costa, A. 1852. Storia della Tentredine produttrice delle galle delle foglie del Salcio (*Salix Russelliana*). Napoli.
- Costa, A. 1858. Ricerche entomologiche sopra i Monti Parthenii Nel Principato Ulteriore. Stamperia e calcografia Vico Freddo Pignasecca, Napoli.
- Costa, A. 1859. Fauna del Regno di Napoli. Imenotteri. Parte III. - Trivellanti Sessiliventri. [Tenthredinidei]. Antonio Cons, Napoli.
- Costa, A. 1860. Fauna del Regno di Napoli. Imenotteri. Parte III. - Trivellanti Sessiliventri. [Lididei, Cefidei, Siricidei, Orissidei]. Antonio Cons, Napoli.
- Costa, A. 1882. Rapporto preliminare e sommario sulle ricerche zoologiche fatte in Sardegna durante la primavera del 1882. Rendiconto dell' Accademia delle Scienze Fisiche e Matematiche, 1. Ser. 21:189-201.
- Costa, A. 1890. Miscellanea Entomologica. Atti della Reale Accademia delle Scienze Fisiche e Matematiche di Napoli 5:1-19.
- Costa, A. 1894. Prospetto degli Imenotteri Italiani. III, Tenthredinidei e Siricidei. Atti della Reale Accademia delle Scienze Fisiche e Matematiche 3:1-290.
- Cresson, E.T. 1865. On the Hymenoptera of Cuba. Proceedings of the Entomological Society of Philadelphia 4:1-200.
- Cresson, E.T. 1880. Descriptions of new North American Hymenoptera in the collection of the American Entomological Society. Transactions of the American Entomological Society 8:1-52.
- Csiki, E. 1923. Csiki Ernö állattani kutatásai Albániában. - Explorationes zoologicae ab E. Csiki in Albania peractae. VIII. Leveldarzsak. - Tenthredinoidea. A Magyar Tudományos Akadémia Balkán-Kutatásainak tudományos eredményei 1:103-108.
- Curran, C.H. 1923. A new genus and species of Xyelidae (Tenthredinoidea, Hymenoptera) from western Canada. The Canadian Entomologist 60(1):20.
- Curtis, J.H. 1850. On the Economy of a new species of Sawfly. The Annals and Magazine of Natural History, including Zoology, Botany, and Geology; Second Series 6:393.
- Dahlbom, G. 1835a. Clavis Novi Hymenopterorum Systematis adjecta Synposi Larvarum ejusdem ordinis Scandinavicarum Eruciformium. C. F. Berling, Lundae.
- Dahlbom, G. 1835b. Conspectus Tenthredinidum, Sircidum et Oryssinorum Scandinaviae, quas Hymenopterorum familias. Kongl. Svenska Wetenskaps Academiens Handlingar 1835:1-16.
- Dalla Torre, C.G. 1894. Catalogus Hymenopterorum hucusque descriptorum systematicus et synonymicus. Vol. 1: Tenthredinidae incl. Uroceridae (Phyllophaga and Xylodyspha). Sumptibus Guilelmi Engelmann, Lipsiae.
- Dalman, J.W. 1819. Nagra nya Insect-Genera. Kongl. Vetenskaps Academiens Handlingar 1819:117-127.
- Dalman, J.W. 1823. Analecta Entomologica. Typis Lindhianis, Holmiae.
- De-Stefani Perez, T. 1885. Imenotteri nuovi o poco conosciuti della Sicilia. Il Naturalista siciliano: giornale di scienze naturali 4(8):185-189.
- Degeer, C. 1773. Mémoires pour servir à l'histoire des insectes. P. Hesselberg, Stockholm, 3.
- Dietrich, K. 1868. Beiträge zur Kenntnis der im Kanton Zürich einheimischen Insekten. Zwei-bis vierundzwanzigste Centurie. Hymenoptera. Fam. Tenthredonidae. Mitteilungen der Schweizerischen Entomologischen Gesellschaft 2(9):347-355.
- Doi, H. 1938. Tenthredinidae from Korea. Journal of Chosen Natural History Society 6(24):29-35.
- Dovnar-Zapolskij, D.P. 1926. Zametki o pilil'shhikah. [Remarks on sawflies. In Russian, new species also in German]. Izvestija Stavropol'skogo Entomologicheskogo Obscestva 2:17-19.
- Dovnar-Zapolskij, D.P. 1930. Neue oder wenig bekannte Chalastogastren. Russkoe Entomologicheskoe obozrenie 24(1-2):86-94.
- Dovnar-Zapolskij, D.P. 1931a. Cephaen Studien (Hymenoptera, Chalastogastra) (I. Beitrag). Ezhegodnik Zoolitscheskogo Muzeja Leningrad 32:37-49.
- Dovnar-Zapolskij, D.P. 1931b. Obzor fauny pilil'shhikov i rogovhrostov (Hym. Chalastogastra) Severo-Kavkazskogo kraja. (Eine Uebersicht über die Blattwespen (Cha-

- lastogastra) des nord kaukasischen Gebetes). Izvestija Severo-Kavkazkoj Krajevoj Stancii zaschitschity rastenij 6-7:33-62.
- Drapiez, P.A.J. 1819. Description de huit especes d'insectes nouveaux. Annales générales des sciences physiques (Bruxelles) 2:42-50.
- Dyar, H.G. 1895. Descriptions of the larvae of certain Tenthredinidae. The Canadian Entomologist 27(7):191-196.
- Dyar, H.G. 1898a. Description of an unusual saw-fly larva belonging to the Xyelinae. Psyche 8(265):212-214.
- Dyar, H.G. 1898b. On the larvae of certain Nematinae and Blennocampinae with descriptions of new species. Journal of the New York Entomological Society 6:121-138.
- Enderlein, G. 1913. H. Sauter's Formosa-Ausbeute. *Janus giganteus*, eine neue Cephine (Hym.). Entomologische Mitteilungen 2(7-8):215-216.
- Enderlein, G. 1919. Symphytologica I. Zur Kenntnis der Oryssiden und Tenthrediniden. Sitzungsberichte der Gesellschaft Naturforschender Freunde zu Berlin 9(3-4):111-127.
- Endre, Z.K. 1927. Über [sic!] einige neue Arten und Varietäten heimischer Hymenopteren. Verhandlungen und Mittheilungen des siebenbürgischen Vereins für Naturwissenschaften zu Hermannstadt 77:12-20.
- Enslin, E. 1910. Systematische Bearbeitung der paläarktischen Arten des Tenthrediniden-Genus *Macrophya* Dahlb. (Hym.). Deutsche Entomologische Zeitschrift, Berlin 1910(5):465-503.
- Enslin, E. 1911a. Ein Beitrag zur Tenthrediniden-Fauna Formosas. Societas entomologica 25(24):93-94.
- Enslin, E. 1911b. *Pseudoxiphydria*, ein neues Siriciden-Genus aus Deutschland. (Hym.). Deutsche Entomologische Zeitschrift 1911:177-179.
- Enslin, E. 1912a. Edward Jacobson's Java-Ausbeute, Fam. Tenthredinoidea (Hym.), nebst Bestimmungstabelle der einschlägigen Gattungen. Tijdschrift voor Entomologie 55:104-126.
- Enslin, E. 1912b. Die Tenthredinoidea Mitteleuropas. Deutsche Entomologische Zeitschrift 1912(1):1-98.
- Enslin, E. 1913. Die Tenthredinoidea Mitteleuropas II. Deutsche Entomologische Zeitschrift 1913(2):99-202.
- Enslin, E. 1914a. Die Tenthredinoidea Mitteleuropas III. Deutsche Entomologische Zeitschrift, 1914(3):203-309.
- Enslin, E. 1914b. Ueber Tenthrediniden aus Spanien. Nebst einer Bestimmungstabelle der paläarktischen Tomostethus. Archiv für Naturgeschichte 79 Abt. A 1913(9):165-171.
- Enslin, E. 1915. Die Tenthredinoidea Mitteleuropas IV. Deutsche Entomologische Zeitschrift 1915(4):311-412.
- Enslin, E. 1916a. Die europäischen *Diprion*- (*Lophyrus*)-Arten. Naturwissenschaftliche Zeitschrift für Forst-und Landwirtschaft 14(1):1-20.
- Enslin, E. 1916b. Die Tenthredinoidea Mitteleuropas V. Deutsche Entomologische Zeitschrift 1916(5):413-538.
- Enslin, E. 1917. Die Tenthredinoidea Mitteleuropas VI. Deutsche Entomologische Zeitschrift 1917(6):539-662.
- Enslin, E. 1918. Die Tenthredinoidea Mitteleuropas VII. (Schluß). Deutsche Entomologische Zeitschrift 1917(7): 663-790.
- Enslin, E. 1920. Die Blattwespengattung *Tenthredo* L. (*Tenthredella* Rohwer). Abhandlungen der Zoologisch-Botanischen Gesellschaft in Österreich 11(1):1-96.
- Enslin, E. 1927. Die Tenthrediniden (Hymenoptera) der Kamtschatka-Expedition, 1908-1909. Ezhegodnik Zoologicheskogo Muzeja Akademija Nauk SSSR 27:363-381.
- Erichson, W.F. 1851. The new species of Hymenoptera, Diptera and Neuroptera. In: E. Ménétriés, Die Insekten (außer Parasiten). In: A.T. von Middendorff, Reise in den äußersten Norden und Osten Sibiriens während der Jahre 1843 u. 1844 auf Veranstaltung der Kaiserl. Akademie der Wissenschaften zu St. Petersburg, Vol. 2(1). Imperatorskaya Akademija nauk, St. Petersburg, pp. 60-69.
- Ermolenko, V.M. 1972. Rohoxvosty ta pyl"shhyky. Vypusk 2. Tentredopodibni pyl"shhyky. Cymbicydy. Blastykotimidy. (In Ukrainian). Fauna Ukrayiny 10(2):1-203.
- Ermolenko, V.M. 1975. Rohoxvosty ta pyl"shhyky. Vypusk 3. Arhidy. Dyprionydy. Tentredynidy (selandriyiny, doleryny). (In Ukrainian). Fauna Ukrayiny 10(3):1-374.
- Ermolenko, V.M. 1981. K faune pilil'shhikov (Hymenoptera, Symphyta) severnyh Kuril'skih ostrovov. [On the Symphyta (Hymenoptera) fauna from the northern Kuril Islands.] (In Russian). In: P.A. Ler, A.N. Kupyanskaya, A.S. Lelej, V.S. Fedikova (eds.), Perepontshatokrylie dal'nego vostoka. [Hymenoptera of the Far East]. Akademija nauk SSSR, Dal'nevostochnyj nauchnyj centr, Biologo-pochvennyj institut, Vladivostok, pp. 3-10.
- Eschscholtz, J.F.G. 1822. Entomographien. 1. Lieferung. G. Reimer, Berlin.
- Eversmann, E. 1847. Fauna hymenopterologica volgo-uralensis exhibens Hymenopterorum species quas in provinciis Volgam fluvium inter et montes Uralenses sitis observavit et nunc descriptis. Bulletin de la Société Impériale des Naturalistes de Moscou 20(1):3-68.
- Fabricius, J.C. 1775. Systema Entomologiae sistens Insectorum classes, ordines, genera, species, adiectis synonymis, locis, descriptionibus, observationibus. Korte, Flensburg et Lipsiae.
- Fabricius, J.C. 1779. Reise nach Norwegen mit Bemerkungen aus der Naturhistorie und Oekonomie. C. E. Bohn, Hamburg.
- Fabricius, J.C. 1781. Species Insectorum exhibentes eorum differentias specificas, synonyma auctorum, loca natalia, metamorphosis adiectis observationibus, descriptionibus, Vol. 1. Impensis Carol. Ernest. Bohnii, Hamburgi et Kilonii.
- Fabricius, J.C. 1787. Mantissa Insectorum sistens eorum species nuper detectas adiectis characteribus genericis differentiis specificis emendationibus observationibus, Vol. 1. C. G. Proft, Hafniae.
- Fabricius, J.C. 1793. Entomologica systematica emendata et

- aucta. Secundum classes, ordines, genera, species adjectis synonymis, locis, observationibus, descriptionibus, Vol. 2. C. G. Proft, Hafniae.
- Fabricius, J.C. 1798. Supplementum Entomologiae Systematicae. Proft et Storch, Hafniae.
- Fabricius, J.C. 1804. Systema Piezatorum secundum ordines, genera, species adiectis synonymis, locis, observationibus, descriptionibus. Carolus Reichard, Brunsvigae.
- Fallén, C.F. 1807. Försok till uppställning och beskrifning å de i Sverige fundne Arter af Insect-Slägget *Tenthredo* Linn. Kongl. Vetenskaps Academiens nya Handlingar 28(3):179-209.
- Fallén, C.F. 1808a. Försok till uppställning och beskrifning å de i Sverige fundne Arter af Insect-Slägget *Tenthredo* Linn. Kongl. Vetenskaps Academiens nya Handlingar 29(1):39-64.
- Fallén, C.F. 1808b. Försok till uppställning och beskrifning å de i Sverige fundne Arter af Insect-Slägget *Tenthredo* Linn. Kongl. Vetenskaps Academiens nya Handlingar 29(2):98-124.
- Fallén, C.F. 1808c. Försok till uppställning och beskrifning å de i Sverige fundne Arter af Insect-Slägget *Tenthredo* Linn. Kongl. Vetenskaps Academiens nya Handlingar 29(3):219-227.
- Fallén, C.F. 1813. Specimen novam Hymenoptera disponendi methodum exhibens. [Resp.] Carol. Magn. Hellström, Carol. Joh. Danielson, Claud. And. Lundman. [Dissert.]. Litteris Berlingianis, Lundae.
- Fallén, C.F. 1829. Monographia Tenthredinidum Sveciae. Gothorum, Berling, Londini.
- Forbes, S.A. 1885. Fourteenth Report of the State Entomologist on the Noxious and Beneficial Insects of the State of Illinois, Third Annual Report of S. A. Forbes, for the Year 1884. Springfield, Illinois.
- Forsius, R. 1910. Eine neue Selandriaden-Gattung. Meddelanden af Societas pro Fauna et Flora Fennica 36:49-52, 218.
- Forsius, R. 1911. Zur Kenntnis einiger Blattwespen und Blattwespenlarven. Meddelanden af Societas pro Fauna et Flora Fennica 37:77-88, 222.
- Forsius, R. 1918. Über einige paläarktische Tenthredinini. Meddelanden af Societas pro Fauna et Flora Fennica 44: 141-153.
- Forsius, R. 1919. Kleinere Mitteilungen über Tenthredinoiden I. Meddelanden af Societas pro Fauna et Flora Fennica 45:165-169.
- Forsius, R. 1925a. Kleinere Mitteilungen über Tenthredinoiden IV [sic! recte V]. Notulae Entomologicae 5:107-111.
- Forsius, R. 1925b. Über einige ostasiatische Macrophya-Arten. Acta Societatis pro Fauna et Flora Fennica 4:1-16.
- Forsius, R. 1925c. J.B. Corporaal's Tenthredinoiden-Ausbeute aus Sumatra. Notulae Entomologicae 5(3):84-97.
- Forsius, R. 1927. Tenthredinoiden aus China eingesammelt von Herrn Dr. Kr. Kolthoff 1921. Arkiv för Zoologi 19(2): 1-12.
- Forsius, R. 1928a. Eine neue Cephide aus Japan (Hym.). Notulae Entomologicae 8:67-69.
- Forsius, R. 1928b. Über die von Wuorentaus in Kamtschatka gesammelten Tenthredinoiden. Notulae Entomologicae 8:43-50.
- Forsius, R. 1929. Entomologische Ergebnisse der schwedischen Kamtschatka-Expedition 1920-1922. Arkiv för Zoologi 20(4):1-4.
- Forsius, R. 1930. A new genus of the tribus Hoplocampini from Palestine. Notulae Entomologicae 10(4):103-104.
- Forsius, R. 1934. Über einige Tenthredinoides Javas. Revue Suisse de Zoologie 41(4):105-110.
- Förster, A. 1844. Einige neue Arten aus der Familie der Blattwespen. Entomologische Zeitung (Stettin) 5(8):287-290.
- Förster, A. 1850. Eine Centurie neuer Hymenopteren. Erste Dekade. Verhandlungen des naturhistorischen Vereines der preussischen Rheinlande und Westfalens (Westphalens) 7:277-288.
- Förster, A. 1854a. Neue Blattwespen. Verhandlungen des naturhistorischen Vereines der preussischen Rheinlande und Westfalens, Neue Folge 1:265-350.
- Förster, A. 1854b. Neue Blattwespen. Verhandlungen des naturhistorischen Vereines der preussischen Rheinlande und Westfalens, Neue Folge 1:421-436.
- Forster, J.R. 1771. Novae species insectorum. Centuria I. T. Davies and B. White, Londini.
- Geoffroy, E.L. 1762. Histoire abrégée des Insectes qui se trouvent aux environs de Paris; Dans laquelle ces Animaux sont rangés suivant un ordre méthodique, Vol. 2. Durand, Paris.
- Geoffroy, E.L. 1785. In: A.F. Fourcroy (ed.), de Entomologia Parisiensis, sive catalogus Insectorum quae in agro parisiensi reperiuntur. Vol. 1-2. Paris, pp. i-viii+1-231+[232]-544.
- Ghigi, A. 1905. Catalogo dei Tenthredinidi del Museo zoologico di Napoli con osservazioni critiche e sinonimiche. Annuario del Museo Zoologico della R. Università di Napoli, N. S. 1(21):1-28.
- Ghigi, A. 1915. Cefini nuovi od altrimenti interessanti del Museo Zoologico di Berlino. Redia 10:303-310.
- Gimmerthal, B.A. 1834. Einige in Livland aufgefundene und benannte Sägewespen (Tenthredinae). Bulletin de la Société Impériale des Naturalistes de Moscou 7:122-128.
- Gimmerthal, B.A. 1836. Beschreibung einiger neuen in Liefland aufgefundenen Insecten. Bulletin de la Société Impériale des Naturalistes de Moscou 9:429-449.
- Gimmerthal, B.A. 1844. Beschreibung einiger neuen Blattwespen. Entomologische Zeitung (Stettin) 5(2):36-38.
- Gimmerthal, B.A. 1847. Einiges über die Blattwespen im Allgemeinen, nebst einer Uebersicht der Gattungs-Charactere, und über die bis hiezu in Liv- und Curland beobachteten Arten, mit einigen Bemerkungen dazu. Arbeiten des Naturforschenden Vereins zu Riga 1(1):23-60.
- Gistel, J.N.F.X. 1848. Naturgeschichte des Thierreichs. Für

- höhere Schulen. Hoffmann'sche Verlags-Buchhandlung, Stuttgart.
- Gmelin, J.F. 1790. Caroli a Linné Systema Naturae. 13. ed., Vol. 1(5). Beer, Leipzig.
- Goulet, H. 1986. The genera and species of the Nearctic Dolerini (Symphyta: Tenthredinidae: Selandriinae): Classification and phylogeny. Memoirs of the Entomological Society of Canada 135:1-208.
- Gradl, H. 1881. Aus der Fauna des Egerlandes. Neue Beschreibungen von Insekten. Entomologische Nachrichten 7(20-21):294-309.
- Gravenhorst, J.L.C. 1807. Vergleichende Uebersicht des Linneischen und einiger neuern zoologischen Systeme [...] nebst dem eingeschalteten Verzeichnisse der zoologischen Sammlung des Verfassers und den Beschreibungen neuer Thierarten, die in derselben vorhanden sind. Bey Heinrich Dieterich, Göttingen.
- Gregor, F. and L. Baťa. 1941. Prodromus našeho blanokřídloho hmyzu. Prodromus Hymenopterorum patriae nos trae. Pars V. Podřád Symphyta (Chalastogastra, Tenthredinoidea.) Fam. Tenthredinidae, Subfam. Tenthredininae. Sborník Entomologického Oddělení při zoologických sbírkach Zemského Muzea v Praze 19(225):191-215.
- Guérin-Méneville, F.É. 1833. Description de l'*Urocerus* Lefebvre. Magasin de Zoologie. Journal destiné une correspondance entre les zoologistes de tous les pays, et à leur faciliter les moyens de publier les espèces nouvelles ou peu connues qu'ils possèdent. Publié par F. E. Guérin.
- Guérin-Méneville, F.É. 1834. Insectes. In: F.E. Guérin-Méneville (ed.), Iconographie du Règne animal de G. Cuvier, ou représentation d'après nature, de l'une des espèces les plus remarquables et souvent non encore figurées, de chaque genre d'animaux, avec un texte de J.J. Ballière, Paris, pp. 64-65.
- Gussakovskij, V.V. 1935. Insectes Hyménoptères, Chalastogastra 1. Fauna SSSR 2(1):1-453.
- Gussakovskij, V.V. 1945. A new genus of Cephidae (Hymenoptera) from Tadzhikistan. Doklady Akademii Nauk SSSR 48(7):530-531.
- Gussakovskij, V.V. 1947. Insectes Hyménoptères, Chalastogastra 2. Fauna SSSR 2(2):1-235.
- Hara, H. 2011. A New Slug Sawfly, *Caliroa nara* sp. nov. (Hymenoptera, Tenthredinidae), Infesting Oak Trees, with Taxonomic Notes on *C. angustata* and *C. annulipes*. Japanese Journal of systematic Entomology 17(2):369-383.
- Hara, H., S. Ibuki and T. Naito. 2015. Larva and Life History of *Beleses satonis* (Hymenoptera, Tenthredinidae) Infesting Hardy Kiwi. Japanese Journal of Systematic Entomology 21(2):287-290.
- Hara, H., S. Ibuki, T. Naito and A. Shinohara. 2018. Taxonomic Notes and New Distribution and Host Plant Records for Sawflies and Woodwasps (Hymenoptera, Symphyta) of Japan III. Bulletin of the National Science Museum, Series A, Zoology, Tokyo 44(1):11-28.
- Hara, H. and A. Shinohara. 2000. A Systematic Study on the Sawfly Genus *Cimbex* of East Asia (Hymenoptera, Cimbicidae). Japanese Journal of systematic Entomology 6(2):199-224.
- Hara, H. and A. Shinohara. 2006. The Sawfly Genus *Spinarge* (Hymenoptera, Argidae). Bulletin of the National Science Museum, Series A, Zoology, Tokyo 32(2):61-94.
- Hara, H. and A. Shinohara. 2013. A slug sawfly, *Caliroa matsumotonis* (Hymenoptera: Tenthredinidae), injurious to peach and pear trees in Japan and Korea. Applied Entomology and Zoology 48:379-386.
- Hara, H. and A. Shinohara. 2017. Taxonomic Notes and New Distribution and Host Plant Records for Sawflies and Woodwasps (Hymenoptera, Symphyta) of Japan II. Bulletin of the National Science Museum, Series A, Zoology, Tokyo 43(1):53-69.
- Hara, H. and D.R. Smith 2012. *Nesodiprion orientalis* sp. nov., *N. japonicus*, and *N. biremis*, with a key to species of *Nesodiprion* (Hymenoptera, Diprionidae). Zootaxa 3503:1-24.
- Haris, A. 2003. The world Nematinae collection of the Hungarian Natural History Museum with the description of three new species (Hymenoptera: Tenthredinidae). Folia Entomologica Hungarica 4:105-119.
- Haris, A. 2006a. Sawflies from Sakhalin and the Kuril Islands (Hymenoptera: Tenthredinidae). Natura Somogyiensis 9:187-200.
- Haris, A. 2006b. Study on the Palaearctic *Pristiphora* species (Hymenoptera: Tenthredinidae). Natura Somogyiensis 9:201-277.
- Haris, A. and S. Blank. 1996. Two new *Dolerus* species from Korea (Hymenoptera, Symphyta, Tenthredinidae). Acta Zoologica Academiae Scientiarum Hungaricae 42(1):59-63.
- Haris, A. and B. Zsolnai. 2007. New Nematinae species (Hymenoptera: Symphyta, Tenthredinidae) from Japan and Korea. Zoologische Mededelingen, Leiden 81(7):137-147.
- Harrington, W.H. 1889. New species of Canadian Tenthredinidae. The Canadian Entomologist 21(5):95-99.
- Harris, T.W. 1835. VIII. Insects. In: E. Hitchcock (ed.), Report on the geology, mineralogy, botany, and zoology of Massachusetts. Made and published by order of the government of that state: in four parts: part I. Economical geology. Part II. Topographical geology. part III. Scientific geology. part IV. Catalogues of animals and plants. With a descriptive list of the specimens of rocks and minerals collected for the government. Illustrated by numerous wood cuts and an atlas of plates. Second edition, corrected and enlarged. Press of J.S. and C. Adams, Amherst, pp. 553-602.
- Hartig, G.L. and T. Hartig. 1834. Forstliches und forstnaturwissenschaftliches Conversations-Lexikon. Ein Handbuch für Jeden, der sich für das Forstwesen und die dazugehörigen Naturwissenschaften interessirt. In der

- Nauckschen Buchhandlung, Berlin.
- Hartig, T. 1837. Die Aderflügler Deutschlands mit besonderer Berücksichtigung ihres Larvenzustandes und ihres Wirkens in Wäldern und Gärten für Entomologen, Wald- und Gartenbesitzer. Die Familien der Blattwespen und Holzwespen nebst einer allgemeinen Einleitung zur Naturgeschichte der Hymenopteren. Erster Band. Haude und Spener, Berlin.
- Hartig, T. 1840. Hymenopterologische Mittheilungen vom Forstrathe Dr. Th. Hartwig. [sic!] Entomologische Zeitung (Stettin) 1(2):19-28.
- Harukawa, C. 1919. On peach sawfly. Journal of Plant Protection 6(1):47-59.
- Healy, C. 1868. A Life-history of *Phyllotoma* *Tomentillae*. The Entomologist 4(58):140-141.
- Heer, O. 1858. Über die Insectenfauna von Radoboj. Amtlicher Bericht über die Versammlung Deutscher Naturforscher und Ärzte 32:118-121.
- Heer, O. 1867. Fossile Hymenopteren aus Oeningen und Radoboj. Neue Denkschriften der Allgemeinen Schweizerischen Gesellschaft für die gesammten Naturwissenschaften 22:1-41.
- Hellén, W. 1935. Mitteilungen über einige Tenthredinoiden Finnlands. Notulae Entomologicae 15(1-2):15-26.
- Hellén, W. 1943. Mitteilungen über einige Tenthredinoiden Finnlands II. Notulae Entomologicae 23:63-72.
- Hellén, W. 1948. Mitteilungen über einige Tenthredinoiden aus Ostfennoskandien. Notulae Entomologicae 28:40-46.
- Hellén, W. 1955. Mitteilungen über einige Tenthredinoiden aus Ostfennoskandien II. (Hym.). Notulae Entomologicae 35:107-122.
- Hellén, W. 1956. Studien über paläarktische Dolerinen (Hym., Tenth.). Notulae Entomologicae 35(4):97-107.
- Hellén, W. 1975. Die Nematinen Finnlands IV (Hymenoptera, Tenthredinidae). Gattung *Pristiphora* Latreille. Notulae Entomologicae 55:97-128.
- Heller, C. and C.V. Dalla Torre. 1883. Über die Verbreitung der Thierwelt im Tiroler Hochgebirge. Sitzungsberichte der kaiserlichen Akademie der Wissenschaften. Mathematisch-naturwissenschaftliche Classe 86(1-5):8-53.
- Heyden von, L. 1868. Ueber das seither unbekannt Männchen von *Xyloterus fuscicornis* F. (Hymenopt.). Berliner Entomologische Zeitschrift 12(1-2):227-230.
- Hong, Y.C. 1984. Fossil insects in the diatoms of Shanwang. Bulletin of the Tianjin Institute of Geology and Mineral Resources 8:1-15.
- Illiger, J.C.W. 1807. Vergleichung der Gattungen der Hauftflügler Piezata Fabr. Hymenoptera Linn. Jur. Magazin für Insektenkunde 6:189-199.
- Jakowlew, A. 1886. Quelques matériaux pour servir à la connaissance de la distributions géographique des mouches à scie (Tenthredinidae) en Russie. Trudy Russkogo Entomologiceskogo Obscestva v S. Peterburge 20:236-241.
- Jakowlew, A. 1888. Quelques nouvelles espèces des mouches à scie de l'Empire Russe. Trudy Russkogo Entomologiceskogo Obscestva v S. Peterburge 22:368-375.
- Jakowlew, A. 1891. Diagnoses Tenthredinidarum novarum ex Rossia Europaea, Sibiria, Asia Media et confinum. Trudy Russkogo Entomologiceskogo Obscestva v S. Peterburge 26:1-62.
- Jurine, L. 1807. Nouvelle Méthode de classer les Hyménoptères et les Diptères, Vol. 4(II). Genève and Paris.
- Kangas, E. 1946. Über die Gattung *Abia* Leach (Hym., Tenthredinidae) im Lichte ihrer europäischen Arten. Annales Entomologici Fennici, Helsinki 12:77-122.
- Kapuściński, S. 1963. Studien über die Familie Cimbicidae (Hymenoptera Symphyta). II. Die paläarktischen Formen von *Cimbex femorata* (L.). Annales Zoologici 21(13): 231-264.
- Kiær, H. 1898. Uebersicht der phytophagen Hymenopteren des arktischen Norwegens. Tromsö Museums Aarshefter 19:1-111.
- Kim, C.W. 1957. Hymenoptera of Querlpart Island. Report of the Biological research of Korea University 1(1):2-9.
- Kim, C.W. 1963. Hymenoptera of Korea. The Humanities and Sciences Natural Science, Korea University 10:243-374.
- Kim, C.W. 1970. Illustrated Encyclopedia of Fauna and Flora of Korea, Vol. 11, Insecta (III). Ministry of Education, R.O.K. Samhwasa.
- Kim, C.W. 1971. *Tremex apicalis* Matsumura as a Host of an Ichneumon-fly, *Megarhyssa jezoensis* Matsumura, Korean Journal of Zoology 14(2): 85-86.
- Kim, C.W. 1980. Distribution Atlas of Insects of Korea, No. 3 Hymenoptera and Diptera. Korea: Seoul: Korea Univ. Press.
- Kim, C.W., J.W. Lee, J.S. Park, B.J. Kim and J.C. Park. 1994. Hymenoptera. In: The Entomological Society of Korea and Korean Society of Applied Entomology (ed.), Check list of insects from Korea, Kon-Kuk University Press, Seoul, pp. 1-744.
- Kim, J.W. and A. Shinohara. 1997. Occurrence of *Praia ussuriensis* (Hymenoptera, Cimbicidae) in Korea. Korean Journal of Applied Entomology 36(3):203-205.
- Kim, J.W., A. Shinohara and K.S. Woo. 1997. The First Record of the Family Blasticotomidae (Hymenoptera: Symphyta) from Korea. Korean Journal of Applied Entomology 36(2):126-128.
- Kincaid, T. 1900. Papers from the Harriman Alaska Expedition. VII. Entomological results(1): the Tenthredinoidea. Proceedings of the Washington Academy of Sciences 2:341-365.
- Kirby, W.F. 1881. Description of a new genus and species of Tenthredinidae. The Entomologist's Monthly Magazine 18:107.
- Kirby, W.F. 1882. List of Hymenoptera with Descriptions and Figures of the Typical Specimens in the British Museum. 1. Tenthredinidae and Siricidae Vol. 1. By order of the Trustees, London.
- Klug, F. 1803. Monographia Siricum Germaniae atque generum illis adnumeratorum. F. Schüppel, Berlin.
- Klug, F. 1808. Die Blattwespen nach ihren Gattungen

- und Arten zusammengestellt. Der Gesellschaft Naturforschender Freunde zu Berlin Magazin für die neuesten Entdeckungen in der gesamten Naturkunde 2(2):261-283.
- Klug, F. 1814. Die Blattwespen nach ihren Gattungen und Arten zusammengestellt. Der Gesellschaft Naturforschender Freunde zu Berlin Magazin für die neuesten Entdeckungen in der gesamten Naturkunde 6(4):276-310.
- Klug, F. 1815. Die Blattwespen nach ihren Gattungen und Arten zusammengestellt. Der Gesellschaft Naturforschender Freunde zu Berlin Magazin für die neuesten Entdeckungen in der gesamten Naturkunde 7(2):120-131.
- Klug, F. 1816. Die Blattwespen nach ihren Gattungen und Arten zusammengestellt. Der Gesellschaft Naturforschender Freunde zu Berlin Magazin für die neuesten Entdeckungen in der gesamten Naturkunde 8(1):42-84.
- Klug, F. 1817a. Die Blattwespen nach ihren Gattungen und Arten zusammengestellt. Der Gesellschaft Naturforschender Freunde zu Berlin Magazin für die neuesten Entdeckungen in der gesamten Naturkunde 8(2):110-144.
- Klug, F. 1817b. Die Blattwespen nach ihren Gattungen und Arten zusammengestellt. Der Gesellschaft Naturforschender Freunde zu Berlin Magazin für die neuesten Entdeckungen in der gesamten Naturkunde 8(3):179-219.
- Klug, F. 1818. Die Blattwespen nach ihren Gattungen und Arten zusammengestellt. Der Gesellschaft Naturforschender Freunde zu Berlin Magazin für die neuesten Entdeckungen in der gesamten Naturkunde 8(4):273-307.
- Klug, F. 1820. Versuch einer Darstellung der Familien und Arten der Blattwespengattung *Cimbex* Fabr. Verhandlungen der Gesellschaft Naturforschender Freunde zu Berlin 1(2):71-98.
- Klug, F. 1824. Entomologische Monographieen [sic!]. Berlin, G. Reimer.
- Klug, F. 1834. Uebersicht der Tenthredinetae der Sammlung. Jahrbücher der Insectenkunde mit besonderer Rücksicht auf die Sammlung des Königl. Museum in Berlin herausgegeben 1:223-253.
- Koch, F. 1984. Vier neue Tenthrediniden aus der Mongolischen Volksrepublik (Hymenoptera). Deutsche Entomologische Zeitschrift, Neue Folge 31(1-3):15-22.
- Koehler, W. 1954. Two Forms of the Species *Acantholyda nemoralis* Thoms. Prace Instytutu Badawczego Leśnictwa seria A 4:69-88.
- Koehler, W. 1957. *Acantholyda nemoralis* Thoms. in the Silesian Forests. Prace Instytutu Badawczego Leśnictwa seria A 158:1-193.
- Koehler, W. 1962. Über die Ursachen des spezifischen Verlaufes der Massenaufreten von *Acantholyda nemoralis* Thoms. Verhandlungen, XI Internationaler Kongress für Entomologie, Vienna 2:255-257.
- Kokujev, N. 1927. Hymenoptera, collected by V.V. Sovinskij on the shores of the Lake Baikal in 1902. Trudy Komissii po izucheniju ozera Bajkala 2:63-76.
- Konow, F.W. 1884a. Bemerkungen über Blattwespen. Deutsche Entomologische Zeitschrift 28(2):305-354.
- Konow, F.W. 1884b. Bemerkungen über Blattwespen. Wiener Entomologische Zeitung 3:277-281.
- Konow, F.W. 1884c. Zwei neue Arten der Blattwespengattung *Thomsonia*. Wiener Entomologische Zeitung 3(10): 307-308.
- Konow, F.W. 1885a. Ueber Blattwespen. Wiener Entomologische Zeitung 4(10):295-301.
- Konow, F.W. 1885b. Ueber die Blattwespen Gattungen *Strongylogaster* Dahlb. und *Selandria* Klg. Wiener Entomologische Zeitung 4:19-26.
- Konow, F.W. 1885c. Bemerkungen über einige Blattwespengattungen. Wiener Entomologische Zeitung 4(4):117-124.
- Konow, F.W. 1886a. Bemerkungen über Blattwespen. Deutsche Entomologische Zeitschrift 30(1):73-82.
- Konow, F.W. 1886b. Die europäischen Blennocampen (soweit dieselben bisher bekannt sind). Wiener Entomologische Zeitung 5(5):183-188.
- Konow, F.W. 1886c. Die europäischen Blennocampen (soweit dieselben bisher bekannt sind). Wiener Entomologische Zeitung 5(6):211-218.
- Konow, F.W. 1886d. Die europäischen Blennocampen (soweit dieselben bisher bekannt sind). Wiener Entomologische Zeitung 5(7):243-246.
- Konow, F.W. 1887a. Neue griechische und einige andere Blattwespen. Wiener Entomologische Zeitung 6(1):19-28.
- Konow, F.W. 1887b. Description de quelques espèces nouvelles de Tenthredines et tableau analytique du genre *Abia*. Revue d'Entomologie 6:1-5.
- Konow, F.W. 1888. Die Blattwespengattung *Allantus* Jur. Deutsche Entomologische Zeitschrift 32:209-220.
- Konow, F.W. 1890a. Catalogus Tenthredinidarum Europae. (Hymenopterorum XVI familiae.). Deutsche Entomologische Zeitschrift 1890(2):241-255.
- Konow, F.W. 1890b. Tenthredinidae Europae. Deutsche Entomologische Zeitschrift 1890(2):225-240.
- Konow, F.W. 1890c. Tableaux analytique et systematique du genre *Tenthredopsis* Costa. Revue d'Entomologie 9:63-80.
- Konow, F.W. 1892. Bemerkungen und Nachträge zum Catalogus Tenthredinidarum Europae. Deutsche Entomologische Zeitschrift 1891(2):209-220.
- Konow, F.W. 1894. Neue europäische Blattwespen, nebst Bemerkungen über einige bisher verkannte Arten. Wiener Entomologische Zeitung 13:84-96.
- Konow, F.W. 1895. Neue paläarktische Blattwespen. Wiener Entomologische Zeitung 14(3):71-78.
- Konow, F.W. 1896a. Ueber Blattwespen, Tribus Cephini (Tenthredinarum Tribus). Wiener Entomologische Zeitung 15(4-5):150-179.

- Konow, F.W. 1896b. Verschiedenes aus der Hymenopteren-Gruppe der Tenthrediniden. Wiener Entomologische Zeitung 15:41-59.
- Konow, F.W. 1896c. Über wenig bekannte oder bisher zweifelhafte sowie einige neue paläarktische Tenthredinden. Entomologische Nachrichten 22(11):161-171.
- Konow, F.W. 1897a. Systematische und kritische Bearbeitung der Blattwespen-Tribus Lydini. Annalen des K. K. Naturhistorischen Hofmuseums 12(1):1-32.
- Konow, F.W. 1897b. Ueber die Tenthrediniden Gattungen *Cimbex* und *Trichiosoma*. Wiener Entomologische Zeitung 16:104-112.
- Konow, F.W. 1897c. Neue palaearktische Tenthrediniden. Wiener Entomologische Zeitung 16(6):173-187.
- Konow, F.W. 1897d. Ueber die Xylini (Tenthredinidarum tribus.). Entomologische Nachrichten 23(4):55-58.
- Konow, F.W. 1897e. Systematische und kritische Bearbeitung der Siriciden-Tribus Oryssini. Termeszterajzi Füzetek 20: 602-610.
- Konow, F.W. 1898a. Neue Tenthrediniden. Wiener Entomologische Zeitung 17(7-8):228-238.
- Konow, F.W. 1898c. Neue Chalastogastra-Gattungen und Arten. Entomologische Nachrichten 24(17-18):268-282.
- Konow, F.W. 1898d. Neue Asiatische Tenthrediniden. Entomologische Nachrichten 24(6):86-93.
- Konow, F.W. 1899a. Einige neue Chalastogastra-Gattungen und Arten. Entomologische Nachrichten 25(5):73-79.
- Konow, F.W. 1899b. Neue südamerikanische Tenthredinidae. Anales del Museo Nacional de Buenos Aires, 2. Ser., Buenos Aires 3=6:397-417.
- Konow, F.W. 1899c. Ueber einige neue Chalastogastra. Wiener Entomologische Zeitung 18(2-3):41-46.
- Konow, F.W. 1899d. Einige neue Chalastogastra-Arten und eine neue Gattung. Entomologische Nachrichten 25:148-155.
- Konow, F.W. 1899e. Neue Tenthredinidae. Entomologische Nachrichten 25(23):359-366.
- Konow, F.W. 1900. Neue Sibirische Tenthrediniden. Entomologische Nachrichten 26:119-126.
- Konow, F.W. 1901. Systematische Zusammenstellung der bisher bekannt gewordenen Chalastogastra (Hymenopterorum subordo tertius). Zeitschrift für systematische Hymenopterologie und Dipterologie 1(2):97-112 [1:17-32].
- Konow, F.W. 1902. Die Nematiden-Gattung *Pristiphora* Latr. (Hymenoptera, Tenthredinidae) soweit dieselbe bisher aus der palaearktischen Zone bekannt ist. "Ezhegodnik" Zoologicheskago Muzeja Imperatorskoy Akademii Nauk" 7:161-187.
- Konow, F.W. 1903a. Zwei neue *Pamphilus* (Hym.). Zeitschrift für systematische Hymenopterologie und Dipterologie 3(1):37-38.
- Konow, F.W. 1903b. Revision der Nematiden-Gattung *Pachynematus* Knw. (Hym.). Zeitschrift für systematische Hymenopterologie und Dipterologie 3(6):377-383.
- Konow, F.W. 1903c. Über neue oder wenig bekannte Tenthrediniden (Hym.) des Russischen Reiches und Centralasiens. "Ezhegodnik" Zoologicheskago Muzeja Imperatorskoy Akademii Nauk" 8:115-132.
- Konow, F.W. 1903d. Ein neues Tenthrediniden-Genus (Hym.). Zeitschrift für systematische Hymenopterologie und Dipterologie 3(5):315-316.
- Konow, F.W. 1904. Neue paläarktische Chalastogastra. (Hym.). (Fortsetzung). Zeitschrift für systematische Hymenopterologie und Dipterologie 4(5):260-270.
- Konow, F.W. 1905. De Tenthredinibus Miscellanea. (Hym.). Zeitschrift für systematische Hymenopterologie und Dipterologie 5(3):151-157.
- Konow, F.W. 1906a. Ueber einige Tenthrediniden der alten Welt. (Hym.). Zeitschrift für systematische Hymenopterologie und Dipterologie 6(2):122-127.
- Konow, F.W. 1906b. Einige neue paläarktische und orientalische Tenthrediniden. Zeitschrift für systematische Hymenopterologie und Dipterologie 6(4):254-256.
- Konow, F.W. 1907a. Neue Argides. (Hym.). Zeitschrift für systematische Hymenopterologie und Dipterologie 7(4): 306-309.
- Konow, F.W. 1907b. Neue Chalastogastra aus den naturhist. Museen in Hamburg und Madrid. Zeitschrift für systematische Hymenopterologie und Dipterologie 7(2): 161-174.
- Konow, F.W. 1907c. Litteratur. (Hym.). Zeitschrift für systematische Hymenopterologie und Dipterologie 7(3):325-333.
- Konow, F.W. 1908a. De Chalastogastra miscellanea. (Hym.). Zeitschrift für systematische Hymenopterologie und Dipterologie 8(2):81-93.
- Konow, F.W. 1908b. Neue Tenthrediniden aus Sikkim. (Hym.). Zeitschrift für systematische Hymenopterologie und Dipterologie 8(1):19-26.
- Kontuniemi, T. 1966. *Eitelius* gen. n., eine neue Gattung der Nematinen (Hym., Tenthredinidae). Annales Entomologici Fennici 32:44-47.
- Kontuniemi, T. 1975. Sawflies (Hym., Symphyta) living on *Ribes* species. Annales Entomologici Fennici 41:38.
- Koorneef, J. 1935. Losse Aanteekeningen over Hymenoptera. Tijdschrift voor Entomologie 78:XIV-XX.
- Kopelke, J.-P. 2001. Die Artengruppen von *Euura mucronata* und *E. laeta* in Europa (Insecta, Hymenoptera, Tenthredinidae, Nematinae). Senckenbergiana Biologica 81(1-2): 191-225.
- Kriechbaumer, J. 1869. Hymenopterologische Beiträge. Verhandlungen der kaiserlich-königlichen zoologisch-botanischen Gesellschaft in Wien, Abhandlungen 19:587-600.
- Kriechbaumer, J. 1874. Eine neue bayrische Blattwespe: *Pachyprotasis nigronotata*. Correspondenz-Blatt des Zoologisch-Mineralogischen Vereins in Regensburg 28(4):51-52.
- Kriechbaumer, J. 1885. Blattwespenstudien. Correspondenzblatt des Naturwissenschaftlichen Vereines in Regensburg 39:9-20.

- Kuznetsov-Ugamskij, N.N. 1927. Beiträge zur Blattwespenfauna des Süd-Ussuri-Gebietes. Zoologischer Anzeiger 71(9-10):224-238.
- Kuznetsov-Ugamskij, N.N. 1928. Table des Hyménoptères Tenthredinoidea recueillis par A. Shestakov dans les environs de Zhedenovo, gouvernement de Jaroslavl. Trudy Jaroslavskogo Estestvenno-Istoricheskogo Obshchestva 4(2):33-34.
- Labram, J.D. and L. Imhoff. 1836. Insekten der Schweiz, die vorzüglichsten Gattungen je durch eine Art bildlich dargestellt von J.D. Labram. Nach Anleitung und mit Text von Dr. Ludwig Imhoff, Vol. 1(1-20). Bei den Verfassern und in Comm. C.F. Spittler, Basel, each plate with one unpaginated text page.
- Lacourt, J. 1986. Un nouveau genre d'Hyménoptères Tenthredinidae: *Elinopsis*, n. gen. du Proche-Orient. Revue française d'Entomologie, (N. S.) 8(1):13-16.
- Lacourt, J. 1987. *Pristiphora denudata* Konow. avec description de deux nouvelles sous-espèces (Hymenoptera, Tenthredinidae). Nouvelle Revue d'Entomologie. Nouvelle Série 4(3):259-264.
- Lacourt, J. 1988. *Murciana sebastiani* n. gen. et n. sp. de Tenthredininae d'Espagne (Hymenoptera, Tenthredinidae). Revue française d'Entomologie, (N. S.) 10(4):309-312.
- Lacourt, J. 1997. Contribution à une révision mondiale de la sous-famille des Tenthredininae (Hymenoptera: Tenthredinidae). Annales de la Société Entomologique de France (N. S.) 32(4):363-402.
- Lacourt, J. 1998a. Le genre *Blankia*, gen. n., créé pour deux espèces placées auparavant dans le genre *Cuneala* Zirngiebl, 1956. Annales de la Société Entomologique de France (N. S.) 33(4):487.
- Lacourt, J. 1998b. Révision des tribus de la sous-famille des Nematinae dans le monde avec création de trois nouveaux genres (Hymenoptera, Tenthredinidae). Nouvelle Revue d'Entomologie. Nouvelle Série 15(1):73-86.
- Lamarck, J.B.P.A. de M. de 1801. Système des animaux sans vertèbres ou tableau général des classes, des ordres et des genres de ces animaux; présentant leurs caractères essentiels et leur distribution, d'après la considération de leurs rapports naturels et de leur organisation, et suivant l'arrangement établi dans les galeries du Muséum d'Histoire Naturelle, parmi leurs dépouilles conservées; précédé du discours d'ouverture du cours de Zoologie donné dans le Muséum National d'Histoire Naturelle l'an 8 de la République. "An IX". Auteur and Déterville, Paris.
- Latreille, P.A. 1797. Précis des caractères génériques des Insectes, disposés dans un ordre naturel par le Citoyen Latreille. An V. Prévot., Paris; Brive, Bordeaux.
- Latreille, P.A. 1803. Histoire naturelle, générale et particulière des Crustacés et des Insectes, Vol. 3. Dufart, Paris 3(1-12):1-467.
- Latreille, P.A. 1804. [Tenthredo; Urocerus] In: Nouveau Dictionnaire d'Histoire Naturelle, appliquée aux Arts, Principalement à l'Agriculture et à l'Économie rurale et domestique: Par une Société de Naturalistes et d'Agriculteurs, Vol. 22. Deterville, Paris, pp. 35-43, 518-523.
- Latreille, P.A. 1810. Considérations générales sur l'ordre naturel des animaux composant les classes des Crustacés, des Arachnides et des Insectes; avec un tableau méthodique de leurs genres, disposés en familles. F. Schoell, Paris.
- Latreille, P.A. 1818. [Pinicole, *Pinicola*. [...] *Mastigocerus* [...] Le Pinicole de Jules, *Pinicola Julii*]. In: Nouveau Dictionnaire d'Histoire Naturelle, appliquée aux Arts, A l'Agriculture et à l'Économie rurale et domestique, à la Médecine, -etc.: Par une Société de Naturalistes et d'Agriculteurs. Nouvelle Édition presqu'entièrement refondue et considérablement, Vol. 26. Deterville, Paris, pp. 451-452.
- Latreille, P.A. 1829. Les Crustacés, les Arachnides et les Insectes, distribués en familles naturelles, ouvrage formant les tomes 4 et 5 de celui de M le Baron Cuvier sur le Règne animal (deuxième édition). In: G.L.F.C.D. Cuvier (ed.), Le Règne Animal distribué d'après son organisation, pour servir de base à l'histoire naturelle des animaux et d'introduction à l'anatomie comparée. Nouvelle édition, revue et augmentée, Vol. 2. Deterville and Crochard, Paris, pp. 1-556.
- Latreille, P.A., A. Lepeletier de Saint-Fargeau, A.J.G. Serville and F.É. Guérin-Méneville. 1828. Entomologie, ou Histoire naturelle des Crustacés, des Arachnides et des Insectes. In: P.A. Latreille (ed.), Encyclopédie méthodique. Histoire naturelle, 1825-1828, Vol. 10(2). Agasse, Paris, pp. 345-833.
- Leach, W.E. 1817. The Zoological Miscellany. Being Descriptions of New or Interesting Animals Vol.3. R. and A. Taylor, Shoe-Lane, London.
- Lee, C.E. and Y.J. Kwon. 1981. On the insect fauna of Ulleung Is. and Dogdo Is. in Korea. The Report of the Korean Association for Conservation of Nature 19:139-178.
- Lee, J.S., I.K. Kim, W.I. Choi, S.J. Jang, K.S. Choi and S.C. Shin. 2010. Characteristics of the Outbreak Area of *Diprion hani* (Hymenoptera: Diprionidae) and a Report of its Torymid Parasitoid. Korean Journal of Applied Entomology 49(2):159-162.
- Lee, J.W. and S.M. Ryu. 1989. A Systematic Study of the Symphyta (Hymenoptera) in Korea I. Scanning Electron Microscopic Study of the Dolerinae (Tenthredinidae). Entomological Research Bulletin 15:1-23.
- Lee, J.W., S.M. Ryu and W.Y. Choi. 1993. A Systematic Study of the Symphyta (Hymenoptera) from Korea IV. Scanning Electron Microscopic Study of the Selandriinae (Tenthredinidae). Journal of Natural Sciences 13:267-296.
- Lee, J.W. and S.M. Ryu. 1995. A systematic study on the Tenthredinidae (Hymenoptera: Symphyta. from Korea. I. Thirteen unrecorded species of the Tenthredinidae. Entomological Research Bulletin 21:19-24.
- Lee, J.W. and S.M. Ryu. 1996a. Synonymic List and Distribution of Symphyta (Hymenoptera) in Korea. Entomo-

- logical Research Bulletin Supplement 1996:3-63.
- Lee, J.W. and S.M. Ryu. 1996b. A Systematic Study on the Tenthredinidae (Hymenoptera: Symphyta) from Korea. II. Ten new species of the Tenthredinidae. Entomological Research Bulletin 22:17-34.
- Lee, J.W. and S.M. Ryu. 1998. Systematic study of the genus *Apareophora* Sato (Hymenoptera: Tenthredinidae) from Korea, with one new species. The Korean Journal of Entomology 28(2):113-117.
- Lee, J.W. and J.C. Jung. 1999. Taxonomic Review of the Family Cimbicidae (Hymenoptera, Symphyta) from Korea. Insecta Koreana 16(2):197-223.
- Lee, J.W., J.K. Choi, E.N. Balueva, G.W. Kang, D.Y. Park, J.C. Jeong, K.B. Kim, S.H. Oh and S.B. Lee. 2015a. A Taxonomic List of the Hymenoptera Recorded from the Korean Indigenous Species Survey of the National Institute of Biological Resources (2014). Entomological Research Bulletin 31(3):200-202.
- Lee, J.W., S.B. Lee and J.K. Choi. 2015b. Insect fauna of Korea. Volume 13, Number 9. Arthropoda: Insecta: Hymenoptera: Argidae, Sawfly I. National Institute of Biological Resources, Ministry of Environment.
- Lee, J.W., J.K. Choi, E.N. Balueva, G.W. Kang, D.Y. Park, J.C. Jeong, K.B. Kim, S.H. Oh and S.B. Lee. 2016a. Erratum of "A Taxonomic List of the Hymenoptera Recorded from the Korean Indigenous Species Survey of the National Institute of Biological Resources (2014)" [Entomological Research Bulletin 31(3):200-202]. Entomological Research Bulletin 32(1):43.
- Lee, J.W., J.C. Jeong, J.K. Choi, E.N. Balueva, C.J. Kim, B. Park, G.W. Kang, G.M. Song and S.B. Lee. 2016b. A Taxonomic List of the Hymenoptera Recorded from the Korean Indigenous Species Survey of the National Institute of Biological Resources (2015). Entomological Research Bulletin 32(2):102-112.
- Lee, J.W., J.K. Choi, G.M. Song, G.H. Ko, B. Park, G.W. Kang, J.C. Jeong, E.N. Balueva, C.J. Kim and S.B. Lee. 2017. A Taxonomic List of the Hymenoptera Recorded from the Korean Indigenous Species Survey of the National Institute of Biological Resources (2016). Entomological Research Bulletin 33(2):64-88.
- Lee, J.W., J.Y. Cha and K.I. Suh. 1995a. Fauna of Hymenoptera (Insecta) from the Northern Slope Area of Mt. Pangtae. The Report of the Korean Association for Conservation of Nature 35:191-208.
- Lee, J.W., S.M. Ryu and J.K. Shin. 1995b. A Taxonomic Study on the Suborder Symphyta (Insecta: Hymenoptera) from Mt. Sobaek. Journal of Natural Sciences 15:285-308.
- Lee, J.W., S.M. Ryu, J.Y. Cha and K.I. Suh. 1995c. Fauna of Hymenoptera (Insecta) from Mt. Sobaek. The Report of the Korean Association for Conservation of Nature 33:181-208.
- Lee, J.W., S.M. Ryu and J.Y. Cha. 1996. Fauna of Hymenoptera (Insecta) from the Southern Slope Area of Mt. Pangtae. The Report of the Korean Association for Conservation of Nature 37:133-143.
- Lee, J.W., S.M. Ryu and D.K. Chung. 1998. Taxonomy of the Genus *Tremex* Jurine (Hymenoptera: Siricidae) from Korea, with Descriptions of One New Species and One Unrecorded Species. Korean Journal of Biological Sciences 2:297-302.
- Lee, J.W., S.M. Ryu, Y.T. Quan and J.C. Jung. 2000. Economic Insects of Korea 2. Hymenoptera (Symphyta: Tenthredinidae). Insecta Koreana Supplement 9.
- Lepeletier, A.L.M. 1823. Monographia Tenthredinetarum synonymia extricata. Apud Auctorem [etc.], Parisiis.
- Lepeletier, A.L.M. 1834. Description de trois nouvelles espèces du G. *Cimbex*. Annales de la Société Entomologique de France 2:454-455.
- Li, Z., M. Liu and M. Wei. 2014. Four new species of *sanguinolenta*-group of the genus *Macrophya* (Hymenoptera: Tenthredinidae) from China. Zoological Systematics 39(4):520-533.
- Lim, J.S., S.Y. Park, J.O. Lim and B.W. Lee. 2013. A Faunistic Study of Insects from Is. Ulleungdo and Its Nearby Islands in South Korea. Journal of Asia-Pacific Biodiversity 6(1):93-121.
- Lindqvist, E. 1941. Einige neue Nematinen-Arten und -Aberrationen (Hym. Tenth.). Notulae Entomologicae 21:64-70.
- Lindqvist, E. 1943. Zur Kenntnis einiger finnischen Nematinen (Hym. Tenth.). Notulae Entomologicae 22 (1942):99-108.
- Lindqvist, E. 1952. Über alte und neue *Lygaeonematus*-Arten (Hym., Tenthredinidae). Notulae Entomologicae 32:80-119.
- Lindqvist, E. 1955. Beitrag zur Kenntnis einiger nordischen Blattwespen (Hym., Tenthredinoidea). Notulae Entomologicae 35:137-144.
- Lindqvist, E. 1960. Neue Nematinen aus Finland (Hym., Tenth.). Notulae Entomologicae 40:33-38.
- Lindqvist, E. 1964. Neue Blattwespen (Hym., Tentredinidae). Notulae Entomologicae 44:121-132.
- Lindqvist, E. 1969. Blattwespen-Studien (Hymenoptera, Symphyta). Notulae Entomologicae 49:38-48.
- Lindqvist, E. 1974. Taxonomische Bemerkungen über einige Blattwespen II (Hymenoptera, Symphyta). Notulae Entomologicae 54:17-22.
- Linné, C. 1758. *Systema Naturae, per regna tria naturae secundum classes, ordines, genera, species cum characteribus, differentiis, synonymis, locis*. Editio Decima Reformata.(10th ed.) Vol. 1. Laurentius Salvius, Holmiae.
- Linné, C. 1760. *Fauna Svecica sistens animalia Sveciae regni: Mammalia, Aves, Amphibia, Pisces, Insecta, Vermes*. Distributa per classes and ordines, genera and species, cum differentiis specierum, synonymis auctorum, nominibus incolarum, locis natalium, descriptionibus insectorum. Editio altera, auctior. Laurentius Salvius, Stockholmiae.
- Linné, C. 1767. *Systema naturae per regna tria naturae,*

- secundum classes, ordines, genera, species cum characteribus, differentiis, synonymis, locis. Editio Duodecima Reformata (12ed.) Tom. I. Pars II. Laur. Salvii, Holmiae.
- Liston, A.D. 1980. A Few Interesting Sawfly Records from Southern Scotland (Hym: Symphyta). The Entomologist's Record and Journal of Variation 92:216-218.
- Liston, A.D. 1981. *Pristiphora (Lygaeophora) lanifica* (Zaddach, 1882) new to Britain (Hym., Tenthredinidae). Entomologist's Gazette 32:181-184.
- Liston, A.D. 1993. Nomenclature and taxonomy of a Nematine sawfly occurring in Britain (Hymenoptera: Tenthredinidae). British Journal of Entomology and Natural History 6:103-106.
- Liston, A.D. 1995. Compendium of European Sawflies. List of species, modern nomenclature, distribution, foodplants, identification literature. Chalastos Forestry, Gottfrieding.
- Liu, L., J.K. Choi, J.W. Lee and M. Wei. 2018. A new genus and new species of Hartiginae (Hymenoptera: Cephidae) from South Korea with key to genera of Korean Cephidae. Entomological News 127(4):336-342.
- Liu, M., B. Chu, W. Xiao and Z. Li. 2015. Two new species of *Macrophyia* Dahlbom (Hymenoptera: Tenthredinidae) with a key to species of the *Macrophyia annulitibia* group from China. Entomotaxonomia 37(1):72-80.
- Lyu, D.P., J.K. Kim, H.S. Lee, J.C. Jeong and E.J. Hong. 2014. National List of Species of Korea 「Insect」 (Hymenoptera II). National Institute of Biological Resources, Incheon.
- Maa, T. 1944. Novelties of Chinese Hymenoptera Chalastogastra. Biological Bulletin of Fukien Christian University 4:33-60.
- Maa, T. 1949a. A synopsis of Chinese sawflies of the superfamily Cephoidea (Hymenoptera). The Chinese Journal of Zoology 3:17-29.
- Maa, T. 1949b. A synopsis of Chinese sawflies of the superfamily Megalodontoidea (Hymenoptera). The Chinese Journal of Zoology 3:30-42.
- Maa, T. 1949c. A synopsis of Asiatic Siricoidea with notes on certain exotic and fossil forms. Notes d'Entomologie Chinoise 13(2):11-189.
- Maa, T. 1950. New or Little Known Chinese Sawflies and Woodwasps (Hymenoptera). Quarterly Journal of Taiwan Museum 3(1):14-21.
- MacGillivray, A.D. 1894. New species of Tenthredinidae, with tables of the species of *Strongylogaster* and *Monocetus*. The Canadian Entomologist 26(11):324-328.
- MacGillivray, A.D. 1895. New Tenthredinidae. The Canadian Entomologist 27(10):281-286.
- MacGillivray, A.D. 1908a. Emphytinae - new genera and species and synonymous notes. The Canadian Entomologist 40(10):365-369.
- MacGillivray, A.D. 1908b. Blennocampinae - descriptions of new genera and species - synonymous notes. The Canadian Entomologist 40(9):289-297.
- MacGillivray, A.D. 1909a. A synopsis of the American species of Scolioneurinae. Annals of the Entomological Society of America 2:259-271.
- MacGillivray, A.D. 1909b. A new genus and some new species of Tenthredinidae. The Canadian Entomologist 41(10):345-362.
- MacGillivray, A.D. 1909c. Two new species of saw-flies. The Canadian Entomologist 41(11):402-404.
- MacGillivray, A.D. 1912. New genera and species of Xyelidae and Lydidae. The Canadian Entomologist 44(10): 294-299.
- MacGillivray, A.D. 1914a. New genera and species of saw-flies. The Canadian Entomologist 46(10):363-367.
- MacGillivray, A.D. 1914b. New genera and species of Tenthredinidae: a family of Hymenoptera. The Canadian Entomologist 46(3):103-108.
- MacGillivray, A.D. 1914c. New genera and species of Tenthredinidae: a family of Hymenoptera. The Canadian Entomologist 46(4):137-140.
- MacGillivray, A.D. 1919. The Saw-flies (Tenthredinoidea) collected by the Canadian Arctic Expedition, 1913-18. In: A.D. MacGillivray, C.T. Brues, F.W.L. Sladen, E.P. Felt (eds.), Report of the Canadian Arctic Expedition 1913-18, Volum III: Insects, Part G: Hymenoptera and plant galls, pp. 3-19.
- MacGillivray, A.D. 1920. New saw-flies from Maine and New York (Hymenoptera). The Canadian Entomologist 52(10):233-236.
- MacGillivray, A.D. 1921a. New species of Nematinae - (Hymenoptera). Journal of the New York Entomological Society 29(1):27-35.
- MacGillivray, A.D. 1921b. New species of Emphytinae and Selandiinae - Hymenoptera. Psyche 28(2):31-35.
- MacGillivray, A.D. 1921c. New Species of Cladiinae - Hymenoptera. Entomological News and Proceedings of the Entomological Section of the Academy of Natural Sciences of Philadelphia 32(2):48-50.
- MacGillivray, A.D. 1923a. A Century of Tenthredinoidea. University of Illinois Bulletin 20(50):1-38.
- MacGillivray, A.D. 1923b. Quarter century of species of *Tenthredo* (Hymenoptera). Journal of the New York Entomological Society 31:107-116.
- MacGillivray, A.D. 1923c. Sawflies from Alberta (Tenthredinidae). The Canadian Entomologist 55(7):158-162.
- MacGillivray, A.D. 1923d. Saw-flies of the Katmai Expedition to Alaska. Journal of the New York Entomological Society 31(4):163-171.
- Magretti, P. 1882. Varietà ed anomalie osservate in alcune specie di Tenthredini. Bollettino della Società Entomologica Italiana 14:239-241.
- Magretti, P. 1886. Varietà e specie nuove di Imenotteri Terebranti Tenthredinidei. Bulletino della Società Entomologica Italiana 18:24-29.
- Magretti, P. 1890. Imenotteri di Siria raccolti dall'avv.to Augusto Medana, R. Console d Italia a tripoli si Siria, con descizione di alcune specie nuove. Annali del Museo Civico di Storia Naturale di Genova, Série 2 9(29):522-528.

- Malaise, R. 1921. Beiträge zur Kenntnis schwedischer Blattwespen. Entomologisk Tidskrift 41(1):1-20.
- Malaise, R. 1931a. Entomologische Ergebnisse der schwedischen Kamtchatka Expedition 1920-1922. (35. Tenthredinidae). Arkiv för Zoologi 23(2):1-68.
- Malaise, R. 1931b. Blattwespen aus Wladiwostok und anderen Teilen Ostasiens. Entomologisk Tidskrift 52(2):97-159.
- Malaise, R. 1931c. Neue japanische Blattwespen. Zoologischer Anzeiger 94(5-8):201-213.
- Malaise, R. 1933. A new genus and synonymous notes on Tenthredinoidea. Entomologisk Tidskrift 54(1):50-59.
- Malaise, R. 1934a. On some sawflies (Hymenoptera: Tenthredinidae) from the Indian Museum, Calcutta. Records of the Indian Museum 36:453-474.
- Malaise, R. 1934b. Schwedisch-chinesische wissenschaftliche Expedition nach den nordwestlichen Provinzen Chinas unter Leitung von Dr. Sven Hedin und Prof. Sü Ping-Chang. Insekten gesammelt vom schwedischen Arzt der Expedition Dr. David Hummel 1927-1930. 23. Hymenoptera. 1. Arkiv för Zoologi 27(2):1-40.
- Malaise, R. 1935. New Genera of Tenthredinoidea and their Genotypes (Hymen.). Entomologisk Tidskrift 56:160-178.
- Malaise, R. 1937a. Fabricius as the First Designator and Original Inventor of Genotypes. Entomological News 48:130-134.
- Malaise, R. 1937b. New Tenthredinidae mainly from the Paris Museum. Revue française d'Entomologie 4:43-53.
- Malaise, R. 1938. Two new *Tenthredo* from Japan (Hym. Tenth.). Opuscula Entomologica 91-94.
- Malaise, R. 1939. The Genus *Leptocimber* Sem., and some other Cimbicidae. Entomologisk Tidskrift 60(1-2):1-28.
- Malaise, R. 1942. New South American Saw-flies (Hym. Tenth.). Entomologisk Tidskrift 63(1-2): 89-112.
- Malaise, R. 1943. A new *Pamphilius* (Hym. Tenth.). from Ussuri. Entomologisk Tidskrift 4(1-2):126.
- Malaise, R. 1944. Entomological Results from the Swedish Expedition 1934 to Burma and British India (Hymenoptera: Tenthredinoidea). Collected by René Malaise. The Tenthredinoidea of South-Eastern Asia. Subfamily II. Selandriinae. Arkiv för Zoologi 35(3):1-58.
- Malaise, R. 1945. Tenthredinoidea of South-Eastern Asia with a general zoogeographical review. Opuscula Entomologica, Suppl. 4.
- Malaise, R. 1947. Entomological Results from the Swedish expedition 1934 to Burma and British India. Hymenoptera: Tenthredinoidea. Collected by René Malaise. The Tenthredinoidea of South Eastern Asia. Part III. The *Emphytus-Athlophorus* Group. Arkiv för Zoologi 39(3):1-39.
- Malaise, R. 1957. Some Neotropical and Oriental Tenthredinoidea (Hym.). Entomologisk Tidskrift 78(1):6-22.
- Malaise, R. 1964. New Genera and Species of the Subfamily Blennocampinae (Hym. Tenthred.). Entomologisk Tidskrift 85(1-2):20-39.
- Mallach, N. 1936. Dritter Beitrag zur Kenntnis der Blattwespenfauna Chinas. Bulletin of the Fan Memorial Institute of Biology, Zoology 6:217-222.
- Marlatt, C.L. 1896. Revision of the Nematinae of North America, a subfamily of leaf-feeding Hymenoptera of the family Tenthredinidae. Technical Series, United States Department of Agriculture, Division of Entomology 3:1-135.
- Marlatt, C.L. 1898. Japanese Hymenoptera of the family Tenthredinidae. Proceedings of the United States National Museum 21(1157):493-506.
- Matsumura, S. 1911. Erster Beitrag zur Insektenfauna Sachalins. The journal of the College of Agriculture, Tohoku Imperial University 4:1-145.
- Matsumura, S. 1912. Thousand insects of Japan. Supplement IV. Keiseisha, Tokyo.
- Matsumura, S. 1915. Complete Guide to Insect Pests of Japan, Second and last volume. Rokumeikan, Tokyo.
- Matsumura, S. 1927. Summary of the Japanese *Xiphydria*-Species. Insecta Matsumurana 1:202-206.
- Matsumura, S. 1932. Illustrated Common Insects of Japan. Vol. IV. Hymenoptera, Diptera, Rhynchota. Shunyodo.
- Matsumura, S. and T. Uchida. 1926. Die Hymenopteren-Fauna von den Riukiu-Inseln (Schluss). Insecta Matsumurana 1(2):63-77.
- Meunier, F. 1920. Quelques insectes de l'Aquitaine de Rott, Sept-Monts (Prusse rhénane). Proceedings of the Section of Sciences. Koninklijke Akademie van Wetenschappen te Amsterdam 22(9-10):891-898.
- Mocsáry, A. 1878. Data ad faunam hymenopterologicam sibiriae. Tijdschrift voor Entomologie 21:198-200.
- Mocsáry, A. 1880. Hymenoptera nova e variis orbis terrarum partibus. Természetrajzi Füzetek 4(4):267-275.
- Mocsáry, A. 1896. Species Hymenopterorum magnificaee novae in collectione Musaei Nationalis Hungarici. Természetrajzi Füzetek 19(1):1-8.
- Mocsáry, A. 1904. Ueber die Gattung *Clavellaria* Oliv. (Hym.). Zeitschrift für systematische Hymenopterologie und Dipterologie 4(6):350-352.
- Mocsáry, A. 1909. Chalastogastra nova in collectione Musei nationalis Hungarici. Annales historico-naturales Musei Nationalis Hungarici 7:1-39.
- Morice, F.D. 1914. Help-notes towards the determination of British Tenthredinidae and c. (32-continued). The Entomologist's Monthly Magazine, Second Series 25(50): 145-152.
- Motschulsky, V. 1866. Catalogue des Insectes recus du Japon. Bulletin de la Société Impériale des Naturalistes de Moscou 39(1):163-200.
- Muche, W.H. 1965a. 51. Tenthredininae. Ergebnisse der zoologischen Forschungen von Dr. Z. Kaszab in der Mongolei (Hymenoptera). Reichenbachia 7(14):117-126.
- Muche, W.H. 1965b. Mongolische Dolerini (Tenthredinidae, Dolerinae). Reichenbachia 5(20):181-189.
- Muche, W.H. 1965c. Tenthredininae meiner mongolischen Ausbeute (Hymenoptera, Symphyta). Entomologische

- Zeitschrift (Stuttgart) 75(4):33-43.
- Muche, W.H. 1971. Die entomologisch fast unbekannte Umgebung von Ordshonikidse (Kaukasus). Entomologische Nachrichten (Dresden) 15(6):53-55.
- Müller, O.F. 1776. Zoologiae Danicae prodromus, seu Animalium Daniae et Norvegiae indigenarum, characteres, nomina, et synomina imprimis popularium. Hallagerii, Havniae.
- Naito, T. 1971. A revision of the genus *Hemitaxonius* in the Old World, I (Hymenoptera, Tenthredinidae). Kontyû 39(1):19-28.
- Newman, E. 1837. Notes on Tenthredinina. The Entomological Magazine, London 4(3):258-263.
- Newman, E. 1838. Entomological notes. The Entomological Magazine, London 5(2, 4, 5):168-181, 372-402, 483-500.
- Niu, G., M. Wei and A. Taeger. 2012. Revision of the *Siobla metallica* group (Hymenoptera: Tenthredinidae). Zootaxa 3196:1-49.
- Norton, E. 1861a. Notice of the genus *Selandria*. Proceedings of the Boston Society of Natural History 8:219-224.
- Norton, E. 1861b. Catalogue of several genera of the Tenthredinidae in the United States. Proceedings of the Boston Society of Natural History 8:150-161.
- Norton, E. 1862. A description of several new Hymenoptera. Proceedings of the Entomological Society of Philadelphia 1:198-200.
- Norton, E. 1867. Catalogue of the described Tenthredinidae and Uroceridae of North America. Transactions of the American Entomological Society 1(3):225-280.
- Norton, E. 1869. Catalogue of the described Tenthredinidae and Uroceridae of North America. Transactions of the American Entomological Society 2(4):321-368.
- Norton, E. 1872. Notes on North American Tenthredinidae with descriptions of new species. Transactions of the American Entomological Society 4(1-2):77-86.
- Okamoto, H. 1912. Sawfly feeding on poplar. Hokkaido-no-kaiho 12(135):119-122.
- Okamoto, H. and S. Muramatsu. 1925. Studies on the pear stem girdler, *Janus piri* n. sp. Bulletin of the Agricultural Experiment Station, Government General of Chosen 2:9-16.
- Okutani, T. 1955. A new Larch-Sawfly from Japan (Studies on Symphyta III). Akitu: transactions of the Kyoto Entomological Society 4:98-100.
- Okutani, T. 1961. New species of *Pachyprotasis* from Japan (Hymenoptera, Tenthredinidae) (Studies on Symphyta XIII). Kontyû 29(3):172-174.
- Okutani, T. 1966. A New Genus of Stem Saw-flies with a New record of *Neohartigia gigantea* from Japan. Entomological review of Japan 18(2):60-61.
- Olivier, A.G. 1789. Insectes. Préliminaire. Introducion. Encyclopédie méthodique. Insectes 4:1-331.
- Olivier, A.G. 1791. Insectes. Encyclopédie méthodique. Insectes 5(2):369-793.
- Olivier, A.G. and P.A. Latreille. 1812. Insectes. Encyclopédie méthodique. Insectes 8(2):369-722.
- Paek, M.K., J.M. Hwang, K.S. Jung, T.W. Kim, M.C. Kim, Y.J. Lee, Y.B. Cho, S.W. Park, H.S. Lee, D.S. Ku, J.C. Jeong, K.G. Kim, D.S. Choi, E.H. Shin, J.H. Hwang, J.S. Lee, S.S. Kim and Y.S. Bae. 2010. Checklist of Korean Insects. Nature and Ecology.
- Panzer, G.W.F. 1797. Faunae Insectorum Germaniae initia oder Deutschlands Insecten. Felssecker, Nürnberg 5(49):1-24.
- Panzer, G.W.F. 1798. Faunae Insectorum Germaniae initia oder Deutschlands Insecten. Felssecker, Nürnberg 5(50-60):1-24.
- Panzer, G.W.F. 1799. Faunae Insectorum Germaniae initia oder Deutschlands Insecten. Felssecker, Nürnberg 6(61-72):1-24.
- Panzer, G.W.F. 1801a. Nachricht von einem neuen entomologischen Werke, des Hrn. Prof. Jurine in Geneve (Beschluß). Litteratur-Zeitung. Intelligenzblatt 1:161-165.
- Panzer, G.W.F. 1801b. Faunae Insectorum Germaniae initia oder Deutschlands Insecten. Felssecker, Nürnberg 7(81-83):1-24.
- Panzer, G.W.F. 1803. Faunae Insectorum Germaniae initia oder Deutschlands Insecten. Felssecker, Nürnberg 8(86-94):1-24.
- Panzer, G.W.F. 1804. D. Jacobi Christiani Schaefferi Iconum Insectorum circa Ratisbonam indigenorum. Enumeratio Systematica. [second title:] D. G.W.F. Panzeri Enumerationis Systematicae D. Jac. Christiani Schaefferi Iconum Insectorum Ratisbonensium. Dr. G.W.F. Panzers systematische Nomenklatur über Dr. Jac. Christian Schäffers Abbildungen regensburgischer Insekten. Pars Tertia. J. Jacob Palm, Erlangen.
- Panzer, G.W.F. 1806. Kritische Revision der Insektenfaune Deutschlands nach dem System bearbeitet. II. Bändchen, I.-C. Heft. [second title:] Entomologischer Versuch die Jürineschen Gattungen der Linnéschen Hymenoptern nach dem Fabriziusschen System zu prüfen: im Bezug auf die in der deutschen Insektenfaune bekannt gemachten Gattungen und Arten dieser Klasse. Felssecker, Nürnberg.
- Park, B., J.K. Choi, M. Wei and J.W. Lee. 2017. A Taxonomic Review of the Genus *Athalia* (Hymenoptera: Tenthredinidae: Athaliinae) from South Korea. Animal Systematics, Evolution and Diversity 33(2):100-111.
- Park, B. and J.W. Lee. 2018. First records of the monotypic genus *Harpiphorus* Hartig (Hymenoptera: Symphyta: Tenthredinidae: Allantinae) from the Eastern Palaearctic Region and northern Africa. Journal of Asia-Pacific Biodiversity 11:590-594, doi: 10.1016/j.japb.2018.08.007.
- Park, B., D.R. Smith and J.W. Lee. 2018. Discovery of the genus *Dinax* Konow (Hymenoptera: Symphyta: Tenthredinidae: Allantinae) in Japan and South Korea. Journal of Asia-Pacific Biodiversity 11:595-599, doi: 10.1016/j.japb.2018.09.005.
- Park, J.D., A. Shinohara, I.K. Park, S.C. Shin and B.K. Byun. 2007. Discovery of *Pachynematus itoi* Okutani

- (Hymenoptera: Tenthredinidae) infested on *Larix kaempferi* (Lamb.) Carriere from Korea. Korean Journal of Applied Entomology 46:1-4.
- Park, J.D. and I.K. Park. 2010. Ecological Study of *Pachynematus itoi* Okutani (Hymenoptera: Tenthredinidae). Korean Journal of Applied Entomology 49(1):17-22.
- Perty, J.A.M. 1833. Delectus animalium articulatorum, quae in itinere per Brasiliam annis MDCCCXVII - MDCCXX jussu et auspiciis Maximiliani Josephi I. Bavariae regis augustissimi peracto collegerunt Dr. J. B. de Spix . . . et Dr. C. F. Ph. de Martius. digessit, descripsit, pingenda curavit Dr. Maximilianus Perty, . . . Praefatus est et edidit Carol. Frideri. Philip. de Martius. Accedit Dissertatio de insectorum in America meridionali habitantium vitiae genere, moribus et distributione geographica. Monachii, impensis Editoris. 1830-1834. (3 Fasc.). Monachii, prostat apud Editorem, Lipsiae apud Frid. Fleischer in Comm. Impensis Editoris, Monachii.
- Pic, M. 1916. Hyménoptères nouveaux d'Orient et de Nord de d'Afrique. L'Échange. Revue Linnéenne 32(378):23-24.
- Pic, M. 1917. Notes hyménoptérologiques. L'Échange. Revue Linnéenne 33(381):1-3.
- Pic, M. 1918. Hyménoptères nouveaux. L'Échange. Revue Linnéenne 34(387):11-12.
- Pic, M. 1920. Notes sur les Hyménoptères Cimbicides. L'Échange. Revue Linnéenne 36(399):9.
- Pic, M. 1925. Hyménoptères nouveaux (Suite.). L'Échange. Revue Linnéenne 31(422):14-15.
- Pic, M. 1927. Hyménoptères nouveaux. II. L'Échange. Revue Linnéenne 33(427):2-3.
- Pic, M. 1940. Tenthredides (Hymen.) et Coléoptères nouveaux. L'Échange. Revue Linnéenne 56(481):9-10.
- Pic, M. 1944. Notes mélangées. L'Échange. Revue Linnéenne 60(495):1-2.
- Pic, M. 1948a. Nouveautés et Notes Hyménoptérologiques. Diversités entomologiques 3:1-11.
- Pic, M. 1948b. Tenthredoides en partie nouveaux (Hymén.). L'Échange. Revue Linnéenne 64(512):5-6.
- Piton, L. 1940. Paléontologie du gisement éocène de Menat (Puy-de-Dôme) (flore et faune). Thesis, Clermont-Ferrand.
- Poda, N. 1761. Insecta Musei Graecensis, quae in ordines, genera et species juxta Systema Naturae Caroli Linnaei digessit Nicolaus Poda, e societate Jesu etc. Typis Haereditum Widmanstadii, Graeci.
- Preyssler, J.D.E., J.L. Lindacker and J.K.E. Hoser. 1793. Beobachtungen über Gegenstände der Natur auf einer Reise durch den Böhmer Wald im Sommer 1791. Sammlung Physikalischer Aufsätze, besonders die Boehmische Naturgeschichte betreffend, von einer Gesellschaft Boehmischer Naturforscher, (Herausgegeben von J. Mayer) 3:135-378.
- Prous, M., M. Heidemaa, A. Shinohara and V. Soon. 2011. Review of the sawfly genus *Empria* (Hymenoptera, Tenthredinidae) in Japan. ZooKeys 150:347-380.
- Provancher, L. 1875. Les Urocerides de Québec. Le Naturaliste Canadien 7:368-376.
- Provancher, L. 1885. A new Tenthredinid. The Canadian Entomologist 17:50.
- Provancher, L. 1886. [Symphyta.] In: Additions et Corrections au volume II de la faune entomologique de Canada. Québec [1885-1889], pp. 17-28.
- Qi, L., G. Niu, T. Liu and M. Wei. 2015. New species and new synonyms of *Conaspidia* Konow (Hymenoptera: Tenthredinidae) with keys to species of the *Conaspidia bicuspis* group and Japanese species. Entomotaxonomia 37(3):1-13.
- Radoszkowski, O. 1889. Hyménoptères de Korée. Trudy Russkago Jentomologicheskago Obshhestva v "S.-Peterburg" 24:229-232.
- Radoszkowski, O. 1890. Hymenoptera de Koreé. Horae Societatis Entomologicae Rossicae 24:229-232.
- Rafinesque, C.S. 1815. Analyse de la nature ou tableau de l'univers et des corps organisés. Palermo.
- Rasnitsyn, A.P. 1965. Notes on the biology, systematics and phylogeny of Xyelinae (Hymenoptera, Xyelidae). Polskie Pismo Entomologiczne 35(12):483-519.
- Rasnitsyn, A.P. 1971. Evolution of the Hymenoptera of the Family Xyelidae. Trudy Paleontologiceskogo Instituta, Moskva, Leningrad 130:187-196.
- Retzius, A.J. 1783. Caroli De Geer ( . . . ) Genera et species insectorum e generosissimi auctoris scriptis extraxit, digessit, latine quoad partem reddidit, et terminologiam insectorum Linneanam addidit. Siegfried Lebrecht Crustium, Lipsiae.
- Riou, B. 1999. Descriptions de quelques insectes fossiles du Miocene supérieur de la Montagne d'Andance (Ardeche, France). EPHE Biologie et Evolution des Insectes 11-12: 123-133.
- Rohwer, S.A. 1908a. On the Tenthredinoidea of the Florissant shales. Bulletin of the American Museum of Natural History 24(25):521-530.
- Rohwer, S.A. 1908b. New western Tenthredinidae. Journal of the New York Entomological Society 16(2):103-114.
- Rohwer, S.A. 1909a. Notes on Tenthredinoidea, with descriptions of new species (Paper III). The Canadian Entomologist 41:88-92.
- Rohwer, S.A. 1909b. Notes on Tenthredinoidea, with descriptions of new species. Paper II (Species from Nebraska). The Canadian Entomologist 41(1):9-21.
- Rohwer, S.A. 1910a. Japanese sawflies in the collection of the United States National Museum. Proceedings of the United States National Museum 39(1777):99-120.
- Rohwer, S.A. 1910b. On a collection of Tenthredinoidea from Eastern Canada. Proceedings of the United States National Museum 38(1739):197-209.
- Rohwer, S.A. 1910c. Some new hymenopterous insects from the Philippine Islands. Proceedings of the United States National Museum 37(1722):657-660.
- Rohwer, S.A. 1910d. Notes on Tenthredinoidea, with descriptions of new species. Paper VIII. - New species from

- California. *The Canadian Entomologist* 42:49-52.
- Rohwer, S.A. 1911a. New sawflies in the collections of the United States National Museum. *Proceedings of the United States National Museum* 41:377-411.
- Rohwer, S.A. 1911b. Technical papers on miscellaneous forest insects. II. The genotypes of the sawflies and woodwasps, or the superfamily Tenthredinoidea. *Technical series / US Department of Agriculture, Bureau of Entomology* 20:69-109.
- Rohwer, S.A. 1912. Notes on sawflies, with descriptions of new species. *Proceedings of the United States National Museum* 43:205-251.
- Rohwer, S.A. 1913. A synopsis of the Nearctic species of sawflies of the genus *Xyela*, with descriptions of other new species of sawflies. *Proceedings of the United States National Museum* 45:265-281.
- Rohwer, S.A. 1915. Descriptions of new species of Hymenoptera. *Proceedings of the United States National Museum* 49(2105):205-249.
- Rohwer, S.A. 1916. H. Sauter's Formosa-Ausbeute. Chalastogastra (Hymenoptera). *Supplementa Entomologica* 5:81-113.
- Rohwer, S.A. 1918. New sawflies of the subfamily Dipriioninae (Hym.). *Proceedings of the Entomological Society of Washington* 20:79-90.
- Rohwer, S.A. 1925a. Three sawflies from Japan. *Journal of the Washington Academy of Sciences* 15:481-483.
- Rohwer, S.A. 1925b. Sawflies from the Maritime Province of Siberia. *Proceedings of the United States National Museum* 68(2609):1-12.
- Rohwer, S.A. and W. Middleton. 1922. North American sawflies of the subfamily Cladiinae with notes on habits and descriptions of larvae. *Proceedings of the United States National Museum* 60(2396):1-46.
- Ross, H.H. 1937. A generic classification of the Nearctic sawflies (Hymenoptera, Symphyta). *Illinois Biological Monographs* 15(2):1-173.
- Rudow, F. 1871. Die Tenthrediniden des Unterharzes, nebst einigen neuen Arten anderer Gegenden. *Entomologische Zeitung* (Stettin) 32:381-395.
- Rudow, F. 1872. Revision der *Tenthredo*-Untergattung *Allantus* im Hartig'schen Sinne. *Entomologische Zeitung* (Stettin) 33(1):83-94.
- Ryu, S.M., H.K. Kim and J.W. Lee. 1991. A Systematic Study of the Symphyta (Hymenoptera) in Korea II. A New Species of Nematinae (Tenthredinidae). *The Korean Journal of Systematic Zoology* 7(2):221-224.
- Ryu, S.M. and J.W. Lee. 1992. A systematic study of the Symphyta (Hymenoptera) in Korea III. A new species of Xyelidae (Xyleoidea). *The Korean Journal of Entomology* 22(1):1-4.
- Saarinen, A. 1945. *Pontania vesicator* Bremi ab. *borealis* n. ab., eine neue Tenthredinidenaberration (Hym.) aus Finnland. *Annales Entomologici Fennici* 11(3):194-195.
- Sasaki, C. 1902. Manual of Insect Pest of Trees, Second and middle volume (In Japanese). Tokyo.
- Sato, K. 1928. The Chalastogastra of Korea (No. 1). *Insecta Matsumurana* 2:178-190.
- Sato, K. 1930. A New Species of the Genus *Megaxyela* Ashmead from Korea (Hymenoptera; Tenthredinidae). *Journal of Chosen Natural History Society* 3(11):4-5.
- Schaposchnikov, N. 1885. *Strongylogaster caucasicus* n. sp. *Entomologische Nachrichten* 11(12):181-182.
- Schiødte, J.C. 1839. Beretning om Resultaterne af en i Sommeren 1838 foretagen entomologisk Undersøgelse af det sydlige Sjaelland, en Deel af Laaland, og Bornholm. *Naturhistorisk Tidsskrift* 2(4):309-394.
- Schlechtendal, D.H.R.von. 1878. Eine neue Deutsche Siricide *Macrocephalus* (n.g.) *ulmariae* n.sp. *Entomologische Nachrichten* 4:153-154.
- Schmiedeknecht, O. 1881. Beobachtungen über Blattwespen. *Entomologische Nachrichten* 7(13-14):213-216.
- Schrank, F.von P. 1776. *Beyträge zur Naturgeschichte*. Gebr. Veith, Augsburg.
- Schrank, F.von P. 1781. *Enumeratio Insectorum Austriæ indigenorum*. E. Klett et Franck, Augustae Vindelicorum.
- Schrank, F.von P. 1802. *Fauna Boica*. Durchgedachte Geschichte der in Baiern einheimischen und zahmen Thiere. Zweiter Band. Zweite Abtheilung. Bey Johann Wilhelm Krüll, Ingolstadt.
- Schulz, W.A. 1906. Strandgut. *Spolia Hymenopterologica* 76-269.
- Scopoli, I.A. 1763. *Entomologia Carniolica exhibens Insecta Carnioliae indigena et Distributa in Ordines, Genera, Species, Varietates. Methodo Linnaeana*. I.T. Trattner, Vindobonae.
- Semenov, A. 1891. *Abia Jakowlewi*, sp. n. *Trudy Russkogo Entomologiceskogo Obscestva v S. Peterburge* 25(1-2):172-174.
- Semenov, A. 1896a. *Revisio specierum eurasiatricarum generis Abia* (Leach). *Ezhegodnik" Zoologicheskago Muzeja Imperatorskoy Akademii Nauk"* 1:153-180.
- Semenov, A. 1896b. De Tenthredinidarum genere novo *Clavellariae* Oliv. proximo. *Ezhegodnik" Zoologicheskago Muzeja Imperatorskoy Akademii Nauk"* 1:95-104.
- Semenov, A. 1921. *Praecursoriae Siricidarum novorum diagnoses* (Hymenoptera) (In Latin, abstract in Russian). *Russkoe Entomologicheskoe obozrenie* 17:81-95.
- Semenov, A. 1935. Ad cognitionem Cimbicinorum. *Notulae Entomologicae* 15(1-2):8-11.
- Semenov, A. and V.V. Gussakovskij. 1935. Siricides nouveaux ou peu connus de la fauna paléarctique (Hymenoptera). *Annales de la Société Entomologique de France* 104:117-126.
- Semenov, A. and V.V. Gussakovskij. 1937. Note sur les représentants paléarctiques de la tribu des Abiini (Hymenoptera, Tenthredinidae). *Konowia* 16(1):1-9.
- Serville, A. 1823. Hyménoptères. In: P. Vieillot, A.G.de B. Desmarest, C. Prévost, A. Serville, S. Lepelletier (eds.), *Faune Française, ou histoire naturelle, générale et particulière, des animaux qui se trouvent en France* (...), Livr. 7 and 8, Chez Rapet, Paris, pp. 1-96.

- Shinohara, A. 1979. A study of the *sulphureipes* complex of the genus *Pamphilius* (Hymenoptera: Pamphiliidae). Transactions of the Shikoku Entomological Society 14(3-4):151-161.
- Shinohara, A. 1980. East Asian species of the genus *Neurotoma* (Hymenoptera: Pamphiliidae). Transactions of the Shikoku Entomological Society 15(1-2):87-117.
- Shinohara, A. 1981. Further Notes on the *sulphureipes* complex of the genus *Pamphilius* (Hymenoptera: Pamphiliidae). Transactions of the Shikoku Entomological Society 15(3-4):173-175.
- Shinohara, A. 1985a. Web-spinning sawflies of the *sylvaticus*-group of *Pamphilius* (Hymenoptera: Pamphiliidae). Systematic Entomology 10:323-351.
- Shinohara, A. 1985b. *Pamphilius itoi* n. sp. from Japan and the Southern Kuriles, with Notes on *Pamphilius balteatus* (FALLEN) (Hymenoptera, Pamphiliidae). Kontyu 53(3):452-460.
- Shinohara, A. 1985c. The sawfly genus *Onycholyda* (Hymenoptera, Pamphiliidae) of Japan I. Koniyu 53:346-359.
- Shinohara, A. 1986a. *Pamphilius croceus* n. sp. (Hymenoptera, Pamphiliidae) from Primorskij Kraj, the Soviet Far East. Kontyu 54(3):425-428.
- Shinohara, A. 1986b. The sawfly genus *Onycholyda* (Hymenoptera, Pamphiliidae) of Japan III. Koniyu 54:271-281.
- Shinohara, A. 1987. Systematic Studies on the Genus *Onycholyda* (Hymenoptera, Pamphiliidae) of the Far East I. Kontyu 55(4):644-653.
- Shinohara, A. 1988a. *Pamphilius stramineipes* (Hymenoptera, Pamphiliidae) and its Close Relatives. Bulletin of the National Science Museum, Series A, Zoology 14(4): 179-197.
- Shinohara, A. 1988b. The Group of *Pamphilius sylvaticus* (Hymenoptera, Pamphiliidae) - Five New Species and Additional Records from the Far East. Kontyu 56(2):307-320.
- Shinohara, A. 1990. New Faunal Records of the Three East Asian Species of the Sawfly Genus *Abia* (Hymenoptera, Cimbicidae). Memoirs of the National Science Museum 23:113-117.
- Shinohara, A. 1991a. *Pamphilius alternans* (Hymenoptera, Pamphiliidae) and its Close Relatives. Bulletin of the National Science Museum, Series A, Zoology 17(1):25-63.
- Shinohara, A. 1991b. The Sawfly Genus *Pamphilius* (Hymenoptera, Pamphiliidae) from Rishiri-to Island near the Northern End of Japan. Memoirs of the National Science Museum 24:113-116.
- Shinohara, A. 1992a. Records of *Neurotoma atrata* and *N. sibirica* (Hymenoptera, Pamphiliidae) from the Russian Far East. Japanese Journal of Entomology 60(4):826.
- Shinohara, A. 1992b. *Onycholyda nigroclypeata* (Hymenoptera, Pamphiliidae) New to the Fauna of China. Japanese Journal of Entomology 60(3):502.
- Shinohara, A. 1992c. The Sawfly Genus *Megaxyela* (Hymenoptera, Xyelidae) in East Asia. Japanese Journal of Entomology 60(4):783-796.
- Shinohara, A. 1993a. *Pamphilius sulphureipes* (Hymenoptera, Pamphiliidae) and its Close Relatives. Memoirs of the National Science Museum 26:111-123.
- Shinohara, A. 1994. *Tenthredo viridatrix nippon* n. subsp. (Hymenoptera: Tenthredinidae) from Japan and Sakhalin. Proceedings of the Japanese Society of Systematic Zoology 51:51-58.
- Shinohara, A. 1995a. Notes on Some Pamphiliid Sawflies (Hymenoptera) Deposited in the Zoological Museum, Novosibirsk. Proceedings of the Japanese Society of Systematic Zoology 54:60-64.
- Shinohara, A. 1995b. *Pamphilius histrio* (Hymenoptera, Pamphiliidae) and its Close Relatives. Bulletin of the National Science Museum, Series A, Zoology 21(1):37-70.
- Shinohara, A. 1995c. The Sawfly Genus *Pleroneura* (Hymenoptera, Xyelidae) in East Asia. Japanese Journal of Entomology 63(4):825-840.
- Shinohara, A. 1997. *Pamphilius kimi*, a New Species of Leaf-rolling Sawfly (Hymenoptera, Pamphiliidae) from Korea. Japanese Journal of Systematic Entomology 3(2):227-230.
- Shinohara, A. 1998a. *Pamphilius albopictus* (Hymenoptera, Pamphiliidae) and its Close Relatives. Bulletin of the National Science Museum, Series A, Zoology 24(4):225-252.
- Shinohara, A. 1998b. Collection Records of Two Rare Xyelid Sawflies (Hymenoptera, Symphyta) in Japan. Japanese Journal of Systematic Entomology 4(2):389-390.
- Shinohara, A. 1999. A study on Stem Boring Sawflies (Hymenoptera, Cephidae) of the Tribe Hartigiini from Japan and Korea. Japanese Journal of Systematic Entomology 5(1):61-77.
- Shinohara, A. 2000. Pine-feeding Webspinning Sawflies of the *Acantholyda posticalis* Group (Hymenoptera, Pamphiliidae). Bulletin of the National Science Museum, Series A, Zoology 26(2):57-98.
- Shinohara, A. 2002a. Systematics of the leaf-rolling or web-spinning sawfly subfamily Pamphiliinae (Hymenoptera): a preliminary overview. In: M. Viitasaari (ed.), Sawflies (Hymenoptera, Symphyta) I. A review of the suborder, the Western Palaearctic taxa of Xyeloidea and Pamphilioidea. Tremex, Helsinki, pp. 359-438.
- Shinohara, A. 2002b. Sawflies of the Subgenus *Tenthredina* (Hymenoptera, Tenthredinidae) in Northeastern Asia. Bulletin of the National Science Museum, Series A, Zoology 28(3):151-157.
- Shinohara, A. 2002c. Pamphiliid Sawflies (Hymenoptera, Symphyta) from Kamiange at the Foot of Mt. Jinbayama, Southwestern Tokyo. Memoirs of the National Science Museum 38:179-194.
- Shinohara, A. 2004. Leaf-rolling sawflies of the subfamily Pamphiliinae (Hymenoptera, Pamphiliidae) in eastern Asia: A preliminary review. National Science Museum Monographs 24:255-272.
- Shinohara, A. 2005a. Taxonomic Changes and New Distri-

- bution Records of Four Sawfly Species of the Genus *Tenthredo* (Hymenoptera, Tenthredinidae) in Japan. Bulletin of the National Science Museum, Series A, Zoology 31(4):183-189.
- Shinohara, A. 2005b. Leaf-rolling Sawflies of the *Pamphilius vafer* complex (Hymenoptera, Pamphiliidae). National Science Museum Monographs 27:1-116.
- Shinohara, A. 2005c. Taxonomic Changes and New Distribution Records of Four Sawfly Species of the Genus *Tenthredo* (Hymenoptera, Tenthredinidae) in Japan. Bulletin of the National Science Museum, Series A, Zoology 31(4):183-189.
- Shinohara, A. 2013. Pamphiliid Sawflies (Hymenoptera, Pamphiliidae) from Shikoku, Southwestern Japan. Japanese Journal of Systematic Entomology 19(1):91-100.
- Shinohara, A. 2015. Japanese Sawflies of the Genus *Macrophyia* (Hymenoptera, Tenthredinidae), Taxonomic Notes and Key to Species. Bulletin of the National Science Museum, Series A, Zoology 41(4):225-251.
- Shinohara, A. 2016. The sawfly genus *Pleroneura* (Hymenoptera, Xyelidae) of Japan: *P. itoi* n. sp. and a key to species. Zootaza 4121(4):495-500.
- Shinohara, A. and A. Taeger. 2007. Description of a New Species and Collection Data of Pamphiliid Sawflies (Insecta, Hymenoptera, Symphyta) Mainly from the Russian Far East. Bulletin of the National Science Museum, Series A, Zoology 33(1):31-40.
- Shinohara, A. and B.K. Byun. 1993. Pamphiliid sawfly genera *Neurotoma* and *Onycholyda* (Hymenoptera, Symphyta) of Korea. Insecta Koreana 10:75-91.
- Shinohara, A. and B.K. Byun. 1996. Conifer-feeding Web-spinning Sawflies of the Genus *Acantholyda* (Hymenoptera, Pamphiliidae) from Korea. Insecta Koreana 13:91-104.
- Shinohara, A. and D. Yuan. 2004. Some Leaf-rolling Sawflies (Hymenoptera, Pamphiliidae, Pamphiliinae) from China in the Collection of the Institute of Zoology, Chinese Academy of Sciences, Beijing. Japanese Journal of Systematic Entomology 10(2):179-185.
- Shinohara, A. and D.R. Smith. 1979. The Sato types of sawflies (Hymenoptera: Symphyta). Bulletin of the National Science Museum, Series A, Zoology 5(4):281-288.
- Shinohara, A. and G. Xiao. 2006. Some Leaf-rolling Sawflies (Hymenoptera: Pamphiliidae: Pamphiliinae) from China in the Collection of the Research Institute of Forest Protection, Chinese Academy of Forestry, Beijing. In: S.M. Blank, S. Schmidt, A. Taeger (eds.), Recent Sawfly Research: Synthesis and Prospects. Goecke and Evers, Keltern, pp. 285-299.
- Shinohara, A. and H. Hara. 2013. New Distribution and Host Plant Records for *Spinarge prunivora* and *S. affinis* (Hymenoptera, Argidae) from Japan. Japanese Journal of Systematic Entomology 19(1):101-106.
- Shinohara, A. and H. Yoshida. 2015. *Macrophyia togashii* n. sp. (Hymenoptera, Tenthredinidae) from Japan. Bulletin of the National Science Museum, Series A, Zoology 41(2):123-129.
- Shinohara, A. and H. Zhou. 2006. Leaf-rolling Sawflies of the *Pamphilius komonensis* Complex (Insecta, Hymenoptera, Pamphiliidae). Bulletin of the National Science Museum, Series A, Zoology 31(4):153-189.
- Shinohara, A. and H.S. Lee. 2011. Host Plants and Larvae of Two Leaf-rolling Sawfly Species of the Genus *Onycholyda* (Hymenoptera, Pamphiliidae) in Korea. Japanese Journal of Systematic Entomology 17(2):209-212.
- Shinohara, A. and J.W. Lee. 1997. Collection Records of Pamphiliid Sawflies (Hymenoptera) from Korea. Bulletin of the National Science Museum, Series A, Zoology 23(4):213-220.
- Shinohara, A. and K. Beneš. 1988. Systematic studies on the genus *Onycholyda* (Hymenoptera, Pamphiliidae) of the For East I. Kontyu 55:644-653.
- Shinohara, A. and M. Wei. 2012. Pamphiliid Sawflies (Hymenoptera, Symphyta) of Mt. Yunshan, Hunan Province, China. Memoirs of the National Science Museum 48:53-74.
- Shinohara, A. and M. Wei. 2016. Leaf-rolling sawflies (Hymenoptera, Pamphiliidae, Pamphiliinae) of Tianmushan Mountains, Zhejiang Province, China. Zootaxa 4072(3): 301-318.
- Shinohara, A. and M. Yamada. 2005a. Pamphiliid Sawflies (Hymenoptera) from Aomori Prefecture, Northern Honshu, Japan. Bulletin of the National Science Museum, Series A, Zoology 31(2):51-64.
- Shinohara, A. and M. Yamada. 2005b. Stem-boring Sawflies of the family Cephidae (Hymenoptera) from Aomori Prefecture, Northern Honshu, Japan. Biogeography 7:35-40.
- Shinohara, A. and S. Vasilenko. 2005. Some Pamphiliid Sawflies (Hymenoptera) in the Collection of the Siberian Zoological Museum, Novosibirsk. Japanese Journal of Systematic Entomology 11(1):31-37.
- Shinohara, A., H. Hara and H. Kojima. 2012. Taxonomy, Distribution and Life History of *Berberis*-feeding Sawfly, *Arge longicornis* (Hymenoptera, Argidae) from Northeastern Asia. Japanese Journal of Systematic Entomology 18(1):105-121.
- Shinohara, A., H. Hara and J.W. Kim. 2009. The Species-group of *Arge captiva* (Insecta, Hymenoptera, Argidae). Bulletin of the National Museum of Nature and Science, Series A, Zoology 35(4):249-278.
- Shinohara, A., H. Hara and M. Prous. 2015. Host plants of *Empria* sawflies (Hymenoptera, Tenthredinidae) in Japan include *Rhododendron* (Ericaceae). Zootaxa 4007(1):143-148.
- Shinohara, A., H. Hara and T. Saito. 2008. Taxonomy, Distribution and Life History of *Sanguisorba*-feeding Sawfly, *Arge suspicax* (Hymenoptera, Argidae). Japanese Journal of Systematic Entomology 14(2):265-282.
- Shinohara, A., H. Hara, H.S. Lee and D. Lyu. 2011. Taxonomy, distribution, and life history of the *Rubus*-feeding sawfly *Arge hasegawai* (Hymenoptera: Argidae). Pro-

- ceedings of the Entomological Society of Washington 113(4):508-518.
- Shinohara, A., H. Suda and H. Takahashi. 2007. Pamphiliid Sawflies (Insecta, Hymenoptera) from Yamanashi Prefecture, Central Honshu, Japan. Bulletin of the National Science Museum, Series A, Zoology 33(2):67-83.
- Shinohara, A., J.K. Choi and J.W. Lee. 2018. The webspinning sawfly genus *Neurotoma* (Hymenoptera, Pamphiliidae) of South Korea: *Neurotoma silla* sp. nov. and a key to species. Zootaxa 4444(5):593-599.
- Shinohara, A., M. Wei and G. Niu. 2013. Revision of *Siobla* (Hymenoptera, Tenthredinidae) from Japan. Zootaxa 3746(1):1-40.
- Smith, D.R. 1981. Studies of the leaf-mining sawflies of the tribe Fenusini in Asia (Hymenoptera: Tenthredinidae). Proceedings of the Entomological Society of Washington 83(4):763-771.
- Smith, D.R. 1984. The sawfly genus *Periclista* in Korea and Taiwan (Hymenoptera: Tenthredinidae). The Korean Journal of Entomology 14(1):1-8.
- Smith, D.R., S. Cho and J. Han. 2008. A new species of *Diprion* (Hymenoptera: Diprionidae) damaging *Pinus* spp. in Korea. Proceedings of the Entomological Society of Washington 110(3):796-801.
- Smith, D.R. and A. Shinohara. 2011. Review of the Asian wood-boring genus *Euxiphydria* (Hymenoptera, Symphyta, Xiphydriidae). Journal of Hymenoptera Research 23:1-22.
- Smith, D.R., P. Tripotin and A. Shinohara. 2011. Xiphydriid woodwasps (Hymenoptera: Xiphydriidae) or Korea. Proceedings of the Entomological Society of Washington 113(1):61-70.
- Smith, D.R. and M. Wei. 2015. A new Asian *Monophaenoides* Ashmead (Hymenoptera: Tenthredinidae) with high antennal crests. Proceedings of the Entomological Society of Washington 117(2):203-208.
- Smith, E.L. 1968. Biosystematics and Morphology of Symphyta. I. Stem-Galling *Euura* of the California Region, and a New Female Genitalic Nomenclature. Annals of the Entomological Society of America 61(6):1389-1407.
- Smith, F. 1874. Descriptions of new species of Tenthredinidae, Ichneumonidae, Chrysidae, Formicidae and c. of Japan. Transactions of the Entomological Society of London for the Year 1874:373-409.
- Stein, R von. 1881. Beitrag zur Kenntniss der Nematiden. Entomologische Nachrichten 7(4):60-65.
- Stein, R von. 1885. Neue Afterraupen. Wiener Entomologische Zeitung 4(10):302-306.
- Stein, R von. 1886. Tenthredinologische Studien XI. (Schluss). Entomologische Nachrichten 12(3):33-40.
- Stein, R von. 1894. Ueber neue Blattwespen. Wiener Entomologische Zeitung 13:55-58.
- Stephens, J.F. 1829. A Systematic Catalogue of British Insects: being an attempt to arrange all the hitherto discovered indigenous insects in accordance with their natural affinities. Containing also references to every English writer on entomology, etc. Vol. 1. Published for the Author, by Baldwin and Cradock, London.
- Stephens, J.F. 1835. Illustrations of British Entomology; or, a Synopsis of Indigenous Insects: containing their generic and specific distinctions with an account of their metamorphosis, times of appearance, localities, food, and economy, as far as practicable. Mandibulata 7:1-312.
- Strobl, G. 1896a. Beiträge zur geographischen Verbreitung der Tenthrediniden. XIV. Theil. Wiener Entomologische Zeitung 15(10):295-298.
- Strobl, G. 1896b. Beiträge zur geographischen Verbreitung der Tenthrediniden. XII. Theil. Wiener Entomologische Zeitung 15(8):249-253.
- Stroganova, V.K. 1973. New aberrations of the blue wood wasp *Sirex juvencus* L. (Hymenoptera Siricidae) from Western Siberia. Novye i maloizvestnye vidy fauny Sibiri 6:73-75.
- Stroganova, V.K. 1977. Variability of *Tenthredo mesomelas* L. (Hymenoptera, Symphyta). In: Taxa of the Siberian fauna. Novye i maloizvestnye vidy fauny Sibiri 11: 165-171.
- Stroganova, V.K. 1977. Variability of *Tenthredo mesomelas* L. (Hymenoptera, Symphyta). In: A.I. Cherepanov (ed.), Taxa of Siberian fauna. Novye i maloizvestnye vidy fauny Sibiri, Novosibirsk, pp. 165-171.
- Stroganova, V.K. 1978. New species of sawflies (Hymenoptera, Tenthredinoidea) from Siberia. In: A.I. Cherepanov (ed.), Taxonomy and ecology of arthropods in Siberia. Novye i maloizvestnye vidy fauny Sibiri, Novosibirsk, pp. 144-148.
- Strøm, H. 1762. Physisk og oekonomisk beskrivelse over Fogderiet Søndmør, Forste Part. Sorøe.
- Strøm, H. 1768. Beskrivelse over Norske Insecter med Anmaerkningar. II. Det Kongelige Norske Videnskabers Selskabs skrifter 4:313-371.
- Struve, K.F. 1937. Beitrag zur Kenntnis der Hymenopterenfauna der Nordseeinsel Borkum. Abhandlungen herausgegeben vom Naturwissenschaftlichen Verein zu Bremen 30:131-151.
- Sugihara, Y. 1933. Description of a new species of *Neurotoma* from Prov. Tosa (Hym. Tenthredinidae). Kontyû 7: 173-175.
- Sundukov, YuN. 2017. Suborder Symphyta - Sawflies and wood wasps. In: A.S. Lelej, M.Yu. Proshchalykin, V.M. Loktionov (eds.), Annotated catalogue of the Hymenoptera of Russia. Volume I. Symphyta and Apocrita: Aculeata. Proceedings of the Zoological Institute of the Russian Academy of Sciences, Supplement 6, pp. 20-117.
- Taeger, A. 1991. Zwei neue paläarktische Blattwesengattungen aus der Unterfamilie Tenthredininae (Insecta, Hymenoptera, Symphyta: Tenthredinidae). Entomologische Abhandlungen 54(3):71-95.
- Taeger, A. and S.M. Blank. 1996. Kommentare zur Taxonomie der Symphyta (Hymenoptera) (Vorarbeiten zu einem Katalog der Pflanzenwespen, Teil 1). Beiträge zur Entomologie 46(2):251-275.

- Taeger, A., S.M. Blank and A.D. Liston. 2010. World Catalog of Symphyta (Hymenoptera). Zootaxa 2580:1-1064.
- Taeger, A., M. Wei and A. Shinohara. 2016. Sibling species in *Tenthredo* Linné (Hymenoptera: Tenthredinidae): the status of some East Asian taxa. Euroasian Entomological Journal 15(1):156-164.
- Takagi, G. 1931. Studies with Control of the Larch-Sawfly. Bulletin of the Forestry Experiment Station of Government-General of Chosen.
- Takeuchi, K. 1919. On the genus *Siobla* and new genus *Siobloides* of Japan. The Entomological Magazine, Kyoto 4:11-20.
- Takeuchi, K. 1921. Life Histories of some Japanese Chalastogastra, with descriptions of new species (Paper I.). The Insect World 25:395-401.
- Takeuchi, K. 1923. A list of sawflies collected by Mr. T. Esaki from Saghalien with description of a new species. The Insect World 27:9-11.
- Takeuchi, K. 1927a. Some Chalastogastra from Corea. Transactions of the Natural History Society of Formosa 17(93): 378-387.
- Takeuchi, K. 1927b. Some New Sawflies From Formosa. Transactions of the Natural History Society of Formosa 27(90):201-209.
- Takeuchi, K. 1928. New sawflies from Formosa I. Transactions of the Natural History Society of Formosa 28(94): 38-45.
- Takeuchi, K. 1929a. Descriptions of New Sawflies from the Japanese Empire (I). Transactions of the Natural History Society of Formosa 29(105):495-520.
- Takeuchi, K. 1929b. Two new injurious sawflies from Corea. Transactions of the Natural History Society of Formosa 29(103):354-356.
- Takeuchi, K. 1930. A revisional list of the Japanese Pamphiliidae, with description of nine new species. The Transactions of the Kansai Entomological Society 1:3-16.
- Takeuchi, K. 1931. A list of the Japanese Crabronidae (Cimbicidae) with description of four new species. The Transactions of the Kansai Entomological Society 2:13-26.
- Takeuchi, K. 1932. A revision of the Japanese Argidae. The Transactions of the Kansai Entomological Society 3:27-42.
- Takeuchi, K. 1933a. Undescribed sawflies from Japan. The Transactions of the Kansai Entomological Society 4:17-34.
- Takeuchi, K. 1933b. Formosan sawflies collected by professor Teiso Esaki, with the descriptions of four new species. The Transactions of the Kansai Entomological Society 4:65-76.
- Takeuchi, K. 1936a. Tenthredinoidea of Saghalien (Hymenoptera). Tenthredo. Acta Entomologica 1(1):53-108.
- Takeuchi, K. 1936b. Some sawflies from Sado Island. Tenthredo. Acta Entomologica 1(2):150-164.
- Takeuchi, K. 1937. A study on the Japanese species of the genus *Macrophaya* Dahlbom (Hymenoptera Tenthredinidae). Tenthredo. Acta Entomologica 1(4):376-454.
- Takeuchi, K. 1938. A systematic study on the suborder Symphyta (Hymenoptera) of the Japanese Empire (I). Tenthredo. Acta Entomologica 2(2):173-229.
- Takeuchi, K. 1939. A systematic study on the suborder Symphyta (Hymenoptera) of the Japanese Empire (II). Tenthredo. Acta Entomologica 2(4):393-439.
- Takeuchi, K. 1940a. A systematic study on the suborder Symphyta (Hymenoptera) of the Japanese Empire (III). Tenthredo. Acta Entomologica 3(2):187-199.
- Takeuchi, K. 1940b. Chinese Sawflies and Woodwasps in the Collection of the Musee Heude in Shanghai. Notes d'Ent. Chinoise 7(2):463-486.
- Takeuchi, K. 1941. A systematic study on the suborder Symphyta (Hymenoptera) of the Japanese Empire (IV). Tenthredo. Acta Entomologica 3(3):230-274.
- Takeuchi, K. 1949. A list of the food-plants of Japanese sawflies. The Transactions of the Kansai Entomological Society, Osaka 14:47-50.
- Takeuchi, K. 1952a. A Generic Classification of the Japanese Tenthredinidae (Hymenoptera: Symphyta). Kyoto.
- Takeuchi, K. 1952b. New and unrecorded sawflies from Shikoku, Japan (II). (Hymenoptera: Symphyta). Transactions of the Shikoku Entomological Society 3(3-4):47-54.
- Takeuchi, K. 1955. Sawflies of the Kurile Islands (I). Insecta Matsumurana 19(1-2):9-22.
- Takeuchi, K. 1956. Sawflies of the Kurile Islands (II). Insecta Matsumurana 19:71-81.
- The Zoological Society of Korea. 1968. Nomina Animalium Koreanorum(2), Insecta.
- Thomson, C.G. 1863. Entomologiska bidrag. Öfversigt af Kongliga Vetenskaps-Akademiens förhandlingar 19(10): 611-639.
- Thomson, C.G. 1870. Öfversigt af Sveriges Tenthrediner. Opuscula Entomologica. Edidit C. G. Thomson 2:261-304.
- Thomson, C.G. 1871. Hymenoptera Scandinaviae (*Tenthredo* et *Sirex* Lin.). H. Olsson, Lundae 1:1-342.
- Thunberg, C.P. 1789. D. D. Museum Naturalium Academiae Upsaliensis. Cujus partem Septimam. Consensu exp. Fac. Med. Upsal. praeside Carol. Pet. Thunberg [ . . . ]. Publico examini subjicit Johannes Branzell Verb. div. min. Vermelandus. [ . . . ]. J. Edman, Upsalia.
- Tischbein. 1846. Verzeichniss der in den Fürstenthümern Lübeck und Birkenfeld von mir bisher aufgefundenen Blattwespen. Entomologische Zeitung (Stettin) 7:75-80, 113-115.
- Tischbein. 1853. Hymenopterologische Beiträge. Entomologische Zeitung (Stettin) 14:347-349.
- Togashi, I. 1958. On the species of the genus *Phymatocera* Dahlbom from Japan (Hymenoptera, Symphyta). Kontyû 26:161-162.
- Togashi, I. 1968. Japanese sawflies of the subfamily Sterictiphorinae (Hymenoptera, Symphyta). Kontyû 36(3):285-293.

- Togashi, I. 1970. New genus and species of the Sterictiphorinae (Hym., Argidae) from Japan. *Mushi* 44(7):49-53.
- Togashi, I. 1973. Tenthredinoidea of Korea collected by Prof. K. Tsuneki in 1941-43 (Hym.). *The Life Study* 17(3-4): 103-112.
- Togashi, I. 1976. Tenthredinoidea of Korea collected by Prof. K. Tsuneki in 1941-43(2) (Hymenoptera). *Transactions of the Shikoku Entomological Society* 13(1-2):65-70.
- Togashi, I. 1981. The Japanese sawflies of the genus *Profenus* (Hymenoptera, Tenthredinidae), with description of three new species. *Kontyû* 49(3):408-413.
- Togashi, I. 1984. The Sawfly Genus *Conaspidia* Konow in Japan (Hymenoptera: Tenthredinidae). *Kontyû* 52(4): 580-584.
- Togashi, I. 1988. Korean Sawflies of the Genus *Senoclidea* (Hym.: Ten.). *Kontyû* 56(1):110-114.
- Togashi, I. 1990a. Sawflies (Hymenoptera: Tenthredinoidea) of Jejudo Island, Korea. *Entomological Journal of Fukui* 7:21-23.
- Togashi, I. 1990b. Japanense and Korean sawflies of the genus *Hemicrooa* Stephens (Hymenoptera: Tenthredinidae). *Transactions of the Shikoku Entomological Society* 19(3):109-116.
- Togashi, I. 1992a. The Species of The *Arge mali*-group (Hymenoptera: Argidae) in Japan. *Proceedings of the Washington Academy of Sciences* 94(1):132-135.
- Togashi, I. 1992b. A New Species of the Genus *Monophaednus* HARTIG (Hymenoptera, Tenthredinidae) from Japan. *Japanese Journal of systematic Entomology* 60(1): 239-242.
- Togashi, I. 1997. Korean sawflies (Hymenoptera: Symphyta) collected by Mr. T. Tano and Mrs C. Nozaka in 1985 and 1986. *Bulletin of the Biogeographical Society of Japan* 52(2):29-31.
- Togashi, I. 2005. Records of some sawflies (Hymenoptera, Symphyta) from Tsushima Island, Nagasaki Prefecture, Kyushu, with a description of a new species. *Biogeography* 7:21-24.
- Togashi, I. and T. Tano. 1987. Some Korean Sawflies (Hymenoptera, Symphyta), with Description of the Female of *Nesoselandria koreana* and a New Species of *Pristiphora*. *Kontyû* 55(4):639-643.
- Torka, V. 1929. Blattwespen Oberschlesiens. *Zeitschrift für Entomologie im Auftrage des Vereins für schlesische Insektenkunde zu Breslau herausgegeben* 17:1-7.
- Tosawa, N. and Y. Sugihara. 1934. Ueber eine neue *Oryssus* Arten [sic!] aus Japan. *The Transactions of the Kansai Entomological Society* 5:1-2.
- Tournier, H. 1890. Descriptions des espèces nouvelles. *L'Entomologiste Genevois* 1(11-12):220-223.
- Turton, W. 1802. [Hymenoptera] A General System of Nature, Through the Three Grand Kingdoms of Animals, Vegetables, and Minerals; Systematically Divided Into Their Several Classes, Orders, Genera, Species, And Varieties, With Their Habitations, Manners, Economy, Structure, and Peculiarities. Translated From Gmelin's Last Edition of the Celebrated *Systema Naturae*, by Sir Charles Linné, Amended and Enlarged by the Improvements and Discoveries of Later Naturalists and Societies, with Appropriate Copper-plates, Vol. 3. Lackington, London.
- Uchida, T. 1927. Beitrag zur Kenntnis der Japanischen *Cimbex* und *Agenocimbex*-Arten (Hym.). *Insecta Matsumurana* 11(3):155-162.
- Uchiyama, S. 1906. Sawfly of apple tree. *Hokkaido Noji-Shikenjo Hokoku* 2:53-55.
- Viereck, H.L. 1910. Phytophaga. In: J.B. Smith (ed.), *Annual Report of the New Jersey State Museum Including a Report of the Insects of New Jersey, 1909*. Trenton, pp. 580-595.
- Vilhelmsen, L. 2003. Phylogeny and classification of the Orussidae (Insecta: Hymenoptera), a basal parasitic wasp taxon. *Zoological Journal of the Linnean Society* 139:337-418.
- Villers, C.J de. 1789. *Caroli Linnaei entomologia, faunae suecicae descriptionibus aucta; D. D. Scopoli, Geoffroy, De Geer, Fabricii, Schrank etc. speciebus vel in Systemate non enumeratis, vel nuperrime detectis, vel speciebus Galliae australis locupletata, generum specierumque rariorum iconibus ornata; Curante et augente Carolo de Villers; Vol. 3. Piestre et Delamolliere, Lugduni.*
- Vollenhoven, S.S.C van. 1858a. De inlandsche bladwespen in hare gedaanteverwisselingen en levenswijze beschreven. *Tijdschrift voor Entomologie* 1:171-194.
- Vollenhoven, S.S.C van. 1858b. Naamlijst van nederlandse vliesvleugelige Insekten, Beschrijving der nieuwe soorten. Bouwstoffen voor eene Fauna van Nederland, onder medewerking van onderschiedene geleerden en beoffenaars der dierkunde 2:276-283.
- Vollenhoven, S.S.C van. 1860. Beschrijving van eenige nieuwe soorten van Bladwespen. *Tijdschrift voor Entomologie* 3:128-130.
- Vollenhoven, S.S.C van. 1867. Drie nieuwe soorten van inlandsche Hymenoptera. *Tijdschrift voor Entomologie*, 10 ser. 2(2):222-226.
- Vollenhoven, S.S.C van. 1869. Nieuwe Naamlijst van Nederlandse vliesvleugelige Insecten (Hymenoptera). *Tijdschrift voor Entomologie*, 12 ser. 2(4):89-127.
- Vollenhoven, S.S.C van. 1870. De inlandsche bladwespen in hare gedaantewisseling en levenswijze beschreven. *Tijdschrift voor Entomologie* 13:55-74.
- Vollenhoven, S.S.C van. 1871. De inlandsche bladwespen in hare gedaantewisseling en levenswijze beschreven. *Tijdschrift voor Entomologie* 14:237-254.
- Vollenhoven, S.S.C van. 1873. De inlandsche bladwespen in hare gedaantewisseling en levenswijze beschreven. *Tijdschrift voor Entomologie* 16:1-15.
- Wachtl, F.A. 1898. *Cephaleia lariciphila* n. sp. Ein neuer Feind der Lärche (*Larix europaea* DC.). *Wiener Entomologische Zeitung* 17:93-95.
- Wankowicz, J de. 1880. [Advertisements to no. 6 of: Ed. André: Species des Hyménoptères d'Europe and d'Algérie.]

- Beaune (Côte-d'Or).
- Wei, M. 1997. Taxonomical studies on Argidae (Hymenoptera) of China - A new genus and five new species of Sterictiphorinae. *Entomologia Sinica* 4(4):295-305.
- Wei, M. 1998a. Taxonomic studies on Argidae of China I. A new genus and two new species of Athermantinae (Hymenoptera). *Entomotaxonomia* 20(3):219-222.
- Wei, M. 1998b. Revision of Mesoneurini from China (Hymenoptera: Tenthredinidae). *Acta Zootaxonomica Sinica* 23(4):406-413.
- Wei, M. 2008. A new species of the genus *Arge* Schrank (Hymenoptera, Argidae) from China. *Acta Zootaxonomica Sinica* 33(3):520-522.
- Wei, M., J.K. Choi and J.W. Lee. 2015. First record of *Stigmatisjanus* Wei (Hymenoptera: Cephidae) from South Korea with description of a new species. *Zoological Systematics* 40(1):103-106.
- Wei, M., S.B. Lee, J.K. Choi and J.W. Lee. 2017. Taxonomy of *Sterictiphora* Billberg (Hymenoptera: Argidae: Sterictiphorinae) in South Korea with descriptions of two new Species. *Entomological Research* 47:63-73.
- Wei, M. and H. Nie. 1997. Studies on Genus *Birka* Malaise of China (Hymenoptera: Selandriidae). *Journal of Central South Forestry University* 17:49-59.
- Wei, M. and H. Nie. 1998. Hymenoptera: Pamphiliidae, Cimbicidae, Argidae, Diprionidae, Tenthredinidae, Cephidae. In: H. Wu (ed.), *Insects of Longwangshan Nature Reserve*. China Forestry Publishing House, Beijing, pp. 344-391.
- Wei, M. and H. Nie. 1999. A New Genus and Three New Species of Allantinae (Hymenoptera: Tenthredinidae) from China. *Journal of Central South Forestry University* 19(3): 15-18.
- Wei, M. and H. Nie. 2003. Argidae. In: B. Huang (ed.), *Fauna of Insects in Fujian Province of China*. Vol. 7 (Hymenoptera), pp. 165-183, 193-212.
- Wei, M. and H. Nie. 2007. Two new genera of Cephidae (Hymenoptera) from Eastern China. *Acta Zootaxonomica Sinica* 32(1):109-113.
- Wen, J. and M. Wei. 2002. Three new species of Argidae from Henan province (Hymenoptera: Tenthredinomorpha). In: X. Shen and Y. Zhao (eds.), *Insects of the mountains Taihang and Tongbai regions. The Fauna and Taxonomy of Insects in Henan* Vol. 5 [2003]. China Agricultural Science and Technology Press, Beijing, pp. 57-62.
- Westwood, J.O. 1839. *Synopsis of the Genera of British Insects*. In: J.O. Westwood (ed.), 1838-1840, *An Introduction to the modern Classification of Insects, founded on the natural habits and corresponding organisation of the different families*. London, Longman, Orme, Brown, Green, and Longmans, pp. 49-80.
- Westwood, J.O. 1874. *Thesaurus entomologicus Oxoniensis; or, illustrations of new, rare, and interesting insects, for the most part contained in the collection presented to the University of Oxford by the Rev. F. W. Hope, M.A. D.C.L. F.R.S. and c. with forty plates from drawings by the author*. Clarendon Pr. Oxford.
- Wong, H.R. 1969. Reassignment of the *ambigua* group of *Pristiphora* to a new genus, *Sharliphora* (Hymenoptera: Tenthredinidae). *The Canadian Entomologist* 101(3):332-335.
- Wong, H.R. 1975. The *abietina* group of *Pristiphora* (Hymenoptera: Tenthredinidae). *The Canadian Entomologist* 107(4):451-463.
- Xiao, G., X. Huang, S. Zhou, J. Wu and P. Zhang. 1992. *Economic Sawfly Fauna of China*. Tianze Eldonejo, Beijing.
- Xiao, G. and J. Wu. 1983. The Siricid Woodwasps of China (Hymenoptera, Symphyta). *Scientia silvae sinicae. Memorial of Forest Entomology*, Beijing 19:1-29.
- Yano, S. 1917. A catalogue of recorded Japanese Siricidae, with description of a new species. In: K. Nagano (ed.), *A collection of essays for Mr. Yashushi Nava: written in commemoration of his sixtieth birthday, October 8, 1917*, pp. 115-121.
- Zaddach, G. 1859. Beschreibung neuer oder wenig bekannter Blattwespen aus dem Gebiet der preussischen Fauna. In: *Zur öffentlichen Prüfung der Schüler des Königlichen Friedrichs-Collegiums am Montag den 3. und am Dienstag den 4. October 1859*, Schultzsche Hofbuchdruckerei, Königsberg in Pr., pp. 3-40.
- Zaddach, G. 1863. Beobachtungen über die Arten der Blatt- und Holzwespen von C. G. A. Brischke erstem Lehrer am Spend- und Waisenhause zu Danzig und Dr. Gustav Zaddach, Professor in Königsberg, mitgetheilt von Zaddach. *Schriften der physikalisch-ökonomischen Gesellschaft zu Königsberg* 3:204-278.
- Zaddach, G. 1864. Beobachtungen über die Arten der Blatt- und Holzwespen von C. G. A. Brischke erstem Lehrer am Spend- und Waisenhause zu Danzig und Dr. Gustav Zaddach, Professor in Königsberg, mitgetheilt von Zaddach. [Zweite Abhandlung] *Hylotomidae*. *Schriften der physikalisch-ökonomischen Gesellschaft zu Königsberg* 4:83-124.
- Zaddach, G. 1866. Beobachtungen über die Arten der Blatt- und Holzwespen von C. G. A. Brischke Hauptlehrer an der altstädtischen evangelischen Knabenschule in Danzig und Dr. Gustav Zaddach, Professor in Königsberg, mitgetheilt von Zaddach. [Dritte Abhandlung] *Lydidae*. *Schriften der physikalisch-ökonomischen Gesellschaft zu Königsberg* 6:104-203.
- Zaddach, G. 1876. Beobachtungen über die Arten der Blatt- und Holzwespen von C. G. A. Brischke Hauptlehrer in Danzig und Dr. Gustav Zaddach, Professor in Königsberg, mitgetheilt von Zaddach. *Schriften der physikalisch-ökonomischen Gesellschaft zu Königsberg* 16:23-89.
- Zetterstedt, J.W. 1838. *Ordo IV. Hymenoptera*. In: J.W. Zetterstedt (ed.), *Insecta Lapponica descripta. Sectio Secunda*. L. Voss, Lipsiae, pp. 326-358.
- Zhelochovtsev, A.N. 1928. Über paläarktische Dolerinae. *Zoologischer Anzeiger* 79(3-4):105-112.
- Zhelochovtsev, A.N. 1935. Neue oder wenig bekannte Tenthredinoidea aus Ost-Sibirien. *Sbornik trudov Gosu-*

- darstvennogo zoologicheskogo muzeja MGU 1:150-154.
- Zhelochovtsev, A.N. 1951. Review of the Palaearctic sawflies of the subfamily Selandriinae (Hym., Tenth.). Sbornik trudov zoologicheskogo muzeja MGU 7:123-153.
- Zhelochovtsev, A.N. 1968. New species of Symphyta (Hymenoptera) of the fauna of the USSR. Sbornik trudov zoologicheskogo muzeja MGU 11:47-56.
- Zhelochovtsev, A.N. 1976. The fauna of sawflies and woodwasps (Hymenoptera Symphyta) of the southern Magadan area. Sbornik trudov zoologicheskogo muzeja MGU 15:74-96.
- Zhelochovtsev, A.N. and A.G. Zinovjev. 1988. 27. Order Hymenoptera - Wasps Suborder Symphyta (Chalcostogastra) - Sawflies and woodwasps. In: A.N. Zhelohovcev, V.I. Tobias and M.A. Kozlov (eds.), Key to the insects of the European part of the USSR. Vol. III. Hymenoptera. Sixth part (Keys to the fauna of the USSR, edited by the Zoological Institute of the Academy of Sciences of the USSR; Vol. 158). Nauka, Leningrad, pp. 7-234.
- Zinovjev, A.G. 1978. Description of a new subgenus *Paranematus* subgen. n. for the group of species related to *Nematus wahlbergi* Thomson (Hymenoptera, Tenthredinidae) with a review of species from the European part of the USSR. Entomologicheskoe obozrenie 57(3): 625-635.
- Zinovjev, A.G. 1985. On the taxonomy of the sawfly genus *Pontania* O. Costa (Hymenoptera, Tenthredinidae), Subgenus *Eupontania* subg. n. Trudy Zoologitceskogo Instituta Akademii Nauk SSSR 132:3-16.
- Zinovjev, A.G. 1993. Two new species of Nematinae (Hymenoptera, Tenthredinidae) from the Eastern Palaearctic. Russian Entomological Journal 2(2):31-35.
- Zirngiebl, L. 1930. Die Sägen der Blattwespen. I. Teil. Mitteilungen des Pfälzischen Vereins für Naturkunde Pollichia N. F. 90-91:267-306.
- Zirngiebl, L. 1937a. Ein Beitrag zur Kenntnis der Blattwespen. Festschrift zum 60. Geburtstage von Professor Dr. Embrik Strand 3:350-355.
- Zirngiebl, L. 1937b. Neue oder wenig bekannte Tenthredinoiden (Hym.) aus dem Naturhistorischen Museum in Wien. Festschrift zum 60. Geburtstage von Professor Dr. Embrik Strand 3:335-350.
- Zirngiebl, L. 1942. Ueber einige Blattwespenarten, die an unseren Gewürz-, Heil- und anderen Nutzpflanzen als Schädlinge auftreten. Mitteilungen des Vereins für Naturkunde und Naturschutz in der Westmark Pollichia N. F. 10:95-104.
- Zirngiebl, L. 1949. Ein Beitrag zur Kenntnis der Tenthrediniden. (Hym.). Mitteilungen der Münchner Entomologischen Gesellschaft 35-39:283-290.
- Zirngiebl, L. 1953. Tenthredinoiden aus der Zoologischen Staatssammlung in München. Mitteilungen der Münchner Entomologischen Gesellschaft 43:234-238.
- Zirngiebl, L. 1956. Blattwespen aus Iran. Mitteilungen der Münchner Entomologischen Gesellschaft 46:322-326.
- Zombori, L. 1971. Symphyta (Hymenoptera) from Mongolia with the description of two new species I. Acta Zoologica Academiae Scientiarum Hungaricae 17(1-2):233-241.
- Zombori, L. 1973. Symphyta (Hymenoptera) from Mongolia III. Acta Zoologica Academiae Scientiarum Hungaricae 19(3-4):445-460.
- Zombori, L. 1974. Sawflies from Korea (Hymenoptera: Symphyta). Acta Zoologica Academiae Scientiarum Hungaricae 20(3-4):453-461.
- Zombori, L. 1978. New sawfly species from Korea (Hymenoptera: Symphyta). Acta Zoologica Academiae Scientiarum Hungaricae 24(1-2):253-268.

*Submitted: October 2, 2018*

*Revised: December 13, 2018*

*Accepted: December 13, 2018*