

Correction - 상악 완전무치악에서 지르코니아 framework 을 이용한 임플란트 지지형 고정성 보철 수복 증례

Correction - The rehabilitation of an edentulous maxilla with an implant-supported fixed prosthesis using a zirconia framework: A case report

변재준·장은선·공대룡·송주헌·이경제*

Jae-Joon Byun, Eun-Sun Jang, Dae-Ryong Kong, Joo-Hun Song, Gyeong-Je Lee*

조선대학교 치과대학 치과보철학교실

Department of Prosthodontics, School of Dentistry, Chosun University, Gwangju, Republic of Korea

Correction to:

J Korean Acad Prosthodont
2020;58:342-348
([https://doi.org/10.4047/
jkap.2020.58.4.342](https://doi.org/10.4047/jkap.2020.58.4.342))

The article "The rehabilitation of an edentulous maxilla with an implant-supported fixed prosthesis using a zirconia framework: A case report" authored by Jae-Joon Byun, Eun-Sun Jang, Dae-Ryong Kong, Joo-Hun Song and Gyeong-Je Lee, published in October issue [Vol 58, No 4] of The Journal of Korean Academy of Prosthodontics (2020), has an correction.

In the above article, the financial grant has been erroneously omitted, so it would be disclosed as below.

Funding: This study was supported by research fund from Chosun University Dental Hospital, 2020.

The Journal of Korean Academy of Prosthodontics apologizes to the readers for this error.

Corresponding Author

Gyeong-Je Lee
Department of Prosthodontics,
School of Dentistry, Chosun
University, 303, Pilmun-daero,
Dong-gu, Gwangju 61452, Republic
of Korea
+82 (0)62 220 3827
lkj1998@chosun.ac.kr

© 2023 The Korean Academy of Prosthodontics

© This is an Open Access article distributed under the terms of the Creative Commons Attribution Non-Commercial License (<http://creativecommons.org/licenses/by-nc/4.0>) which permits unrestricted non-commercial use, distribution, and reproduction in any medium, provided the original work is properly cited.